CSE343(TRAINING IN PROGRAMMING)

NAME: TAHJUD TAHA NOOR

Reg No: 12203058

EdiGlobe

Zhagaram Technologies

CERTIFICATE

INTERNSHIP COMPLETION

THIS CERTIFICATE IS PROUDLY PRESENTED TO

Tahjud Taha Noor

Has successfully completed an Internship with EdiGlobe from **01-06-2024** to **31-07-2024** in the Domain of **Python**.
He/She consistently demonstrated strong problem-solving abilities, excellent communication skills, a strong work ethic, and a desire to learn and grow.

HR MANAGER

FOUNDER

Unique ID :EG331
Issue Date: 20-08-2024

MINOR PROJECT

IMBD ANALYSIS

Overview : This project provides visualizations and analysis of the IMDB Movie dataset. I've been exploring the GitHub repository for this project and discovered a pre-existing IMDB dataset of movies, along with Python code that performs various visualizations and analyses. Using my new found Python skills, I'm eager to contribute to the project by implementing additional analyses over the same dataset.

What I have done : As an initial task, I wrote Python code to identify the top 10 highest-rated movies within the comedy genre. By filtering the dataset for comedy films and sorting them based on their ratings, I uncovered the most beloved comedic titles. Additionally, I determined the overall top 5 rated movies across all genres, that provided a comprehensive view of the most acclaimed films in the dataset.

We can take a look at the python code here,

```
import pandas as pd # Assuming you have a DataFrame named 'df' with
columns 'title', 'genre', and 'rating' # Filter for comedy
movies comedy_movies = df[df['genre'] == 'Comedy'] # Sort
by rating in descending order top_comedy_movies =
comedy_movies.sort_values(by='rating', ascending=False) #
Get the top 10 movies top_10_comedy_movies =
top_comedy_movies.head(10) # Print the results
print(top_10_comedy_movies)
```

Explanation:

1. **Filter for comedy movies:** The `df[df['genre'] == 'Comedy']` line filters the DataFrame to include only movies where the 'genre' column is equal to 'Comedy'.
2. **Sort by rating:** The `sort_values(by='rating', ascending=False)` line sorts the filtered DataFrame in descending order based on the 'rating' column.
3. **Get the top 10:** The `head(10)` line selects the first 10 rows of the sorted DataFrame, which represent the top 10 rated comedy movies.
4. **Print the results:** The `print(top_10_comedy_movies)` line prints the DataFrame containing the top 10 comedy movies.

Customization:

- **Column names:** If your column names are different, adjust them accordingly in the code.
- **Data type:** Ensure that the 'rating' column is of a numerical data type (e.g., int or float) for proper sorting.
- **Filtering:** If you want to filter based on other criteria (e.g., release year, director), you can add additional conditions to the filtering expression.

This code provides a list of the top 10 rated comedy movies based on the data in the DataFrame.

MAJOR PROJECT

HOTEL MANAGEMENT

Curious about the prime time to secure a hotel room? Wondering about the ideal length of stay for the best rates? Intrigued by the factors that might lead to a surge in special requests for a hotel? This dataset on hotel bookings offers insights! When are bookings typically made? How does the length of stay correlate with daily rates? What demographic factors influence booking patterns? Dive into the data, sans personal identifiers, and explore the dynamics governing hotel reservations.