

1. Introduction

exp-resume is a small Typst package for writing an ATS-friendly resume. It configures a clean one-page layout, a name and contact row, and a set of components for the common resume sections. Personal documents should be kept outside the repository and import either the published package or the local clone.

2. Installation

Publish the package to the Typst package repository, then create a new document from the template:

```
typst init @preview/#pkg:#version
```

During development a sibling document can import the implementation from a local clone:

```
#import "exp-resume-template/src/lib.typ": *
```

3. Quick Start

The document starts with `#show: resume.with(...)`, which applies the global rules and renders the name and contact row. The rest of the document is the body:

```
#import "@preview/#pkg:#version": *
```

```
#show: resume.with(  
  author: "John Doe",  
  email: "john.doe@example.com",  
  accent-color: "#26428b",  
)
```

== Experience

```
#work(  
  title: "Software Engineer",  
  company: "Example Corporation",  
  location: "Example City, EX",  
  dates: dates-helper(start-date: "Jun 2024", end-date: "Present"),  
)  
- Replace this placeholder with an accomplishment.
```

Lines that start with `==` are formatted into small-caps section headings with a rule underneath.

4. Resume Configuration

The `resume` function accepts the following parameters:

Parameter	Description
author	Your name, shown as a level-one heading
location	City and country or region, shown in the contact row
email	Email address, linked with <code>mailto:</code>
email-text	Optional display text for the email link
github	GitHub handle, linked with <code>https://</code>
github-text	Optional display text for the GitHub link
linkedin	LinkedIn handle, linked with <code>https://</code>
linkedin-text	Optional display text for the LinkedIn link

phone	Phone number, linked with <code>tel:</code>
personal-site	Personal site, linked with <code>https://</code>
personal-site-text	Optional display text for the personal site link
accent-color	Color for headings and links, defaults to black
font	Body font, defaults to “New Computer Modern”
paper	Page paper, defaults to “us-letter”
font-size	Body font size, defaults to 10pt
author-font-size	Name size, defaults to 20pt
lang	Document language, defaults to “en”
pronouns	Optional pronouns, shown in the contact row
author-position	Alignment of the name, defaults to left
personal-info-position	Alignment of the contact row, defaults to left

Parameters that are optional can be omitted or set to `""`. The template contains commented example values.

5. Section Components

Each component is placed directly below a `== Section` heading. Bold and italic emphasis inside the argument strings is preserved.

5.1. Summary

`summary` renders a justified paragraph below a heading:

`== Summary`

```
#summary[Backend engineer experienced in scaling distributed services.]
```

5.2. Education

```
#edu(
  institution: "Example University",
  location: "Example City, EX",
  dates: dates-helper(start-date: "Aug 2020", end-date: "May 2024"),
  degree: "Bachelor of Science, Computer Science",
)
```

Set `consistent: true` to move the dates to the top-right and the location to the bottom-right, matching the other components.

5.3. Work Experience

```
#work(
  title: "Software Engineer",
  company: "Example Corporation",
  location: "Example City, EX",
  dates: dates-helper(start-date: "Jun 2024", end-date: "Present"),
)
```

5.4. Projects

```
#project(
  name: "Example Project",
  technologies: "Python, FastAPI, Redis",
)
```

```

links: (
  (url: "github.com/johndoe/example-project", text: "Github"),
  (url: "example.com", text: "Live"),
),
)

```

Pass multiple links as (url, text) dictionaries. They are joined with `•` and shown on the right.

5.5. Certificates

```

#certificates(
  name: "Example Certification",
  issuer: "Example Institute",
  url: "example.com/cert",
  url-text: "Certificate",
  date: "Jun 2024",
)

```

5.6. Extracurricular Activities

```

#extracurriculars(
  activity: "Example Open Source Group",
  dates: dates-helper(start-date: "Jan 2022", end-date: "Present"),
)

```

6. Generic Helpers

These helpers do not apply any formatting beyond layout and can be used to build custom entries.

6.1. dates-helper

Formats a start and end date with an em dash. Pass only an end date to omit the dash:

```

#dates-helper(start-date: "Jun 2024", end-date: "Present")

```

6.2. linked-text

Renders `value` as a hyperlink when a `link-prefix` is given, optionally using `text` as the visible label:

```

#linked-text("example.com", link-prefix: "https://")

```

6.3. generic-one-by-two

Places `left` and `right` on one line, with `right` pushed to the right edge:

```

#generic-one-by-two(left: "Title", right: "Date")

```

6.4. generic-two-by-two

Places two pairs on two lines, with each right-hand cell pushed to the right edge:

```

#generic-two-by-two(
  top-left: "Title",
  top-right: "Date",
  bottom-left: "Company",
  bottom-right: "Location",
)

```

6.5. edu-entry

Renders a single education row of `year`, `institution`, and `grade`, with the cells spread across the line:

```

#edu-entry(year: "2020", institution: "Example University", grade: "B.Tech")

```