



e-Commerce API

Digicel Financial Services

Last updated: 5 October 2021



Table of Contents

1. Introduction	1
1.1 About MyCash.....	1
1.2 Copyright.....	1
1.3 Confidentiality Statement.....	1
1.4 Disclaimer.....	1
2. Overview	2
2.1 Terms Used	2
2.2 Parameter Notations.....	2
2.3 Credentials	2
2.4 Protocol.....	3
2.5 Request and Response.....	3
2.6 Call Flow	3
3. API Methods.....	4
3.1 sendOTP	4
3.2 paymentRequest.....	4
3.3 approvePayment.....	5
3.4 Error Codes	6



1. Introduction

This document 'MyCash E-Commerce API', provides information about MyCash E-Commerce API and guidelines to merchants on how to integrate and start accepting payment through MyCash.

1.1 About MyCash

MyCash is a service offered by Digicel that allows its customers to receive, store and spend money using their Digicel mobile phone.

It converts your cash into electronic money and turns your cell phone into a mobile wallet. Now, with a MyCash wallet, Mobile subscribers can easily and conveniently send, receive cash, buy airtime and make payments just by using their cell phone.

1.2 Copyright

This document contains confidential information, which is the property of Digicel MyCash. No part of its contents may be used, copied, disclosed or conveyed to any party in any manner whatsoever without prior written permission from Telepin Software.

Copyright © since 2021 Digicel MyCash. All Rights Reserved.

1.3 Confidentiality Statement

The information in this document is designated as "Commercial in Confidence". This is a Non-Disclosure Agreement meaning that it shall not be handed over to any party other than Digicel and the designated recipient.

1.4 Disclaimer

This document is prone to amendments, improvements and corrections subject to any information that may be missing, wrongly presented or where improvement is required and necessary.

Digicel will be responsible for correcting mistakes and updating the document in case where information is incorrectly presented.

Merchants have a unique credentials in order to access their account and to protect unauthorized access to their account information. Merchants agree to keep their credentials confidential, and to contact MyCash Team in the event that they have misplaced or disclosed it to any unauthorized parties. **Merchants are wholly responsible for maintaining the confidentiality of their credentials.** If merchants believe for any reason that the security of their username or password has been compromised, they are urged to contact MyCash Team.



2. Overview

This document describes the MyCash Rest API its protocols and communication guidelines.

2.1 Terms Used

Terms	Definition
API	Application Programming Interface
HTTP	Hypertext Transfer Protocol
MSISDN	Mobile Subscriber Integrated Services Digital Network Number (Mobile Number)
OTP	One Time PIN
SMS	Short Message Service
USSD	Unstructured Supplementary Service Data

2.2 Parameter Notations

Notation	Definition
M	Mandatory parameter
O	Optional Parameter
C	Conditional parameter, only exists when other parameters are used

2.3 Credentials

Every request is authenticated by three (3) parameters. The credentials will be provided in due course.

- API Key
- Username
- Password

It is important that these credentials are **NOT stored in plain html, hidden html input fields or** in any such format that can be available publicly.

It is to be noted that hidden html input fields can be made visible by doing a right click on a web page and choosing 'View page source'.



2.4 Protocol

The transport protocol of this interface is HTTP, version 1.1.

The expected HTTP method is always POST.

The endpoint will always be HTTPS and will be provided by MyCash Team during the course of the integration.

2.5 Request and Response

Every **Request** should contain the credentials and `method` parameter. The `method` determines the type of operation been executed.

All request will return a JSON **Response** with two mandatory parameters.

- `response_code`
- `message`

A `response_code` of '0' denotes that the request was successful. Any other response code would mean the transaction was not successful. The reason for failure will be returned in `message` parameter.

Response codes and the corresponding messages have been provided later in the document for exception and error handling at Merchant side. It is advisable to display the error messages to the customer without any alteration as it will be easier to troubleshoot if customer calls MyCash call centre.

A sample Request and Response using Postman

The screenshot shows a Postman interface for a POST request to `https://www.xyz.com/mycash/`. The request body is form-data with the following parameters:

KEY	VALUE	DESCRIPTION
☒ <code>api_key</code>	<code>mXssDMdp7H9UhFXrpMpuX</code>	
☒ <code>method</code>	<code>sendOTP</code>	Method
☒ <code>username</code>	<code>TEST</code>	MyCash Username
☒ <code>password</code>	<code>****</code>	MyCash Password
☒ <code>mobile_number</code>	<code>6797012071</code>	Customer's Mobile Number

The response status is 200 Success, Time: 1010 ms, Size: 344 B. The response body is:

```
1 {"response_code":0,"message":"OTP Sent to 6797012071"}
```

2.6 Call Flow

- Put the transaction in queue and get transaction ID using `paymentRequest`
- Generate and send OTP to the customer using `sendOTP`



- Execute and APPROVE the transaction using `approvePayment` and the OTP

3. API Methods

The `method` determines the action being requested or performed.

3.1 `sendOTP`

Request Parameters:

Parameter	Definition	Inclusion
api_key	API Key provided by MyCash	M
username	User Name provided by MyCash	M
password	Password provided by MyCash	M
method	<code>sendOTP</code>	M
mobile_number	Customer mobile number that will be making payment.	M

Reply Parameters:

Parameter	Definition	Inclusion
response_code	0 for success	M
message	Message that can be displayed to the customer	M

3.2 `paymentRequest`

Request Parameters:

Parameter	Definition	Inclusion
api_key	API Key provided by MyCash	M
username	User Name provided by MyCash	M
password	Password provided by MyCash	M
method	<code>paymentRequest</code>	M
product_id	Product ID provided by MyCash	M
amount	Amount for the payment	M
customer_mobile	Customer mobile number that will be making payment.	M
merchant_mobile	Merchant mobile number will be provided by MyCash	M
narration	Payment related remark (max 200 characters). Example "Products:10 Total:45.43 Cust:Customer Name"	M
order_id	Order ID of calling party for reconciliation purposes.	M

**Reply Parameters:**

Parameter	Definition	Inclusion
response_code	0 for success	M
request_id	Transaction Request ID	M

3.3 approvePayment

Request Parameters:

Parameter	Definition	Inclusion
api_key	API Key provided by MyCash	M
username	User Name provided by MyCash	M
password	Password provided by MyCash	M
method	approvePayment	M
request_id	Request ID received in paymentRequest reply	M
otp	Tac received in sendOTP	M
customer_mobile	Customer mobile number that will be making payment.	M

Reply Parameters:

Parameter	Definition	Inclusion
response_code	0 for success	M
message	Message that can be displayed to the customer	M
reference_number	Reference number for MyCash	M
transaction_id	Transaction ID for MyCash	M
amount_debit	Amount that is debited from customer's mobile wallet	M
amount_credit	Amount that is created to merchant mobile wallet	M
fee	Fee that is charged to the merchant	M



3.4 Error Codes

Code	Description
600	API Key Error
601	Invalid User key (User is not matching API key passed)
602	Invalid Method passed
603	MyCash Payment system error
604	Invalid Product ID
605	Mandatory parameter is empty
606	Invalid customer mobile number