github.com/taibun/python_project

python_project Public

Watch 0 | Fork 0 | Star 0

main | 1 Branch | 0 Tags | Go to file t | Add file | Code

rishadnaim5 Update dashboard.py dfa551e · now 12 Commits

.gitattributes	Initial commit	27 days ago
Gym.py	Add files via upload	2 hours ago
Sleep.py	Add files via upload	1 hour ago
dashboard.py	Update dashboard.py	8 minutes ago
food.py	Add files via upload	3 hours ago
login.py	Add files via upload	8 hours ago
main.py	add gui.py	2 days ago
read.py	Add files via upload	2 hours ago

README

Add a README

Help people interested in this repository understand your project.

About

No description, website, or topics provided.

Activity
0 stars
0 watching
0 forks
Report repository

Releases

No releases published
Create a new release

Packages

No packages published
Publish your first package

Contributors 3

taibun
rishadnaim5 Sheikh Nusrat Jahan R...
tasmiahshawrin Tasmiah

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py | food.py

dashboard.py > ...

```python
import tkinter as tk
from tkinter import messagebox
import food
import Sleep
import read
import Gym

root = tk.Tk()
root.title("Dashboard")
root.geometry("400x400")

title = tk.Label(root, text="DASHBOARD", font=("Arial", 18, "bold"))
title.place(x=130, y=30)

def open_food_page():
    food.open_food(root)

def gym():
    Gym.open_gym(root)

def reading():
    read.open_reading(root)

def sleeping():
    Sleep.open_sleep(root)

btn1 = tk.Button(root, text="Food", width=15, command=open_food_page)
btn1.place(x=140, y=100)
btn2 = tk.Button(root, text="Gym", width=15, command=gym)
btn2.place(x=140, y=140)
btn3 = tk.Button(root, text="Reading", width=15, command=reading)
btn3.place(x=140, y=180)
btn4 = tk.Button(root, text="Sleeping", width=15, command=sleeping)
btn4.place(x=140, y=220)

root.mainloop()
```

erminal Help python

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py | foo

login.py > ...

```python
import tkinter
from tkinter import messagebox

login_page = tkinter.Tk()
login_page.geometry("400x300")
login_page.title("Login Page")

def login():
    username = Textbox1.get()
    password = Textbox2.get()

    if username == "python" and password == "12345":
        messagebox.showinfo("Login", "Login Successful")
        login_page.destroy()
        import dashboard
        dashboard.open_dashboard()

    else:
        messagebox.showerror("Login", "Incorrect Username or Password")

Label1 = tkinter.Label(login_page, text="Enter username")
Label1.place(x=50, y=50)

Textbox1 = tkinter.Entry(login_page)
Textbox1.place(x=180, y=50)

Label2 = tkinter.Label(login_page, text="Enter password")
Label2.place(x=50, y=100)

Textbox2 = tkinter.Entry(login_page, show="*")
Textbox2.place(x=180, y=100)

LoginButton = tkinter.Button(login_page, text="Login", command=login)
LoginButton.place(x=180, y=150)

login_page.mainloop()
```

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py | food.py

food.py > open_food

```python
import tkinter as tk
from tkinter import messagebox

foods = []
CALORIE_GOAL = 2000

def open_food(parent=None):

    if parent:
        root = tk.Toplevel(parent)
    else:
        root = tk.Tk()

    width = root.winfo_screenwidth()
    height = root.winfo_screenheight()
    root.geometry(f"{width}x{height}")

    root.title("Food Tracker")

    tk.Label(root, text="FOOD TRACKER", font=("Arial", 24, "bold")).place(x=550, y=50)

    tk.Label(root, text="Food Name").place(x=450, y=150)
    food_entry = tk.Entry(root, width=25)
    food_entry.place(x=600, y=150)

    tk.Label(root, text="Calories").place(x=450, y=200)
    calorie_entry = tk.Entry(root, width=25)
    calorie_entry.place(x=600, y=200)

    def add_food():
        name = food_entry.get()
        calorie = calorie_entry.get()

        if name == "" or calorie == "":
            messagebox.showwarning("Input Error", "Enter food and calories")
            return

```

Help python

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py | food.py

food.py > open_food

```python
def open_food(parent=None):
    def add_food():

        foods.append(int(calorie))
        listbox.insert(tk.END, f"{name} - {calorie} cal")

        food_entry.delete(0, tk.END)
        calorie_entry.delete(0, tk.END)

        update_status()

    tk.Button(root, text="Add Food", width=15, command=add_food).place(x=600, y=250)

    goal_label = tk.Label(root, text=f"Goal = {CALORIE_GOAL}")
    goal_label.place(x=600, y=300)

    total_label = tk.Label(root, text="Total = 0")
    total_label.place(x=600, y=330)

    progress_label = tk.Label(root, text="Progress = 0%")
    progress_label.place(x=600, y=360)

    def update_status():
        total = sum(foods)
        progress = (total / CALORIE_GOAL) * 100

        total_label.config(text=f"Total = {total}")
        progress_label.config(text=f"Progress = {int(progress)}%")

    listbox = tk.Listbox(root, width=50, height=15)
    listbox.place(x=500, y=420)

    if parent is None:
        root.mainloop()
```

Terminal Help python

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py | food.py

Gym.py > ...

```python
import tkinter as tk
from tkinter import messagebox

cal_burn = []
burn_goal = 3000

def open_gym(parent=None):

    if parent:
        root = tk.Toplevel(parent)
    else:
        root = tk.Tk()

    width = root.winfo_screenwidth()
    height = root.winfo_screenheight()
    root.geometry(f"{width}x{height}")

    root.title("Calorie Tracker")

    tk.Label(root, text="CALORIE TRACKER", font=("Arial", 24, "bold")).place(x=550, y=50)

    tk.Label(root, text="Exercise Name").place(x=450, y=150)
    exercise_entry = tk.Entry(root, width=25)
    exercise_entry.place(x=600, y=150)

    tk.Label(root, text="Calories").place(x=450, y=200)
    calorie_entry = tk.Entry(root, width=25)
    calorie_entry.place(x=600, y=200)

    def add_exercise():
        name = exercise_entry.get()
        calorie = calorie_entry.get()

        if name == "" or calorie == "":
            messagebox.showwarning("Input Error", "Enter exercise and calories")
            return

```

Terminal Help python

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py | food.py

Gym.py > ...

```python
def open_gym(parent=None):
    def add_exercise():

        cal_burn.append(int(calorie))
        listbox.insert(tk.END, f"{name} - {calorie} cal")

        exercise_entry.delete(0, tk.END)
        calorie_entry.delete(0, tk.END)

        update_status()

    tk.Button(root, text="Add Exercise", width=15, command=add_exercise).place(x=600, y=250)

    goal_label = tk.Label(root, text=f"Goal = {burn_goal}")
    goal_label.place(x=600, y=300)

    total_label = tk.Label(root, text="Total = 0")
    total_label.place(x=600, y=330)

    progress_label = tk.Label(root, text="Progress = 0%")
    progress_label.place(x=600, y=360)

    def update_status():
        total = sum(cal_burn)
        progress = (total / burn_goal) * 100

        total_label.config(text=f"Total = {total}")
        progress_label.config(text=f"Progress = {int(progress)}%")

    listbox = tk.Listbox(root, width=50, height=15)
    listbox.place(x=500, y=420)

    if parent is None:
        root.mainloop()
```

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py | food.py

Sleep.py > ...

```python
import tkinter as tk
from tkinter import messagebox

sleeps = []
SLEEP_GOAL = 8

def open_sleep(parent=None):

    if parent:
        root = tk.Toplevel(parent)
    else:
        root = tk.Tk()

    width = root.winfo_screenwidth()
    height = root.winfo_screenheight()
    root.geometry(f"{width}x{height}")

    root.title("Sleep Tracker")

    tk.Label(root, text="SLEEP TRACKER", font=("Arial", 24, "bold")).place(x=550, y=50)

    tk.Label(root, text="Sleep Type").place(x=450, y=150)
    sleep_entry = tk.Entry(root, width=25)
    sleep_entry.place(x=600, y=150)

    tk.Label(root, text="Hours Slept").place(x=450, y=200)
    hour_entry = tk.Entry(root, width=25)
    hour_entry.place(x=600, y=200)

    def add_sleep():
        name = sleep_entry.get()
        hours = hour_entry.get()

        if name == "" or hours == "":
            messagebox.showwarning("Input Error", "Enter sleep type and hours")
            return
```

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py

Sleep.py > ...

```python
def open_sleep(parent=None):
    def add_sleep():

        sleeps.append(float(hours))
        listbox.insert(tk.END, f"{name} - {hours} hrs")

        sleep_entry.delete(0, tk.END)
        hour_entry.delete(0, tk.END)

        update_status()

    tk.Button(root, text="Add Sleep", width=15, command=add_sleep).place(x=600, y=250)

    goal_label = tk.Label(root, text=f"Goal = {SLEEP_GOAL} hrs")
    goal_label.place(x=600, y=300)

    total_label = tk.Label(root, text="Total = 0 hrs")
    total_label.place(x=600, y=330)

    progress_label = tk.Label(root, text="Progress = 0%")
    progress_label.place(x=600, y=360)

    def update_status():
        total = sum(sleeps)
        progress = (total / SLEEP_GOAL) * 100

        total_label.config(text=f"Total = {total} hrs")
        progress_label.config(text=f"Progress = {int(progress)}%")

    listbox = tk.Listbox(root, width=50, height=15)
    listbox.place(x=500, y=420)

    if parent is None:
        root.mainloop()
```

minal Help python

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py | food.py

read.py > open_reading

```python
import tkinter as tk
from tkinter import messagebox

study_sessions = []
STUDY_GOAL = 300
                    (parameter) parent: Any | None
def open_reading(parent=None):

    if parent:
        root = tk.Toplevel(parent)
    else:
        root = tk.Tk()

    width = root.winfo_screenwidth()
    height = root.winfo_screenheight()
    root.geometry(f"{width}x{height}")

    root.title("Reading Tracker")

    tk.Label(root, text="READING TRACKER", font=("Arial", 24, "bold")).place(x=550, y=50)

    tk.Label(root, text="Subject").place(x=450, y=150)
    subject_entry = tk.Entry(root, width=25)
    subject_entry.place(x=600, y=150)

    tk.Label(root, text="Study Time (min)").place(x=450, y=200)
    time_entry = tk.Entry(root, width=25)
    time_entry.place(x=600, y=200)

    def add_session():
        subject = subject_entry.get()
        time = time_entry.get()

        if subject == "" or time == "":
            messagebox.showwarning("Input Error", "Enter subject and time")
            return
```

Welcome | login.py | dashboard.py | read.py | Sleep.py | Gym.py | food.py

read.py > open_reading

```python
def open_reading(parent=None):
    def add_session():
        study_sessions.append(int(time))
        listbox.insert(tk.END, f"{subject} - {time} min")


        subject_entry.delete(0, tk.END)
        time_entry.delete(0, tk.END)

        update_status()

    tk.Button(root, text="Add Session", width=15, command=add_session).place(x=600, y=250)

    goal_label = tk.Label(root, text=f"Goal = {STUDY_GOAL} min")
    goal_label.place(x=600, y=330)

    total_label = tk.Label(root, text="Total = 0 min")
    total_label.place(x=600, y=360)

    progress_label = tk.Label(root, text="Progress = 0%")
    progress_label.place(x=600, y=390)

    def update_status():
        total = sum(study_sessions)
        progress = (total / STUDY_GOAL) * 100

        total_label.config(text=f"Total = {total} min")
        progress_label.config(text=f"Progress = {int(progress)}%")

    listbox = tk.Listbox(root, width=50, height=15)
    listbox.place(x=500, y=430)

    if parent is None:
        root.mainloop()
```

```
age.title("Login Page")

in():
rname = Te
sword = Te

username =
 messagebo
 login_pag
 import da
 dashboard

e:
 messagebo
```




```
= tkinter.
place(x=50

1 = tkinte
1.place(x=

= tkinter.Label(login_page, text="Enter password")
place(x=50, y=100)

2 = tkinter.Entry(login_page, show="*")
```


Dashboard
DASHBOARD
Food
Gym
Reading
Sleeping


Food Tracker
FOOD TRACKER
Food Name
Calories
Add Food
Goal = 2000
Total = 0
Progress = 0%


Calorie Tracker
CALORIE TRACKER
Exercise Name
Calories
Add Exercise
Goal = 3000
Total = 0
Progress = 0%


Reading Tracker
READING TRACKER
Subject
Study Time (min)
Add Session
Goal = 300 min
Total = 0 min
Progress = 0%


Sleep Tracker
SLEEP TRACKER
Sleep Type
Hours Slept
Add Sleep
Goal = 8 hrs
Total = 0 hrs
Progress = 0%