THREE-WAY THEMATIC JOINT DISPLAY

How dominant LDA topics relate to MAXQDA coding and GPT thematic annotations

DOMINANT LDA TOPIC	MAXQDA ANCHOR	MOST FREQUENT GPT THEME	INTERPRETATION
T1 · 30 texts Medication & treatment	**Treatment & Medication** 26/30 texts · 86.7%	**Treatment, therapy, and medication** 9/13 GPT records	**Convergent focus** Treatment dominates both descriptions
T2 · 35 texts Anxiety & somatic symptoms	**Anxiety & Fear** 28/35 texts · 80.0%	**Daily functioning, sleep, and physical/vegetative state** 17/35 GPT records	**Complementary** Human anxiety; GPT often emphasizes bodily effects
T3 · 44 texts Psychosocial stress	**Work, Study & Financial Stress** 20/44 texts · 45.5%	**Self-harm and suicidality** 12/50 GPT records	**Divergent** Broad psychosocial LDA group; GPT often self-harm
T4 · 10 texts Public discourse	**Public Discussion of Depression** 8/10 texts · 80.0%	**Work, study, and financial/livelihood pressures** 2/5 GPT records	**Divergent / sparse** Strong human public-discourse match; only five GPT records
T5 · 36 texts Help-seeking & information	**Help-Seeking, Coping & Support** 10/36 texts · 27.8%	**Treatment, therapy, and medication** 14/37 GPT records	**Complementary** Help-seeking topic also has medication content
T6 · 29 texts Commentary & trivialization	**Casual or Figurative Depression Language** 22/29 texts · 75.9%	**Emotions and feelings** 5/18 GPT records	**Divergent** Humans flag figurative talk; GPT favors general affect
T7 · 47 texts Severe distress & suicidality	**Self-Harm & Suicidal Thoughts** 20/47 texts · 42.6%	**Self-harm and suicidality** 25/52 GPT records	**Partial convergence** Self-harm emerges, but LDA topic is broader

MAXQDA = share of retained texts with the paired code. GPT = most common primary theme among source-specific annotation records.

The comparisons are descriptive; editorial interpretation categories are not an inter-rater agreement statistic.