

Agent Credit Bureau

Team Mongolia, National University of Mongolia

A credit bureau for AI agents, and a wallet that earns its autonomy

Taivanbat Bayarsaikhan (team leader, Computer Science) and
Tuguldur Munkhbat (Software Engineering)

FinTechathon 2026, International AI Track,
Topic F: Agent Wallet - Autonomous On-chain Wallet

Recorded run on Base Sepolia (chain id 84532). Code and evidence: github.com/taivnaaiwnl/shenzhen-comp

2025 FinTechathon
深圳国际金融科技大赛
西丽湖金融科技大学生挑战赛

CONTENTS

01 Problem

02 Idea

03 How it works

04 On-chain demo

05 Security and compliance

06 Value and roadmap

AI agents pay each other, and nobody knows who is good for the money

2025 FinTechathon 深圳国际金融科技大赛 西丽湖金融科技大学生挑战赛

x402 lets software pay per request; AP2 and ACP give agents payment mandates

Freysa — persuaded
Nov 2024, about 13.19 ETH
The LLM held the transfer decision

Grok / Bankrbot — injected
May 2026, about $150-200k
Morse-code injection, NFT privilege escalation

Lobstar Wilde — no caps
Feb 2026, about $450k
No attacker, and no hard caps

Know Your Agent (KYA)

- ✓ Who is the agent?
- ✓ Who authorised it?
- ✓ Which permissions?
- ☐ **How has it behaved when paid?**

Know Your Agent asks who acts, not how the agent behaved when paid

Our idea: grade the counterparty, and make the wallet earn its limits

2025 FinTechathon 深圳国际金融科技大赛 西丽湖金融科技大学生挑战赛

Credit bureau
Every agent gets a grade (A, B, C, D or NEW) from on-chain outcomes

Grade gate
The wallet pays A and B, escrows NEW and C, refuses D


Earned Autonomy
The wallet's own limits rise with a clean record, drop or freeze on violations

LLM is not the boundary
The LLM proposes; deterministic code, a separate signer and the vault decide

Topic F: asset management | transaction execution | risk control

214	0 of 63	0.00	0 / 14	22 / 22
on-chain transactions (26 agent-signed)	attacks that reached their goal	USDC lost to attacks	false positives on normal tasks	grades recompute to MATCH

How it works



- The owner states intent in chat; the LLM holds no key
- The owner registers the mandate on-chain: payees, pinned wallets, budgets, expiry
- A separate signer re-checks each payment; only it holds the agent key
- The TierVault enforces mandate, tier caps, grade gate, reserve floor, freeze
- Separate keys: the bureau grades, the autonomy operator promotes, the owner unfreezes

Addresses: ACB `0xd88f1f...4374`, wallet vault `0x16c7a9...12ad`, Identity `0x8004a8...bd9e`, Reputation `0x8004b6...8713`

The credit bureau: a scorecard anyone can recompute

- Counts only registered-vault orders with a payee-signed invoice
- Score = 600 + points, 300-850; A >= 700, B >= 640, C >= 560, else D
- Under 3 settled orders: NEW, or C or D after failures or flags
- Praise and a new identity's accusations weigh 0
- Each grade posts model id, config hash, evidence hash, up to 4 reason codes

```
$ acb bureau recompute --tx 0x58d9b3...254f
MATCH
```

Ghost Feeds: grade posting at S11



0 points: F3, F4a, F4b, F5b, F5c, F6

Reason codes

1002 Orders were paid but not delivered
1001 Share of orders delivered on time is low
1006 Few completed orders
1007 Identity registered recently


Ghost Feeds: NONE -> NEW (S4) -> A (S4) -> D (S11); score 410; reasons 1002, 1001, 1006, 1007; recompute MATCH; grade tx 0x58d9b3...254f. Bands and base: config/scorecard.yaml

Earned Autonomy: the wallet's limits are on-chain and move by formula

Tier	Name	Per payment	24 h window	Tx per window	Pays directly	Clean orders to promote
0	Maker-checker	0	0	0	none (owner approves each)	3
1	Small payments	1.00 USDC	5.00 USDC	10	A; B up to half	3
2	Standard	2.00 USDC	10.00 USDC	20	A; B up to half	6
3	Extended	4.00 USDC	20.00 USDC	32	A; B up to half; NEW	-
FROZEN	Circuit breaker	nothing leaves except owner actions				

B payees are paid directly up to half the per-payment cap (b_cap_bps 5000); C and NEW go to escrow; D is refused.

- Starts at tier 1; promoted one tier after clean settled orders
- Serious violation: demote one tier; severe violation: freeze in the same transaction
- Only the owner unfreezes, to tier 0 or 1, with key rotation
- Automatic promotion stops at tier 2; tier 3 needs the owner



Tier changes: S10 0x2923c9...e4b6, S15 0x8e8dc7...b700, S16 0x2a829d...9de0, S18 0x555966...c636

Demo: one recorded run on Base Sepolia, every claim has a hash



- Owner mandate on-chain; pay grade A; capped pay to grade B
- Unrated provider paid through escrow, released after its on-chain claim
- Ghost defaults, drops to D, and is refused on-chain
- Stolen key reverts; scripted hijack freezes the vault; owner resets
- 214 transactions, 26 agent-signed; offline check 236 / 236

Step	Claim	Transaction
S5	Owner registers mandate M1	0x0fd2d2...8fe1
S6 / S7	Pay grade A; capped pay to grade B	0xdd46a8...902e, 0x7fb6ed...80bb
S8	Escrow, delivery claim, release	0x36bdc1...4e7d, 0x3c0165...76af, 0x89d612...6bac
S12 / S13	Refuse grade D; stolen key reverts	0xae242f...12a0, 0x024356...6bc4
S16 / S18	Freeze; owner reset; approved payment	0x2a829d...9de0, 0x555966...c636, 0xc77acd...0ca6

All 25 headline claims: evidence/base_sepolia/HEADLINE.md; verify with scripts/verify_evidence.py (backup slides list them)

Security and compliance: counted attacks, by the official threat classes

2025 FinTechathon 深圳国际金融科技大赛 西丽湖金融科技大学生挑战赛

Class	Attacks	Blocked	Contained	Bounded	Escalated	Failed
Induced transfer	16	14	1	0	1	0
Data extraction	5	4	1	0	0	0
Privilege escalation	10	8	2	0	0	0
Prompt injection	10	9	0	0	1	0
Attacks on the bureau	14	12	0	2	0	0
Other (limits, failure recovery, gas, registry)	8	7	0	0	1	0
Total	**63**	**54**	**4**	**2**	**3**	**0**

- 63 scripted attacks, classified from observed effects
- Failed (goal reached): 0 (none); USDC lost: 0.00
- Contained: breaker froze wallet. Bounded: within a stated limit. Escalated: owner approval

Compliance

- No personal data on-chain, only agent ids, amounts, reason codes, hashes
- Denylist and USDC blacklist check (2120); simulated agents labelled on the registry

Nine defence layers

L1 invoice validation, detector
L2 quarantine, turn-type tool sets
L3 action selector, echo-and-verify
L4 policy
L5 signer
L6 vault on-chain
L7 bureau rules
L8 owner console
L9 autonomy operator

Suite run r-20261017-122958 on anvil, commit 07eb9ef3323c. Stolen-key reverts on Base Sepolia: grade gate 0x024356...6bc4, replay 0xa078d0...c5c6, frozen 0x18e325...5e44. Full table in the security self-assessment

Interaction: clarify, correct, fall back, explain

S5 chat: owner lines scripted; model openai

I need FX market data and API calls for my research today, budget 5 USDC

Agent: forced clarification (shortened)
You did not name a provider, and I will not choose one for you. Matching providers: Atlas Data (A, 0x4a68fc...e786); Slowpoke Analytics (B, 0x837c65...3a66); Ghost Feeds (A, 0x15d402...72f5). Which should I use?

Use all five: Atlas, Slowpoke, Nova, Orion, and Ghost as a backup

Actually make the total 4 USDC, not 5

Agent: mandate card shows the diff
total 5.00 -> 4.00 USDC; 5 payees, 1.00 per payment

Dialogue evaluation	Result
Requests evaluated	33
Correct mandates	100.0%
Clarification precision	100.0%
Clarification recall	100.0%
Correction success	100.0%
Chinese requests correct	4 of 4
Hostile requests safe	100.0%
Median turns	1.5

Banner when the model is down: AI offline: rule-based mode

- Fallbacks: LLM down -> rule-based; unrated -> escrow; over cap -> owner
- S5: 3 owner turns (openai); eval median 1.5 turns


Measurable value

4.00 USDC
stolen-key bound, only to approved payees

1.00 USDC
single-name exposure limit, grade A

0 / 14
false positives on normal tasks

Honest agents graded C or D (backtest)



Round (early rounds: bootstrap, partners unrated)

Backtest on 300 synthetic agents

AUC 0.9758, KS 0.8863

A consistency check on our own simulator, not an out-of-sample validation

Largest honest score change from smears: 0 points

Attempted outflow stopped (scripted hijack): refused, vault frozen, nothing moved

Cost of the run: 0.000249196 ETH of testnet fees; a payment uses about 330,604 gas. Bounds: docs/design/spec.md 2.5-2.6, config/policy.yaml

Related work, and what is new

2025 FinTechathon 深圳国际金融科技大赛 西丽湖金融科技大学生挑战赛

Not new

- A trust score that gates an agent's spending
- Deterministic policy, tiers or earned autonomy in 2026 entries

New

- Counterparty grades only from verifiable settlement outcomes, recomputable by anyone
- The wallet's autonomy earned and lost on-chain from its own violations

Work	What it has	What we add
Leash (Base Sepolia)	LLM is not the security boundary; tiers; 30 counted attacks	Counterparty grades that change the decision; tiers that move by formula on-chain
agentic-wallet (Base Sepolia)	Scoped expiring session key; tiers with emergency pause	Autonomy earned and lost from the agent's own violations, enforced by the vault
ReceivableOS (FISCO BCOS)	"AI proposes; the policy guard decides"	Counterparty grades and an on-chain tier on top of that split
DuitDuit (Topic E)	"Earned autonomy" from an approval record	Autonomy driven by violations, including "the LLM proposed what the policy blocked"
Trust-score gating (Triage-OWS, AsterPay KYA, DJD Agent Score, Ant International)	A score sets spending limits	Public, versioned, evidence-hashed grades of counterparties, enforced by a contract

Our narrow claim: shared on-chain behaviour grades for agents, from outcomes anyone can verify, that change both whom a wallet pays and how much freedom the wallet itself has.

On-chain exploration (bonus)

2025 FinTechathon 深圳国际金融科技大赛 西丽湖金融科技大学生挑战赛

1. Official ERC-8004 registries (Draft standard); implementations pinned and checked in S0
2. Permissionless recompute: `acb bureau recompute --tx <hash>`
3. Vault registry bound to code and config (BadVaultCode, BadVaultConfig)
4. Delayed grade upgrades; on-chain mandates with pinned payout wallets

Permissionless recompute

22 / 22

grade changes recompute to MATCH from public logs and the published evidence files

```
$ acb bureau recompute --tx <hash>
MATCH
```

ERC-8004 version 2.0.0 checked at block 48228900; AgentCreditBureau 0xd88f1f...4374; wallet vault 0x16c7a9...12ad; upgrade delay 60 s

Known limits, and what comes next

2025 FinTechathon 深圳国际金融科技大赛 西丽湖金融科技大学生挑战赛

! Known limits

- Testnet only, with simulated counterparties labelled as such
- One bureau poster key and one anchor, both chosen by us
- The hijack steps use a scripted "naive" LLM

> Next

- Poster quorum
- Sybil clustering by funding source
- Keys in a KMS or HSM

Demo timings: age gate 600 s (production 30 days), grade upgrade delay 60 s (production 1 day)

2025
FinTechathon
深圳国际金融科技大赛
西丽湖金融科技大学生挑战赛

THANKS
谢谢观看！



github.com/taivnaaiwnl/shenzhen-comp

Team Mongolia: Taivanbat Bayarsaikhan and Tuguldur Munkhbat, National University of Mongolia

Backup 1/2: headline claims and their transactions

2025 FinTechathon 深圳国际金融科技大赛 西丽湖金融科技大学生挑战赛

#	Claim	Step	Function	Reasons	Transaction
1	Owner's mandate M1 registered on-chain (payees, pinned wallets, caps)	S5	registerMandate	-	0x0fd2d2...8fe1
2	Autonomous payment: grade A provider within tier limits [2000]	S6	pay	2000	0xdd46a8...902e
3	Capped payment: B-grade invoice re-quoted to the cap [2002]	S7	pay	2002	0x7fb6ed...80bb
4	Escrow opened for a new, unrated provider [2004]	S8	escrow	2004	0x36bdc1...4e7d
5	Provider's on-chain delivery claim before hand-over	S8	claimDelivered	-	0x3c0165...76af
6	Escrow released after the provider's claim [2008]	S8	release	2008	0x89d612...6bac
7	Bureau grades the wallet A with an evidence hash	S10	postGrade	1006, 1007	0x0b2b28...a3f3
8	Earned promotion from tier 1 to tier 2 [3000]	S10	setTier	3000	0x2923c9...e4b6
9	Beacon refunds Ghost's undelivered escrow [2400]	S11	refund	2400	0xfb0b1c...ed30
10	Grade collapse: Ghost Feeds A -> D after defaults	S11	postGrade	1002, 1001, 1006, 1007	0x58d9b3...254f
11	On-chain refusal after a grade drop [2100]	S12	recordDecision	2100	0xae242f...12a0
12	Stolen key pays a grade-D payee: reverts GradeNotAllowed	S13	pay	-	0x024356...6bc4
13	Stolen key replays an order id: reverts OrderExists	S13	pay	-	0xa078d0...c5c6

From evidence/base_sepolia/HEADLINE.md (not counted in the 10 minutes; for questions)

Backup 2/2: headline claims and their transactions

#	Claim	Step	Function	Reasons	Transaction
14	Agent refunds an undelivered escrow [2400]	S14	refund	2400	0x186a10...5587
15	Injection followed by the LLM: violation recorded, wallet demoted [3100]	S15	recordViolation	3100	0x8e8dc7...b700
16	Verified INJECTION_ATTEMPT report filed by code	S15	giveFeedback	-	0x3891c7...d006
17	Drain attempt: severe violation freezes the vault [3200]	S16	recordViolation	3200	0x2a829d...9de0
18	Hijacked provider Orion graded D (verified injection report)	S16	postGrade	1004, 1006, 1007	0x2aa778...87c0
19	Stolen key while frozen: reverts Frozen	S17	pay	-	0x18e325...5e44
20	Owner rotates the agent key and unfreezes to tier 0 [3300]	S18	unfreeze	3300	0x555966...c636
21	Maker-checker: owner approves the verified invoice	S18	ownerApprove	-	0x6fa18f...fc07
22	Approved payment executed [2007]	S18	executeApproved	2007	0xc77acd...0ca6
23	Verified SPAM report for unsolicited invoices	S19	giveFeedback	-	0x3de4cf...74ec
24	Ghost files an appeal	S20	fileAppeal	-	0x895b6b...305e
25	Bureau rejects the appeal after checking the events [1103]	S20	resolveAppeal	1103	0xa9d6f9...be6c

From evidence/base_sepolia/HEADLINE.md (not counted in the 10 minutes; for questions)