

Endpoints in same LAN


E2E communication: browser in my laptop ↔ web server in my PC, same LAN using eth. router (auto)




E2E communication: browser in my laptop ↔ web server in my PC, same LAN using eth. switch (manual)



E2E communication: browser in my laptop ↔ web server in my PC, same LAN using direct eth. cable (manual)




E2E communication: browser ↔ web server, both in my PC, using localhost




127.0.0.1
(open port)

localhost

No communication: browser ↔ filesystem, both in my PC




E2E communication: browser in my laptop/mobile ↔ web server in my PC, same WLAN using wifi router (auto)




Endpoints across Internet


E2E communication: browser in my home laptop (or mobile using wifi) ↔ web server in the Internet




E2E communication: browser in mobile using mobile data ↔ web server in the Internet




E2E communication: browser in my laptop on the go using mobile shared data ↔ web server in the Internet



E2E communication: browser in my class PC ↔ web server in my home PC through NAT




E2E communication: browser in PC1 in LAN1 ↔ web server in PC2 in LAN2 trough VPN (not public)
LAN1
PC1
LAN2
PC2
Web Sv
Browser
HTTP(S)
TCP
IP
Internet
WAN
VPN (encrypted)
192.168.3.33
(open port)
192.168.3.34
VPN
virtual priv. net (VPN)
192.168.3.0/24
192.168.1.11
(different interconection means)
(different interconection means)
192.168.2.22
priv. net 1
192.168.1.0/24
publ. internet
priv. net 2
192.168.2.0/24