


## Beam layout enumeration Case 1/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side  $\leq 3.00\text{m}$

Step decisions: SHORT:3

Step colors: — S1


[illegible]

## Beam layout enumeration Case 2/20


Span: 14.00m (X) x 9.00m (Y) Stop: short side  $\leq 3.00\text{m}$

Step decisions: LONG:2 -> LONG:3


Step colors: — S1 — S2

[illegible]

Step colors: — S1 — S2



Step colors: — S1 — S2




## Beam layout enumeration Case 5/20


Span: 14.00m (X) x 9.00m (Y) Stop: short side  $\leq 3.00\text{m}$

Step decisions: SHORT:2 -> SHORT:2


Step colors: — S1 — S2

[illegible]

Step colors: — S1 — S2 — S3



Step colors: — S1 — S2 — S3




Beam layout enumeration Case 8/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side <= 3.00m

Step decisions: LONG:2 -> SHORT:2 -> LONG:3

Step colors: S1 S2 S3



| Beam coordinate list (m) |      |      |       |              |              |
|--------------------------|------|------|-------|--------------|--------------|
| ID                       | Step | Type | Const | Start (x,y)  | End (x,y)    |
| B1                       | 1    | Y    | 7.00  | (7.00,0.00)  | (7.00,9.00)  |
| B2                       | 2    | Y    | 3.50  | (3.50,0.00)  | (3.50,9.00)  |
| B3                       | 2    | Y    | 10.50 | (10.50,0.00) | (10.50,9.00) |
| B4                       | 3    | X    | 3.00  | (0.00,3.00)  | (3.50,3.00)  |
| B5                       | 3    | X    | 6.00  | (0.00,6.00)  | (3.50,6.00)  |
| B6                       | 3    | X    | 3.00  | (3.50,3.00)  | (7.00,3.00)  |
| B7                       | 3    | X    | 6.00  | (3.50,6.00)  | (7.00,6.00)  |
| B8                       | 3    | X    | 3.00  | (7.00,3.00)  | (10.50,3.00) |
| B9                       | 3    | X    | 6.00  | (7.00,6.00)  | (10.50,6.00) |
| B10                      | 3    | X    | 3.00  | (10.50,3.00) | (14.00,3.00) |
| B11                      | 3    | X    | 6.00  | (10.50,6.00) | (14.00,6.00) |




## Beam layout enumeration Case 9/20


Span: 14.00m (X) x 9.00m (Y) Stop: short side  $\leq 3.00\text{m}$

Step decisions: LONG:2 -> SHORT:2 -> SHORT:2

Step colors: — S1 — S2 — S3

[illegible]

Step colors: — S1 — S2 — S3




Beam layout enumeration Case 11/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side <= 3.00m


Step decisions: LONG:3 -> LONG:2 -> SHORT:2

Step colors: S1 S2 S3




| Beam coordinate list (m) |      |      |       |             |              |
|--------------------------|------|------|-------|-------------|--------------|
| ID                       | Step | Type | Const | Start (x,y) | End (x,y)    |
| B1                       | 1    | Y    | 4.67  | (4.67,0.00) | (4.67,9.00)  |
| B2                       | 1    | Y    | 9.33  | (9.33,0.00) | (9.33,9.00)  |
| B3                       | 2    | X    | 4.50  | (0.00,4.50) | (4.67,4.50)  |
| B4                       | 2    | X    | 4.50  | (4.67,4.50) | (9.33,4.50)  |
| B5                       | 2    | X    | 4.50  | (9.33,4.50) | (14.00,4.50) |
| B6                       | 3    | X    | 2.25  | (0.00,2.25) | (4.67,2.25)  |
| B7                       | 3    | X    | 6.75  | (0.00,6.75) | (4.67,6.75)  |
| B8                       | 3    | X    | 2.25  | (4.67,2.25) | (9.33,2.25)  |
| B9                       | 3    | X    | 6.75  | (4.67,6.75) | (9.33,6.75)  |
| B10                      | 3    | X    | 2.25  | (9.33,2.25) | (14.00,2.25) |
| B11                      | 3    | X    | 6.75  | (9.33,6.75) | (14.00,6.75) |

Step colors: — S1 — S2 — S3



Step colors: — S1 — S2 — S3




Beam layout enumeration Case 14/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side <= 3.00m

Step decisions: SHORT:2 -> LONG:3 -> SHORT:2

Step colors: S1 S2 S3




| Beam coordinate list (m) |      |      |       |             |              |
|--------------------------|------|------|-------|-------------|--------------|
| ID                       | Step | Type | Const | Start (x,y) | End (x,y)    |
| B1                       | 1    | X    | 4.50  | (0.00,4.50) | (14.00,4.50) |
| B2                       | 2    | Y    | 4.67  | (4.67,0.00) | (4.67,4.50)  |
| B3                       | 2    | Y    | 9.33  | (9.33,0.00) | (9.33,4.50)  |
| B4                       | 2    | Y    | 4.67  | (4.67,4.50) | (4.67,9.00)  |
| B5                       | 2    | Y    | 9.33  | (9.33,4.50) | (9.33,9.00)  |
| B6                       | 3    | X    | 2.25  | (0.00,2.25) | (4.67,2.25)  |
| B7                       | 3    | X    | 2.25  | (4.67,2.25) | (9.33,2.25)  |
| B8                       | 3    | X    | 2.25  | (9.33,2.25) | (14.00,2.25) |
| B9                       | 3    | X    | 6.75  | (0.00,6.75) | (4.67,6.75)  |
| B10                      | 3    | X    | 6.75  | (4.67,6.75) | (9.33,6.75)  |
| B11                      | 3    | X    | 6.75  | (9.33,6.75) | (14.00,6.75) |

Beam layout enumeration Case 15/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side <= 3.00m

Step decisions: LONG:2 -> LONG:2 -> LONG:2 -> LONG:2


Step colors: S1 S2 S3 S4



| Beam coordinate list (m) |      |      |       |              |              |
|--------------------------|------|------|-------|--------------|--------------|
| ID                       | Step | Type | Const | Start (x,y)  | End (x,y)    |
| B1                       | 1    | Y    | 7.00  | (7.00,0.00)  | (7.00,9.00)  |
| B2                       | 2    | X    | 4.50  | (0.00,4.50)  | (7.00,4.50)  |
| B3                       | 2    | X    | 4.50  | (7.00,4.50)  | (14.00,4.50) |
| B4                       | 3    | Y    | 3.50  | (3.50,0.00)  | (3.50,4.50)  |
| B5                       | 3    | Y    | 3.50  | (3.50,4.50)  | (3.50,9.00)  |
| B6                       | 3    | Y    | 10.50 | (10.50,0.00) | (10.50,4.50) |
| B7                       | 3    | Y    | 10.50 | (10.50,4.50) | (10.50,9.00) |
| B8                       | 4    | X    | 2.25  | (0.00,2.25)  | (3.50,2.25)  |
| B9                       | 4    | X    | 2.25  | (3.50,2.25)  | (7.00,2.25)  |
| B10                      | 4    | X    | 6.75  | (0.00,6.75)  | (3.50,6.75)  |
| B11                      | 4    | X    | 6.75  | (3.50,6.75)  | (7.00,6.75)  |
| B12                      | 4    | X    | 2.25  | (7.00,2.25)  | (10.50,2.25) |
| B13                      | 4    | X    | 2.25  | (10.50,2.25) | (14.00,2.25) |
| B14                      | 4    | X    | 6.75  | (7.00,6.75)  | (10.50,6.75) |
| B15                      | 4    | X    | 6.75  | (10.50,6.75) | (14.00,6.75) |

Beam layout enumeration Case 16/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side <= 3.00m  
Step decisions: LONG:2 -> LONG:2 -> LONG:2 -> SHORT:2  
Step colors: S1 S2 S3 S4




| Beam coordinate list (m) |      |      |       |              |              |
|--------------------------|------|------|-------|--------------|--------------|
| ID                       | Step | Type | Const | Start (x,y)  | End (x,y)    |
| B1                       | 1    | Y    | 7.00  | (7.00,0.00)  | (7.00,9.00)  |
| B2                       | 2    | X    | 4.50  | (0.00,4.50)  | (7.00,4.50)  |
| B3                       | 2    | X    | 4.50  | (7.00,4.50)  | (14.00,4.50) |
| B4                       | 3    | Y    | 3.50  | (3.50,0.00)  | (3.50,4.50)  |
| B5                       | 3    | Y    | 3.50  | (3.50,4.50)  | (3.50,9.00)  |
| B6                       | 3    | Y    | 10.50 | (10.50,0.00) | (10.50,4.50) |
| B7                       | 3    | Y    | 10.50 | (10.50,4.50) | (10.50,9.00) |
| B8                       | 4    | Y    | 1.75  | (1.75,0.00)  | (1.75,4.50)  |
| B9                       | 4    | Y    | 5.25  | (5.25,0.00)  | (5.25,4.50)  |
| B10                      | 4    | Y    | 1.75  | (1.75,4.50)  | (1.75,9.00)  |
| B11                      | 4    | Y    | 5.25  | (5.25,4.50)  | (5.25,9.00)  |
| B12                      | 4    | Y    | 8.75  | (8.75,0.00)  | (8.75,4.50)  |
| B13                      | 4    | Y    | 12.25 | (12.25,0.00) | (12.25,4.50) |
| B14                      | 4    | Y    | 8.75  | (8.75,4.50)  | (8.75,9.00)  |
| B15                      | 4    | Y    | 12.25 | (12.25,4.50) | (12.25,9.00) |



Beam layout enumeration Case 17/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side <= 3.00m  
Step decisions: LONG:2 -> SHORT:2 -> LONG:2 -> LONG:2  
Step colors: S1 S2 S3 S4




| Beam coordinate list (m) |      |      |       |              |              |
|--------------------------|------|------|-------|--------------|--------------|
| ID                       | Step | Type | Const | Start (x,y)  | End (x,y)    |
| B1                       | 1    | Y    | 7.00  | (7.00,0.00)  | (7.00,9.00)  |
| B2                       | 2    | Y    | 3.50  | (3.50,0.00)  | (3.50,9.00)  |
| B3                       | 2    | Y    | 10.50 | (10.50,0.00) | (10.50,9.00) |
| B4                       | 3    | X    | 4.50  | (0.00,4.50)  | (3.50,4.50)  |
| B5                       | 3    | X    | 4.50  | (3.50,4.50)  | (7.00,4.50)  |
| B6                       | 3    | X    | 4.50  | (7.00,4.50)  | (10.50,4.50) |
| B7                       | 3    | X    | 4.50  | (10.50,4.50) | (14.00,4.50) |
| B8                       | 4    | X    | 2.25  | (0.00,2.25)  | (3.50,2.25)  |
| B9                       | 4    | X    | 6.75  | (0.00,6.75)  | (3.50,6.75)  |
| B10                      | 4    | X    | 2.25  | (3.50,2.25)  | (7.00,2.25)  |
| B11                      | 4    | X    | 6.75  | (3.50,6.75)  | (7.00,6.75)  |
| B12                      | 4    | X    | 2.25  | (7.00,2.25)  | (10.50,2.25) |
| B13                      | 4    | X    | 6.75  | (7.00,6.75)  | (10.50,6.75) |
| B14                      | 4    | X    | 2.25  | (10.50,2.25) | (14.00,2.25) |
| B15                      | 4    | X    | 6.75  | (10.50,6.75) | (14.00,6.75) |

Beam layout enumeration Case 18/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side <= 3.00m

Step decisions: LONG:2 -> SHORT:2 -> LONG:2 -> SHORT:2

Step colors: S1 S2 S3 S4




| Beam coordinate list (m) |      |      |       |              |              |
|--------------------------|------|------|-------|--------------|--------------|
| ID                       | Step | Type | Const | Start (x,y)  | End (x,y)    |
| B1                       | 1    | Y    | 7.00  | (7.00,0.00)  | (7.00,9.00)  |
| B2                       | 2    | Y    | 3.50  | (3.50,0.00)  | (3.50,9.00)  |
| B3                       | 2    | Y    | 10.50 | (10.50,0.00) | (10.50,9.00) |
| B4                       | 3    | X    | 4.50  | (0.00,4.50)  | (3.50,4.50)  |
| B5                       | 3    | X    | 4.50  | (3.50,4.50)  | (7.00,4.50)  |
| B6                       | 3    | X    | 4.50  | (7.00,4.50)  | (10.50,4.50) |
| B7                       | 3    | X    | 4.50  | (10.50,4.50) | (14.00,4.50) |
| B8                       | 4    | Y    | 1.75  | (1.75,0.00)  | (1.75,4.50)  |
| B9                       | 4    | Y    | 1.75  | (1.75,4.50)  | (1.75,9.00)  |
| B10                      | 4    | Y    | 5.25  | (5.25,0.00)  | (5.25,4.50)  |
| B11                      | 4    | Y    | 5.25  | (5.25,4.50)  | (5.25,9.00)  |
| B12                      | 4    | Y    | 8.75  | (8.75,0.00)  | (8.75,4.50)  |
| B13                      | 4    | Y    | 8.75  | (8.75,4.50)  | (8.75,9.00)  |
| B14                      | 4    | Y    | 12.25 | (12.25,0.00) | (12.25,4.50) |
| B15                      | 4    | Y    | 12.25 | (12.25,4.50) | (12.25,9.00) |

Beam layout enumeration Case 19/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side <= 3.00m

Step decisions: SHORT:2 -> LONG:2 -> LONG:2 -> LONG:2


Step colors: S1 S2 S3 S4



| Beam coordinate list (m) |      |      |       |              |              |
|--------------------------|------|------|-------|--------------|--------------|
| ID                       | Step | Type | Const | Start (x,y)  | End (x,y)    |
| B1                       | 1    | X    | 4.50  | (0.00,4.50)  | (14.00,4.50) |
| B2                       | 2    | Y    | 7.00  | (7.00,0.00)  | (7.00,4.50)  |
| B3                       | 2    | Y    | 7.00  | (7.00,4.50)  | (7.00,9.00)  |
| B4                       | 3    | Y    | 3.50  | (3.50,0.00)  | (3.50,4.50)  |
| B5                       | 3    | Y    | 10.50 | (10.50,0.00) | (10.50,4.50) |
| B6                       | 3    | Y    | 3.50  | (3.50,4.50)  | (3.50,9.00)  |
| B7                       | 3    | Y    | 10.50 | (10.50,4.50) | (10.50,9.00) |
| B8                       | 4    | X    | 2.25  | (0.00,2.25)  | (3.50,2.25)  |
| B9                       | 4    | X    | 2.25  | (3.50,2.25)  | (7.00,2.25)  |
| B10                      | 4    | X    | 2.25  | (7.00,2.25)  | (10.50,2.25) |
| B11                      | 4    | X    | 2.25  | (10.50,2.25) | (14.00,2.25) |
| B12                      | 4    | X    | 6.75  | (0.00,6.75)  | (3.50,6.75)  |
| B13                      | 4    | X    | 6.75  | (3.50,6.75)  | (7.00,6.75)  |
| B14                      | 4    | X    | 6.75  | (7.00,6.75)  | (10.50,6.75) |
| B15                      | 4    | X    | 6.75  | (10.50,6.75) | (14.00,6.75) |

Beam layout enumeration Case 20/20

Span: 14.00m (X) x 9.00m (Y) Stop: short side <= 3.00m  
Step decisions: SHORT:2 -> LONG:2 -> LONG:2 -> SHORT:2  
Step colors: S1 S2 S3 S4



| Beam coordinate list (m) |      |      |       |              |              |
|--------------------------|------|------|-------|--------------|--------------|
| ID                       | Step | Type | Const | Start (x,y)  | End (x,y)    |
| B1                       | 1    | X    | 4.50  | (0.00,4.50)  | (14.00,4.50) |
| B2                       | 2    | Y    | 7.00  | (7.00,0.00)  | (7.00,4.50)  |
| B3                       | 2    | Y    | 7.00  | (7.00,4.50)  | (7.00,9.00)  |
| B4                       | 3    | Y    | 3.50  | (3.50,0.00)  | (3.50,4.50)  |
| B5                       | 3    | Y    | 10.50 | (10.50,0.00) | (10.50,4.50) |
| B6                       | 3    | Y    | 3.50  | (3.50,4.50)  | (3.50,9.00)  |
| B7                       | 3    | Y    | 10.50 | (10.50,4.50) | (10.50,9.00) |
| B8                       | 4    | Y    | 1.75  | (1.75,0.00)  | (1.75,4.50)  |
| B9                       | 4    | Y    | 5.25  | (5.25,0.00)  | (5.25,4.50)  |
| B10                      | 4    | Y    | 8.75  | (8.75,0.00)  | (8.75,4.50)  |
| B11                      | 4    | Y    | 12.25 | (12.25,0.00) | (12.25,4.50) |
| B12                      | 4    | Y    | 1.75  | (1.75,4.50)  | (1.75,9.00)  |
| B13                      | 4    | Y    | 5.25  | (5.25,4.50)  | (5.25,9.00)  |
| B14                      | 4    | Y    | 8.75  | (8.75,4.50)  | (8.75,9.00)  |
| B15                      | 4    | Y    | 12.25 | (12.25,4.50) | (12.25,9.00) |