




UCN-count-to-monitor ratio




UCN-count-to-monitor ratio




Graph




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)




TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)



TCN18-036 (IV2-IV3, non-O-ring side) (He3 rate)





Pinhole storage lifetime (s)



li6 background rate (1/s)

χ^2 / ndf	134.8 / 114
Prob	0.08937
p0	2.031 ± 0.04357





TCN18-036 (IV2-IV3, non-O-ring side)

