



li6 background rate during irradiation (1/(s μ A))




TCN19-260 (UGD22) (single exponential fit, with background subtracted, normalized to monitor detector, 0s excluded)


UCN-count-to-monitor ratio




UCN-count-to-monitor ratio




Graph




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)




TCN19-260 (UGD22) (He3 rate)



TCN19-260 (UGD22) (He3 rate)





TCN19-260 (UGD22)

