
5 Exercises – Model evaluation

1. Basic measures from confusion matrix

The oval representation below shows that a model has classified a test data set with 10 positives and 10 negatives and produced four outcomes.



(a) Fill each blank cell with one of the four classification outcomes - TP, FP, TN, and FN.

| | | Test data | |
|-----------------------|----------------|------------|----------------|
| | | Homologous | Non-homologous |
| Model classification | Homologous | | |
| Wioder Classification | Non-homologous | | |

(b) Make a confusion matrix from the oval representation above.

| | | Test data | |
|-----------------------|----------------|------------|----------------|
| | | Homologous | Non-homologous |
| Model classification | Homologous | | |
| Wioder Classification | Non-homologous | | |

(c) Calculate the following basic evaluation measures for the oval representation. Round off the answer to two decimal places if necessary.

$$Accuracy = \frac{TP + TN}{P + N}$$

Error rate =
$$\frac{FP + FN}{P + N}$$

Sensitivity =
$$\frac{TP}{P}$$

Specificity =
$$\frac{TN}{N}$$

$$Precision = \frac{TP}{TP + FP}$$

2. Measures with multiple thresholds

Create multiple confusion matrices by considering all possible threshold values. Assume that the test data set contains two positives and two negatives. The table below shows the scores given by a model that gives higher scores for the alignments with higher similarities.

| Test set label | Р | Р | N | N |
|----------------|-----|-----|-----|-----|
| Model score | 2.1 | 3.1 | 2.3 | 1.2 |

(a) Fill the labels that match the sorted scores

| Test set label | | | | |
|----------------|-----|-----|-----|-----|
| Model score | 2.1 | 3.1 | 2.3 | 1.2 |

(b) Fill the labels predicted by different threshold values.



2. 2.7 Classified label



Threshold 2.2


 (c) Use the labels in (a) and (b) and calculate TP, FP, TN, and FN for all threshold values.

| Threshold | TP | FP | TN | FN |
|-----------|----|----|----|----|
| 3.5 | | | | |
| 2.7 | | | | |
| 2.2 | | | | |
| 1.6 | | | | |
| 1 | | | | |

(d) Use the result in (c) and calculate basic evaluation measures. Round off the answer to one decimal place if necessary.

| Threshold | Specificity | 1 - specificity | Sensitivity |
|-----------|-------------|-----------------|-------------|
| 3.5 | | | |
| 2.7 | | | |
| 2.2 | | | |
| 1.6 | | | |
| 1 | | | |

(e) Draw a ROC curve for the calculated evaluation measures in (d).



- (f) Calculate the area under the curve of the curve in (e).
- (g) Evaluate the ROC curve in your own words.