5 Exercises – Database search

1. N-grams

N-grams are n-letter words that can be used for database search methods. Create a table of 2-grams for q: ATGCAT.

- (a) List all 2-grams of q.
- (b) Fill the table with the 2-grams and the corresponding indices of q.

Index of q	2-gram of q

2. Matching n-grams

Calculate the scores of the segment pairs between q: CG and all 2-gram permutations of {A, C, G, T}.

Score matrix:

	A	Т	G	С
A	2	-2	1	-2
T	-2	2	-2	1
G	1	-2	2	-2
С	-2	1	-2	2

(a) Fill the scores between CG and all its matching n-grams.

N-gram	Matching n-gram	Score
CG	AA	
CG	AC	
CG	AG	
CG	AT	
CG	CA	2 + 1 = 3
CG	CC	2 + (-2) = 0
CG	CG	2 + 2 = 4
CG	CT	2 + (-2) = 0
CG	GA	
CG	GC	
CG	GG	
CG	GT	
CG	TA	1 + 1 = 2
CG	TC	1 + (-2) = -1
CG	TG	1 + 2 = 3
CG	TT	1 + (-2) = -1

(b) Identify all matching n-grams when the threshold value T is 3.

3. Lookup table for n-grams

Create a 2-gram lookup table with indices and scores for the sequence q: ATGCAT. Score matrix:

	A	T	G	C
A	2	1	-2	-2
T	1	2	-2	-2
G	-2	-2	2	-2
С	-2	-2	-2	2

T: 3

Pre-calculated scores of all segment pairs:

	AT	TG	GC	CA
AA	3	-1	-4	0
AC	0	-4	0	-4
AG	0	3	-4	-4
AT	4	-4	-4	-1
CA	-1	-4	-4	4
CC	-4	-4	0	0
CG	-4	0	-4	0
CT	0	-4	-4	3

	CA	GC	TG	AT	
	0	0	-4	-1	GΑ
	-4	4	-4	-4	GC
	-4	0	0	-4	GG
	-1	0	-4	0	GT
	0	-4	0	2	TA
	-4	0	0	-4	TC
	-4	-4	4	-1	TG
	-1	-4	0	3	TT
_	-4 -1 0 -4 -4	0 0 -4 0	0 -4 0	-4 0 2 -4 -1	GG GT TA TC TG

(a) Fill the table.

N-gram of q	Indices of q	Matching n-grams	Scores of segment pair
AT			
TG			
GC			
CA			

(b) Create a lookup table for the matching n-grams with scores and indices.

Matching n-gram	Indices of q	Scores of segment pairs


4. Finite-state machine with 2-grams

Use the 2-gram lookup table of q = ATGCAT to create a finite-state machine for all potential matching 2-grams.

Lookup table of 2-gram:

Matching 2-gram	Indices of q	Scores of segment pairs
AT	1, 5	4, 4
AA	1, 5	3, 3
TT	1, 5	3, 3
TG	2	4
AG	2	3
GC	3	4
CA	4	4
CT	4	3

(a) Add indices and scores to the corresponding edges.



- (b) Use the finite-state machine to find the matching segment pairs and the scores.
 - 1. d1: TCGGTAA
 - 2. d2: ATAGC

5. Finite-state machine with 3-grams

Add edges to connect nodes to create an overlap graph that can be used as a 3-gram finite-state machine.

- (a) List all 3-grams of AAACGGTA.
- (b) Add edges that correspond to the 3-grams of AAACGGTA.



