

```

import { useState, useMemo } from "react";

// =====
// 定数
// =====

const today = () => new Date().toISOString().split("T")[0];
const fmtDate = (s) => { if (!s) return "-"; const d = new Date(s); return ` ${d.g
const fmtDateFull = (s) => { if (!s) return "-"; const d = new Date(s); return ` $

const STATUS_CFG = {
  "在庫あり": { bg:"#dcfce7", color:"#15803d", border:"#86efac" },
  "残少":      { bg:"#fef3c7", color:"#b45309", border:"#fcd34d" },
  "在庫なし": { bg:"#fee2e2", color:"#b91c1c", border:"#fca5a5" },
  "発注済":   { bg:"#e0f2fe", color:"#0369a1", border:"#7dd3fc" },
};
const STATUS_LIST = Object.keys(STATUS_CFG);

const INIT_CATEGORIES = ["電気","配管","建材","金属","化学品","工具","消耗品","その他"];
const INIT_MAKERS      = ["パナソニック","クボタ","吉野石膏","三菱電機","東芝","日立","未
const INIT_LOCATIONS   = ["A棚-1","A棚-2","B棚-1","B棚-2","B棚-3","C棚-1","外倉庫","車
const INIT_UNITS        = ["個","本","m","枚","箱","袋","缶","セット","式"];

const INIT_MATERIALS = [
  { id:1, category:"電気", partNumber:"EL-001", maker:"パナソニック", nickname:"白ク
  { id:2, category:"配管", partNumber:"PI-045", maker:"クボタ",          nickname:"VF
  { id:3, category:"建材", partNumber:"BM-112", maker:"吉野石膏",      nickname:"ブ
];
const INIT_SUPPLIERS = [
  { id:1, name:"山田電材株式会社", contact:"山田 太郎", phone:"03-1234-5678", email:"
  { id:2, name:"関西配管工業",      contact:"田中 花子", phone:"06-2345-6789", email:'
];
let matId=4, supId=3, ordIdSeq=1;

// =====
// グローバルCSS (レスポンシブ)
// =====

const GLOBAL_CSS = `
  *, ::before, ::after { box-sizing: border-box; margin: 0; padding: 0; }
  body { background: #f1f5f9; }
  input, select, textarea, button { font-family: inherit; }
  /* スクロールバー細め */
  ::-webkit-scrollbar { width: 4px; height: 4px; }
  ::-webkit-scrollbar-track { background: transparent; }
  ::-webkit-scrollbar-thumb { background: #d1fae5; border-radius: 4px; }

```

```

.page { max-width: 1100px; margin: 0 auto; padding: 16px 14px; }

/* 統計カード */
.stat-grid { display: grid; grid-template-columns: repeat(3,1fr); gap: 12px; ma

/* 材料カードグリッド */
.mat-grid { display: grid; grid-template-columns: repeat(auto-fill, minmax(320p

/* 操作ボタン行 */
.adj-row { display: flex; gap: 6px; flex-wrap: wrap; }

/* フィルタ行 */
.filter-row { display: flex; gap: 8px; flex-wrap: wrap; align-items: center; ma
.filter-row input { flex: 1; min-width: 160px; }
.filter-row select { min-width: 100px; }

/* ナビ */
.nav-row { display: flex; align-items: center; gap: 6px; }
.nav-label { }

/* ボトムナビ (スマホ用) */
.bottom-nav { display: none; }

/* — レスポンシブ — */
@media (max-width: 700px) {
  .page { padding: 12px 10px; padding-bottom: 80px; }
  .stat-grid { gap: 8px; }
  .stat-num { font-size: 30px !important; }
  .stat-label { font-size: 11px !important; }
  .mat-grid { grid-template-columns: 1fr; }
  .nav-row { display: none !important; }
  .bottom-nav { display: flex !important; }
  .filter-row select { min-width: 90px; font-size: 12px; }
}
@media (max-width: 440px) {
  .stat-grid { grid-template-columns: 1fr 1fr 1fr; gap: 6px; }
}

/* ボタン押下アニメ */
button:active { transform: scale(0.94); }
button { transition: transform .1s, box-shadow .1s; }

/* PC テーブルビュー */
.pc-table { width: 100%; border-collapse: collapse; font-size: 13px; }
.pc-table th { padding: 10px 12px; text-align: left; color: #111827; font-weigh
.pc-table td { padding: 11px 12px; border-bottom: 1px solid #f0fdf4; vertical-a

```

```

.pc-table tr:hover td { background: #ecfdf5 !important; }

/* カード (スマホ・タブレット) */
.mat-card { background: #fff; border: 1.5px solid #d1fae5; border-radius: 14px;
.mat-card:active { transform: scale(0.99); }
`;

// =====
// 共通コンポーネント
// =====

// コンボボックス
function ComboInput({ value, onChange, options, placeholder }) {
  const [open, setOpen] = useState(false);
  const filtered = options.filter(o => o.toLowerCase().includes((value||"").toLowerCase))
  return (
    <div style={{ position:"relative", width:"100%" }}>
      <input value={value||""} onChange={e=>{onChange(e.target.value);setOpen(true)
        onFocus={()=>setOpen(true)} onBlur={()=>setTimeout(()=>setOpen(false),160)
        placeholder={placeholder} autoComplete="off"
        style={{ width:"100%", padding:"11px 14px", borderRadius:10, border:"1.5px
      {open && filtered.length>0 && (
        <div style={{ position:"absolute", top:"100%", left:0, right:0, background
          {filtered.map(o=>(
            <div key={o} onMouseDown={()=>{onChange(o);setOpen(false);}} onTouchE
              style={{ padding:"12px 16px", cursor:"pointer", fontSize:15, color:
                onMouseEnter={e=>e.currentTarget.style.background="#ecfdf5"}
                onMouseLeave={e=>e.currentTarget.style.background="transparent"}>{o
            )}}
          </div>
        )}
      </div>
    )}
  </div>
);
}

// マスタ編集モーダル
function MasterModal({ title, items, onSave, onClose }) {
  const [list, setList] = useState([...items]);
  const [newVal, setNewVal] = useState("");
  const add = () => { if(newVal.trim()&&!list.includes(newVal.trim())){ setList(l
  return (
    <Overlay onClose={onClose}>
      <div style={{ background:"#fff", borderRadius:16, padding:24, width:"min(42
        <div style={{ fontWeight:800, fontSize:17, color:"#065f46", marginBottom:
          <div style={{ display:"flex", flexWrap:"wrap", gap:8, marginBottom:16, mi
            {list.map(item=>(
              <span key={item} style={{ background:"#ecfdf5", border:"1.5px solid #

```

```

        {item}
        <button onClick={()=>setList(l=>l.filter(x=>x!==item))} style={{ ba
    </span>
    )}}
</div>
<div style={{ display:"flex", gap:8, marginBottom:20 }}>
    <input value={newVal} onChange={e=>setNewVal(e.target.value)} onKeyDown
        placeholder="追加する項目を入力..." style={{ flex:1, padding:"10px 14px",
        <button onClick={add} style={{ padding:"10px 18px", borderRadius:10, bo
    </div>
    <div style={{ display:"flex", gap:10, justifyContent:"flex-end" }}>
        <button onClick={onClose} style={{ padding:"10px 20px", borderRadius:10
        <button onClick={()=>{onSave(list);onClose();}} style={{ padding:"10px
    </div>
</div>
</Overlay>
);
}

```

// オーバーレイ

```

function Overlay({ children, onClose }) {
    return (
        <div onClick={onClose} style={{ position:"fixed", inset:0, background:"#000000
            <div onClick={e=>e.stopPropagation()}>{children}</div>
        </div>
    );
}

```

// ステータスバッジ

```

function StatusBadge({ status, size="md" }) {
    const c = STATUS_CFG[status]||{ bg:"#f1f5f9", color:"#64748b", border:"#cbd5e1"
    const p = size==="lg" ? "7px 16px" : "4px 12px";
    const fs = size==="lg" ? 14 : 12;
    return <span style={{ display:"inline-block", background:c.bg, color:c.color, b
}

```

// 在庫数表示

```

function QtyDisplay({ quantity, minStock, unit, size="md" }) {
    const color = quantity===0 ? "#b91c1c" : quantity<=minStock ? "#b45309" : "#059
    const fs = size==="lg" ? 32 : size==="sm" ? 16 : 22;
    return (
        <span style={{ fontFamily:"'JetBrains Mono',monospace", fontWeight:800, fontS
            {quantity}<span style={{ fontSize:fs*0.55, color:"#6b7280", fontWeight:500,
        </span>
    );
}

```

```

// 在庫±ボタン行
function AdjButtons({ matId, onAdj, onCustom }) {
  return (
    <div className="adj-row">
      {[ -5, -1 ].map(d=>(
        <button key={d} onClick={e=>{e.stopPropagation();onAdj(matId,d);}}
          style={{ flex:1, minWidth:44, padding:"10px 0", background:"#fee2e2", b
            {d}
          </button>
      )]}
      {[ +1, +5 ].map(d=>(
        <button key={d} onClick={e=>{e.stopPropagation();onAdj(matId,d);}}
          style={{ flex:1, minWidth:44, padding:"10px 0", background:"#dcfce7", b
            +{d}
          </button>
      )]}
      <button onClick={e=>{e.stopPropagation();onCustom(matId);}}
        style={{ padding:"10px 14px", background:"#f3f4f6", border:"2px solid #d1
    </div>
  );
}

// CSV / Print
function exportCSV(supplier, items, myCompany) {
  const rows = [
    ["発注書"],
    ["発注日", today()],
    ["発注先", supplier.name],
    ["担当者", supp
      ["No", "品番", "材料名 (正式)", "通称", "発注数", "単位", "備考"],
    ...items.map((it, i) => [i+1, it.partNumber, it.officialName, it.nickname, it.orderQ
  const csv = rows.map(r => r.map(c => `${String(c).replace(/"/g, '"')}`)).join(",")
  const a = document.createElement("a"); a.href = URL.createObjectURL(new Blob(["\uFE
  a.download = `発注書_${supplier.name}_${today()}.csv`; a.click();
}

function printOrder(supplier, items, myCompany) {
  const html = `<!DOCTYPE html><html lang="ja"><head><meta charset="UTF-8"><title>発
<style>body{font-family:'Noto Sans JP', sans-serif;font-size:13px;padding:32px 4
<h1>発 注 書</h1><div class="meta"><div><div class="co">${supplier.name} 御中</
<div style="text-align:right"><div class="co">${myCompany.name}</div>${myCompan
<table><thead><tr><th>No</th><th>品番</th><th>正式名称</th><th>通称</th><th>数量</th>
    ${items.map((it, i) => `<tr><td>${i+1}</td><td>${it.partNumber}</td><td>${it.offic
  </tbody></table><div class="seals"><div class="seal">承認</div><div class="seal"
  const w = window.open("", "_blank"); w.document.write(html); w.document.close(); w
}

// フォームフィールド
function Field({ label, children, half }) {
  return (
    <div style={{ gridColumn: half ? undefined : "1/-1" }}>
      <div style={{ fontSize:12, color:"#6b7280", fontWeight:600, marginBottom:6

```

```
        {children}
      </div>
    );
  }
}
```

```
const INP = { width:"100%", padding:"12px 14px", borderRadius:10, border:"1.5px solid #ccc" };
const SEL = { ...INP, cursor:"pointer" };
```

```
// =====
//   メインアプリ
// =====
```

```
export default function App() {
  const [categories, setCategories] = useState(INIT_CATEGORIES);
  const [makers,      setMakers]      = useState(INIT_MAKERS);
  const [locations,   setLocations]   = useState(INIT_LOCATIONS);
  const [units,       setUnits]       = useState(INIT_UNITS);
  const [masterModal, setMasterModal] = useState(null);

  const [materials,   setMaterials]   = useState(INIT_MATERIALS);
  const [suppliers,   setSuppliers]   = useState(INIT_SUPPLIERS);
  const [orders,      setOrders]      = useState([]);
  const [myCompany,   setMyCompany]   = useState({ name:"株式会社 OO工務店", address:"東京都港区新橋1-1-1" });

  const [view,        setView]        = useState("list");
  const [editTarget,  setEditTarget]  = useState(null);
  const [detailTarget, setDetailTarget]=useState(null);
  const [search,      setSearch]      = useState("");
  const [filterStat,  setFilterStat]  = useState("すべて");
  const [filterCat,   setFilterCat]   = useState("すべて");
  const [filterSup,   setFilterSup]   = useState("すべて");
  const [toast,       setToast]       = useState(null);
  const [confirmDel,  setConfirmDel]  = useState(null);
  const [customAdj,   setCustomAdj]   = useState(null); // {id, delta}
  const [adjInput,    setAdjInput]    = useState("");
  const [matForm,     setMatForm]     = useState(null);
  const [supForm,     setSupForm]     = useState(null);
  const [editMyComp,  setEditMyComp]  = useState(false);
  const [myCompForm,  setMyCompForm]  = useState(null);
  const [orderSupId,  setOrderSupId]  = useState(null);
  const [orderItems,  setOrderItems]  = useState([]);
  const [orderSearch, setOrderSearch] = useState("");
  const [inspectOrder, setInspectOrder]=useState(null);
  const [inspectQtys, setInspectQtys] =useState({});
  const [orderDetail, setOrderDetail] = useState(null);

  // — 🛒 カート —————
  // cart: [{ id, partNumber, officialName, nickname, unit, supplierId, qty, memo
```

```

const [cart,      setCart]      = useState([]);
const [cartOpen,  setCartOpen] = useState(false);

const cartAdd = (mat) => {
  setCart(prev => {
    if (prev.find(c => c.id === mat.id)) {
      showToast("すでにカートにあります","warn"); return prev;
    }
    showToast(`🛒 ${mat.nickname} をカートに追加`);
    return [...prev, { id:mat.id, partNumber:mat.partNumber, officialName:mat.o
  });
};

const cartRemove = (id)      => setCart(prev => prev.filter(c => c.id !== id)
const cartSetQty  = (id, val) => setCart(prev => prev.map(c => c.id===id ? {
const cartSetMemo = (id, val) => setCart(prev => prev.map(c => c.id===id ? {
const cartClear  = ()      => { setCart([]); showToast("カートをクリアしました
const cartInCart = (id)      => cart.some(c => c.id === id);

```

// カートから発注画面へ引き継ぐ

```

const cartToOrder = () => {
  if (cart.length === 0) return;
  setOrderItems(cart.map(c => ({
    materialId:  c.id,
    partNumber:  c.partNumber,
    officialName: c.officialName,
    nickname:    c.nickname,
    unit:        c.unit,
    notes:       c.memo,
    orderQty:    c.qty,
  })));
  setOrderSupId(suppliers[0]?.id || null);
  setOrderSearch("");
  setCartOpen(false);
  setView("orderNew");
  showToast("カートの内容を発注画面に引き継ぎました");
};

```

// — フィルタ —————

```

const filteredMats = useMemo(()=>{
  let list=[...materials];
  if(filterStat=== "_low") list=list.filter(m=>m.status=== "残少" || m.status=== "在
  else if(filterStat!=="すべて") list=list.filter(m=>m.status===filterStat);
  if(filterCat!=="すべて") list=list.filter(m=>m.category===filterCat);
  if(filterSup!=="すべて") list=list.filter(m=>String(m.supplierId)===filterSup)
  if(search.trim()){ const q=search.toLowerCase(); list=list.filter(m=>m.nickna
  return list;
}, [materials, filterStat, filterCat, filterSup, search]);

```

```

const lowCount      = materials.filter(m=>m.minStock>0&&m.quantity<=m.minStock).
const pendingCount = orders.filter(o=>o.status!=="received").length;

// — 在庫調整 —————
const applyAdj = (id, delta) => {
  if(!delta||isNaN(delta)||delta===0){ showToast("数値を入力してください","err"); r
  setMaterials(prev=>prev.map(m=>{ if(m.id!==id) return m; const q=Math.max(0,m
  setCustomAdj(null); setAdjInput("");
  showToast(` ${delta>0?"+": ""} ${delta} 更新しました`);
};

// — 材料 CRUD —————
const emptyMat = { category:categories[0], partNumber:"", maker:makers[0], nick
const saveMat = () => {
  if(!matForm.nickname||!matForm.partNumber){ showToast("品番と材料名は必須です","e
  if(editTarget!==null){ setMaterials(prev=>prev.map(m=>m.id===editTarget?{...m
  else { setMaterials(prev=>[...prev,{...matForm,id:matId++}); showToast("追加(
  setView("list");
};
const deleteMat = (id) => { setMaterials(prev=>prev.filter(m=>m.id!==id)); setC

// — 仕入先 CRUD —————
const emptySup = { name:"", contact:"", phone:"", email:"", fax:"", address:"",
const saveSup = () => {
  if(!supForm.name){ showToast("会社名は必須です","err"); return; }
  if(editTarget!==null){ setSuppliers(prev=>prev.map(s=>s.id===editTarget?{...s
  else { setSuppliers(prev=>[...prev,{...supForm,id:supId++}); showToast("追加(
  setView("supList");
};
const deleteSup = (id) => { setSuppliers(prev=>prev.filter(s=>s.id!==id)); setC

// — 発注 —————
const toggleOrderItem = (mat) => {
  setOrderItems(prev=>{ const e=prev.find(i=>i.materialId===mat.id); if(e) retu
};
const submitOrder = () => {
  if(!orderSupId||orderItems.length===0) return;
  const o={ id:ordIdSeq++,supplierId:orderSupId,orderDate:today(),deliveryDate:
  setOrders(prev=>[...prev,o]);
  setMaterials(prev=>prev.map(m=>orderItems.find(i=>i.materialId===m.id)?{...m,
  showToast("発注を登録しました 🚚"); setView("orderList");
};
const receiveAll = (order) => {
  setOrders(prev=>prev.map(o=>o.id===order.id?o:{...o,status:"received",deliver
  setMaterials(prev=>prev.map(m=>{ const oi=order.items.find(i=>i.materialId===
  setOrderDetail(null); showToast("全数入荷しました ✅");

```

```

};
const openInspect = (order) => { const init={}; order.items.forEach(it=>{init[i
const applyInspect = () => {
  const order=inspectOrder;
  const newItems=order.items.map(it=>({...it,receivedQty:it.receivedQty+(parseI
  const allDone=newItems.every(it=>it.receivedQty>=it.orderQty);
  setOrders(prev=>prev.map(o=>o.id===order.id?{...o,items:newItems,status:allDo
  setMaterials(prev=>prev.map(m=>{ const delta=parseInt(inspectQtys[m.id])||0;
  setInspectOrder(null); setOrderDetail(null);
  showToast(allDone?"検品完了・全数入荷  ":"一部入荷を記録しました");
};

const isMatView=["list","form","detail"].includes(view);
const isSupView=["supList","supForm","supDetail"].includes(view);
const isOrdView=["orderList","orderNew","orderPreview","orderDetail"].includes(

const masterMap = { categories:{get:categories,set:setCategories,title:"分類"},

// — ボタンスタイル共通 —————
const btnPrimary = { padding:"13px 22px", borderRadius:12, border:"none", backg
const btnGhost   = { padding:"12px 20px", borderRadius:12, border:"1.5px solid
const btnDanger   = { padding:"12px 20px", borderRadius:12, border:"none", backg
const btnAmber     = { padding:"12px 20px", borderRadius:12, border:"none", backg

// =====
// RENDER
// =====
return (
  <div style={{ fontFamily:"'Noto Sans JP','BIZ UDPGothic',sans-serif", backgro
    <style>{GLOBAL_CSS}</style>
    <link href="https://fonts.googleapis.com/css2?family=Noto+Sans+JP:wght@400;

    /* — Toast ————— */
    {toast&&<div style={{ position:"fixed", top:70, left:"50%", transform:"tran
      {toast.type==="err"? "x ":toast.type==="warn"? "Δ ":"✓ "} {toast.msg}
    </div>}

    /* — 削除確認 ————— */
    {confirmDel&&<Overlay onClose={()=>setConfirmDel(null)}>
      <div style={{ background:"#fff", borderRadius:16, padding:28, width:"min(
        <div style={{ fontSize:40, marginBottom:12 }}>

```

```

    </div>
  </Overlay>}

  { /* — カスタム在庫調整 ————— */}
  {customAdj&&<Overlay onClose={()=>setCustomAdj(null)}>
    <div style={{ background:"#fff", borderRadius:16, padding:28, width:"min(
      <div style={{ fontWeight:800, fontSize:16, color:"#065f46", marginBotto
      <div style={{ color:"#6b7280", fontSize:13, marginBottom:16 }}>
        {materials.find(m=>m.id===customAdj)?.nickname} (現在: {materials.find
      </div>
    <input type="number" value={adjInput} onChange={e=>setAdjInput(e.target
      onKeyDown={e=>{ if(e.key==="Enter") applyAdj(customAdj, parseInt(adjI
      placeholder="例: -3 または +10" autoFocus
      style={{ ...INP, fontSize:20, fontFamily:"'JetBrains Mono',monospace"
    <div style={{ display:"flex", gap:10, justifyContent:"flex-end" }}>
      <button onClick={()=>setCustomAdj(null)} style={btnGhost}>キャンセル</b
      <button onClick={()=>applyAdj(customAdj, parseInt(adjInput,10))} styl
    </div>
  </div>
</Overlay>}

```

```

  { /* — 検品モーダル ————— */}
  {inspectOrder&&<Overlay onClose={()=>setInspectOrder(null)}>
    <div style={{ background:"#fff", borderRadius:16, padding:24, width:"min(
      <div style={{ fontWeight:800, fontSize:16, color:"#065f46", marginBotto
      <div style={{ color:"#6b7280", fontSize:13, marginBottom:18 }}>届いた数量
      {inspectOrder.items.map(it=>{
        const rem=it.orderQty-it.receivedQty;
        return (
          <div key={it.materialId} style={{ background:"#f0fdf4", borderRadiu
            <div style={{ fontWeight:700, fontSize:15, marginBottom:3 }}>{it.
            <div style={{ fontSize:12, color:"#6b7280", marginBottom:10 }}>発
            <div style={{ display:"flex", alignItems:"center", gap:10 }}>
              <span style={{ fontSize:13, color:"#374151", flexShrink:0 }}>今|
              <input type="number" value={inspectQtys[it.materialId]??rem}
                onChange={e=>setInspectQtys(p=>({...p,[it.materialId]:Math.mi
                style={{ width:80, padding:"9px 12px", borderRadius:10, borde
              <span style={{ fontSize:13, color:"#6b7280" }}>{it.unit}</span>
              <button onClick={()=>setInspectQtys(p=>({...p,[it.materialId]:r
              <button onClick={()=>setInspectQtys(p=>({...p,[it.materialId]:0
            </div>
          </div>
        );
      }}}
    <div style={{ display:"flex", gap:10, justifyContent:"flex-end", margin
      <button onClick={()=>setInspectOrder(null)} style={btnGhost}>キャンセル
      <button onClick={applyInspect} style={btnPrimary}>入荷を記録する</butto

```

```

    </div>
  </div>
</Overlay>}

{/* — マスタ編集 ————— */}
{masterModal && <MasterModal title={masterMap[masterModal].title} items={mast

{/* =====
  🛒 カートドロワー
===== */}

{/* 背景オーバーレイ */}
{cartOpen && <div onClick={()=>setCartOpen(false)} style={{ position:"fixed

{/* ドロワー本体 */}
<div style={{
  position:"fixed", top:0, right:0, bottom:0, zIndex:310,
  width:"min(420px,100vw)",
  background:"#fff",
  boxShadow:"-4px 0 32px #00000022",
  display:"flex", flexDirection:"column",
  transform: cartOpen ? "translateX(0)" : "translateX(100%)",
  transition:"transform .3s cubic-bezier(.4,0,.2,1)",
}}>
  {/* ドロワーヘッダー */}
  <div style={{ padding:"18px 20px 14px", borderBottom:"2px solid #d1fae5",
    <div style={{ display:"flex", alignItems:"center", gap:10 }}>
      <span style={{ fontSize:26 }}>🛒</span>
      <div>
        <div style={{ fontWeight:800, fontSize:18, color:"#065f46" }}>発注力
        <div style={{ fontSize:12, color:"#6b7280" }}>{cart.length}件 キーブ
      </div>
    </div>
    <button onClick={()=>setCartOpen(false)} style={{ background:"#f0fdf4",
  </div>

  {/* カート中身 */}
  <div style={{ flex:1, overflowY:"auto", padding:"14px 16px" }}>
    {cart.length === 0 && (
      <div style={{ textAlign:"center", padding:"60px 20px", color:"#9ca3af" }}>
        <div style={{ fontSize:48, marginBottom:12 }}>🛒</div>
        <div style={{ fontWeight:700, fontSize:16, marginBottom:6 }}>カートは
        <div style={{ fontSize:13 }}>材料一覧の「🛒」ボタンで<br/>追加できます</div>
      </div>
    )}
    {cart.map((c, i) => {
      const sup = suppliers.find(s => s.id === c.supplierId);
      return (

```

```

<div key={c.id} style={{ background:"#f0fdf4", border:"1.5px solid
  {/* 材料名 */}
  <div style={{ display:"flex", justifyContent:"space-between", ali
    <div style={{ flex:1, minWidth:0 }}>
      <div style={{ fontWeight:800, fontSize:15, color:"#111827" }}
        <div style={{ fontSize:11, color:"#6b7280", marginTop:2, whit
          {sup && <div style={{ fontSize:11, color:"#059669", fontWeigh
            </div>
          <button onClick={()=>cartRemove(c.id)} style={{ background:"#fe
        </div>

      {/* 数量 */}
      <div style={{ display:"flex", alignItems:"center", gap:8, marginB
        <span style={{ fontSize:13, color:"#374151", fontWeight:600 }}>
        <button onClick={()=>cartSetQty(c.id, c.qty-1)} style={{ width:
          <input type="number" value={c.qty} onChange={e=>cartSetQty(c.id
            style={{ width:64, padding:"6px 0", borderRadius:8, border:"1
          <button onClick={()=>cartSetQty(c.id, c.qty+1)} style={{ width:
            <span style={{ fontSize:13, color:"#6b7280" }}>{c.unit}</span>
          </div>

        {/* ✕モ */}
        <input value={c.memo} onChange={e=>cartSetMemo(c.id, e.target.val
          placeholder="✕モ (任意) "
          style={{ width:"100%", padding:"8px 12px", borderRadius:8, bord
        </div>
      );
    })}
  </div>

  {/* ドロワーフッター */}
  {cart.length > 0 && (
    <div style={{ padding:"14px 16px", borderTop:"2px solid #d1fae5", flexS
      {/* 仕入先ごとのサマリ */}
      {( () => {
        const bySupplier = {};
        cart.forEach(c => {
          const key = c.supplierId ?? "__none__";
          if (!bySupplier[key]) bySupplier[key] = { name: suppliers.find(s=
            bySupplier[key].count++;
          });
        return (
          <div style={{ display:"flex", flexWrap:"wrap", gap:6, marginBotto
            Object.values(bySupplier).map(s=>(
              <span key={s.name} style={{ background:"#ecfdf5", border:"1.5
                 {s.name} : {s.count} 件
              </span>
            )
          </div>
        )
      )
    )
  )
}

```

```

    )))
  </div>

  );
  }) () }

  <button onClick={cartToOrder} style={{ width:"100%", padding:"14px",
     発注画面に引き継ぐ ( {cart.length} 件)
  </button>
  <button onClick={cartClear} style={{ width:"100%", padding:"10px", bo
     カートをクリア
  </button>
</div>
  )}
</div>

```

```

{ /*  フローティングカートボタン */ }
<button onClick={()=>setCartOpen(o=>!o)} style={{
  position:"fixed", bottom:86, right:20, zIndex:299,
  width:60, height:60, borderRadius:"50%",
  background:"linear-gradient(135deg,#f59e0b,#f97316)",
  border:"none", cursor:"pointer",
  boxShadow:"0 4px 18px #f59e0b66",
  display:"flex", alignItems:"center", justifyContent:"center",
  fontSize:26,
  transition:"transform .2s",
}}
  onMouseEnter={e=>e.currentTarget.style.transform="scale(1.1)"}
  onMouseLeave={e=>e.currentTarget.style.transform="scale(1)"}
>
  
  {cart.length > 0 && (
    <div style={{ position:"absolute", top:-4, right:-4, width:22, height:2
      {cart.length}
    </div>
  )}
</button>

```

```

{ /* =====
  HEADER (PC・タブレット)
  ===== */ }

<header style={{ background:"#fff", borderBottom:"2px solid #d1fae5", paddi
  <div style={{ display:"flex", alignItems:"center", gap:10 }}>
    <div style={{ width:38, height:38, background:"linear-gradient(135deg,#
    <div>
      <div style={{ fontWeight:800, fontSize:17, color:"#065f46", letterSpacing
        <div style={{ fontSize:10, color:"#10b981", fontWeight:600, letterSpacing
      </div>
    </div>
  </div>

```

```

</div>
<div className="nav-row">
  {lowCount>0}&&<div style={{ background:"#fef2f2", border:"1.5px solid #f
  {pendingCount>0}&&<div style={{ background:"#ecfdf5", border:"1.5px soli
  [{id:"mat",label:"📦 材料",active:isMatView},{id:"sup",label:"📦 仕入先
    <button key={t.id} onClick={()=>{if(t.id==="mat")setView("list");else
      style={{ padding:"8px 18px", borderRadius:10, border:"none", cursor
    )}}
    <button onClick={()=>setMasterModal("categories")} style={{ padding:"8p
  </div>
</header>

```

```

{ /* =====
  BOTTOM NAV (スマホ用)
===== */}
<nav className="bottom-nav" style={{ position:"fixed", bottom:0, left:0, ri
  [{id:"mat",icon:"📦",label:"材料",active:isMatView},{id:"sup",icon:"📦",
  <button key={t.id} onClick={()=>{if(t.id==="mat")setView("list");else i
    style={{ flex:1, padding:"10px 0 8px", border:"none", background:"tra
    <span style={{ fontSize:22 }}>{t.icon}</span>
    <span style={{ fontSize:10, fontWeight:700, color:t.active?"#059669":
      {t.active}&&<div style={{ width:20, height:3, background:"#059669", bo
    </button>
  )}}
</nav>

```

```

{ /* =====
  メインコンテンツ
===== */}
<div className="page">

  { /* — 材料 一覧 ————— */}
  {view==="list"&&<
    { /* 統計カード */}
    <div className="stat-grid">
      {[
        { label:"在庫あり", value:materials.filter(m=>m.status==="在庫あり"
        { label:"残少・なし", value:materials.filter(m=>m.status==="残少"||m
        { label:"発注済", value:materials.filter(m=>m.status==="発注済")
      ]}.map(s=>(
        <div key={s.key} onClick={()=>setFilterStat(filterStat===s.key?"すべ
          style={{ background:s.fs?s.bg:"#fff", border:`2px solid ${s.fs?s.
          onMouseEnter={e=>{e.currentTarget.style.background=s.bg;e.current
          onMouseLeave={e=>{e.currentTarget.style.background=s.fs?s.bg:"#ff
          <div style={{ fontSize:12, color:"#6b7280", fontWeight:600, margi
          <div style={{ fontSize:38, fontWeight:800, color:s.color, fontFam
          <div style={{ fontSize:10, color:s.fs?s.color:"#d1d5db", fontWeig

```

```

    </div>
  ))}
</div>

{/* フィルタ */}
<div style={{ background:"#fff", border:"1.5px solid #d1fae5", borderRa
  <div className="filter-row">
    <input placeholder="🔍 品番・材料名・メーカー" value={search} onChange=
      style={{ ...INP, flex:1, minWidth:160, fontSize:14 }}/>
    <select value={filterCat} onChange={e=>setFilterCat(e.target.value
    <select value={filterSup} onChange={e=>setFilterSup(e.target.value
    <button onClick={()=>{setMatForm({...emptyMat});setEditTarget(null)
  </div>
  <div style={{ fontSize:12, color:"#6b7280", marginTop:6 }}>{filteredM
</div>

{/* 材料カード一覧 */}
{filteredMats.length===0}&&<div style={{ textAlign:"center", padding:48,
<div className="mat-grid">
  {filteredMats.map(m=>{
    const sup=suppliers.find(s=>s.id===m.supplierId);
    return (
      <div key={m.id} className="mat-card" onClick={()=>{setDetailTarge
        {/* カードヘッダー */}
        <div style={{ display:"flex", justifyContent:"space-between", a
          <div style={{ flex:1, minWidth:0 }}>
            <div style={{ display:"flex", gap:6, flexWrap:"wrap", margi
              <span style={{ background:"#ecfdf5", border:"1.5px solid
                <StatusBadge status={m.status}/>
            </div>
            <div style={{ fontWeight:800, fontSize:17, color:"#111827",
              <div style={{ fontSize:12, color:"#6b7280", marginTop:2, ov
            </div>
          </div>
          {/* 在庫数 */}
          <div style={{ textAlign:"right", marginLeft:12, flexShrink:0
            <QtyDisplay quantity={m.quantity} minStock={m.minStock} uni
          </div>
        </div>
      </div>

    {/* 詳細情報 */}
    <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr", ga
      <div><span style={{ color:"#9ca3af" }}>品番 </span><span style
      <div><span style={{ color:"#9ca3af" }}>メーカー </span><span st
      <div><span style={{ color:"#9ca3af" }}>保管 </span><span style
      <div><span style={{ color:"#9ca3af" }}>仕入先 </span><span sty
    </div>
  }
}

```

```

        { /* 在庫調整ボタン */ }
        <div onClick={e=>e.stopPropagation()}>
            <AdjButtons matId={m.id} onAdj={applyAdj} onCustom={id=>{setC
        </div>

        { /* 編集・削除 */ }
        <div style={{ display:"flex", gap:8, marginTop:10 }} onClick={e
            <button onClick={()=>cartAdd(m)}
                style={{ flex:1, padding:"9px", borderRadius:10, border:`1.
                {cartInCart(m.id) ? "🛒 カート追加済" : "🛒 カートに追加"}
            </button>
            <button onClick={()=>{setMatForm({...m});setEditTarget(m.id);
                style={{ padding:"9px 14px", borderRadius:10, border:"1.5px
            <button onClick={()=>setConfirmDel({...m})}
                style={{ padding:"9px 12px", borderRadius:10, border:"1.5px
            </div>
        </div>
    );
    }}}
</div>

{ /* 在庫不足バナー */ }
{lowCount>0&&<div style={{ marginTop:14, background:"#fff1f2", border:"
    <div style={{ fontWeight:700, color:"#b91c1c", marginBottom:10, fontS
    <div style={{ display:"flex", flexWrap:"wrap", gap:6, marginBottom:10
        {materials.filter(m=>m.minStock>0&&m.quantity<=m.minStock).map(m=>{
            <span key={m.id} style={{ background:"#fee2e2", border:"1px solid
                {m.nickname} ({m.quantity}/{m.minStock}){m.unit})
            </span>
        })}
    </div>
    <button onClick={()=>{ setView("orderNew"); setOrderSupId(suppliers[0
        style={{ ...btnPrimary, fontSize:14 }}> まとめて発注</button>
    </div>}
</>

{ /* — 材料 詳細 ————— */ }
{view==="detail"&&detailTarget&&()=>{
    const m=materials.find(x=>x.id===detailTarget.id)||detailTarget;
    const sup=suppliers.find(s=>s.id===m.supplierId);
    const relOrders=orders.filter(o=>o.items.some(i=>i.materialId===m.id));
    return (
        <div>
            <button onClick={()=>setView("list")} style={{ ...btnGhost, marginB
            <div style={{ background:"#fff", border:"1.5px solid #d1fae5", bord
                <div style={{ display:"flex", justifyContent:"space-between", ali
                    <div style={{ flex:1 }}>

```

```

        <div style={{ display:"flex", gap:6, flexWrap:"wrap", marginB
            <span style={{ background:"#ecfdf5", border:"1.5px solid #6
                <StatusBadge status={m.status} size="lg"/>
            </div>
        </div>
        <div style={{ fontWeight:800, fontSize:22, color:"#111827" }}
            <div style={{ color:"#6b7280", fontSize:13, marginTop:3 }}>{m
        </div>
        <QtyDisplay quantity={m.quantity} minStock={m.minStock} unit={m
    </div>

    {/* 在庫調整 */}
    <div style={{ marginBottom:16 }}>
        <div style={{ fontSize:12, color:"#6b7280", fontWeight:600, mar
            <AdjButtons matId={m.id} onAdj={applyAdj} onCustom={id=>{setCus
        </div>

    {/* 情報グリッド */}
    <div style={{ display:"grid", gridTemplateColumns:"repeat(auto-fi
        {[{l:"品番",v:m.partNumber,mono:true,accent:"#059669"}},{l:"メーカ
            <div key={f.l} style={{ background:"#f0fdf4", borderRadius:10
                <div style={{ fontSize:11, color:"#6b7280", marginBottom:4,
                    <div style={{ fontFamily:f.mono?"'JetBrains Mono',monospace
                </div>
            )}}
        </div>

    {m.notes}&&<div style={{ background:"#f0fdf4", borderRadius:10, pa

    <div style={{ display:"flex", gap:10, flexWrap:"wrap" }}>
        <button onClick={()=>{setMatForm({...m});setEditTarget(m.id);se
            <button onClick={()=>setConfirmDel({...m})} style={btnDanger}>
        </div>

    {relOrders.length>0&&<div style={{ marginTop:20 }}>
        <div style={{ fontSize:13, fontWeight:700, color:"#065f46", mar
            {relOrders.map(o=>{
                const oi=o.items.find(i=>i.materialId===m.id);
                const stl={"ordered":"発注済","partial":"一部入荷","received":"
                const stc={"ordered":"#0369a1","partial":"#b45309","received"
                return <div key={o.id} style={{ background:"#f0fdf4", borderR
                    <span style={{ color:"#6b7280" }}>{fmtDateFull(o.orderDate)
                    <span style={{ background:stc+"18", color:stc, borderRadius
                </div>;
            })}
        </div>
    </div>
</div>

```

```
);  
}) () }
```

```
{/* — 材料 フォーム ————— */}
```

```
{view=== "form"&&matForm&& (
```

```
<div>
```

```
<button onClick={()=>setView("list")} style={{ ...btnGhost, marginBot
```

```
<div style={{ background:"#fff", border:"1.5px solid #d1fae5", border
```

```
<div style={{ display:"flex", justifyContent:"space-between", align
```

```
<div style={{ fontWeight:800, fontSize:18, color:"#065f46" }}>{ed
```

```
<div style={{ display:"flex", gap:6, flexWrap:"wrap" }}>
```

```
{[{key:"categories",label:"分類"},{key:"makers",label:"メーカー"}]
```

```
<button key={key} onClick={()=>setMasterModal(key)} style={{
```

```
)))
```

```
</div>
```

```
</div>
```

```
<div style={{ display:"grid", gridTemplateColumns:"1fr 1fr", gap:14
```

```
<Field label="分類 *" half><ComboInput value={matForm.category} or
```

```
<Field label="品番 *" half><input value={matForm.partNumber} onCha
```

```
<Field label="メーカー" half><ComboInput value={matForm.maker} onCl
```

```
<Field label="材料名 (通称) *" half><input value={matForm.nickname}
```

```
<Field label="正式名称"><input value={matForm.officialName} onChang
```

```
<Field label="在庫数" half>
```

```
<div style={{ display:"flex", gap:8 }}>
```

```
<input type="number" value={matForm.quantity} onChange={e=>se
```

```
<div style={{ width:90 }}><ComboInput value={matForm.unit} on
```

```
</div>
```

```
</Field>
```

```
<Field label="最低在庫数" half><input type="number" value={matForm.
```

```
<Field label="状態" half>
```

```
<select value={matForm.status} onChange={e=>setMatForm(p=>({...
```

```
{STATUS_LIST.map(s=><option key={s}>{s}</option>)}]
```

```
</select>
```

```
</Field>
```

```
<Field label="保管場所" half><ComboInput value={matForm.location} (
```

```
<Field label="仕入先" half>
```

```
<select value={matForm.supplierId||""} onChange={e=>setMatForm(
```

```
<option value="">未設定</option>
```

```
{suppliers.map(s=><option key={s.id} value={s.id}>{s.name}</o
```

```
</select>
```

```
</Field>
```

```
<Field label="備考"><textarea value={matForm.notes} onChange={e=>s
```

```
</div>
```

```
<div style={{ display:"flex", gap:12, justifyContent:"flex-end", ma
```

```
<button onClick={()=>setView("list")} style={btnGhost}>キャンセル</
```

```
<button onClick={saveMat} style={btnPrimary}>{editTarget?"更新する"
```

```
</div>
```

```

    </div>
  </div>
)}

{/* — 仕入先 一覧 ————— */}
{view=== "supList"&&(
  <div>
    <div style={{ display:"flex", justifyContent:"space-between", alignIt
      <div style={{ fontWeight:800, fontSize:20, color:"#065f46" }}><img alt="Supplier icon" data-bbox="845 200 865 215"/> 仕
      <button onClick={()=>{setSupForm({...emptySup});setEditTarget(null)}>
    </div>
  </div>
  {/* 自社情報 */}
  <div style={{ background:"#fff", border:"1.5px solid #d1fae5", border
    <div style={{ display:"flex", justifyContent:"space-between", align
      <span style={{ fontSize:13, color:"#6b7280", fontWeight:700 }}>自:
      {!editMyComp}&&<button onClick={()=>{setMyCompForm({...myCompany})}
    </div>
    {editMyComp?(
      <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr", gap:
        {[["name","会社名"],["address","住所"],["phone","電話番号"],["cont
          <div key={k}><div style={{ fontSize:12, color:"#6b7280", marg
            )}}
          <div style={{ gridColumn:"1/-1", display:"flex", gap:10, justif
            <button onClick={()=>setEditMyComp(false)} style={btnGhost}>✎
            <button onClick={()=>{setMyCompany({...myCompForm});setEditMy
          </div>
        </div>
      </div>
    ): (
      <div style={{ display:"flex", gap:20, flexWrap:"wrap", fontSize:1
        {[["会社名",myCompany.name],["住所",myCompany.address],["電話",my(
          <div key={l}><span style={{ color:"#9ca3af" }}>>{l} :</span><span>
            )}}
          </div>
        </div>
      )}
    </div>
    <div className="mat-grid">
      {suppliers.map(s=>(
        <div key={s.id} style={{ background:"#fff", border:"1.5px solid #
          onClick={()=>{setDetailTarget(s);setView("supDetail");}}
          onMouseEnter={e=>e.currentTarget.style.borderColor="#10b981"}
          onMouseLeave={e=>e.currentTarget.style.borderColor="#d1fae5"}>
          <div style={{ display:"flex", justifyContent:"space-between", m
            <div style={{ fontWeight:800, fontSize:16 }}>{s.name}</div>
            <div style={{ display:"flex", gap:6 }} onClick={e=>e.stopPropagation
              <button onClick={()=>{setSupForm({...s});setEditTarget(s.id
                <button onClick={()=>setConfirmDel({...s,_type:"sup"})} sty
            </div>
          </div>
        </div>
      )}
    </div>
  )}
)}

```

```

    </div>
    {[["担当者",s.contact],[ "電話",s.phone],[ "メール",s.email],[ "住所",
      <div key={1} style={{ fontSize:12, color:"#6b7280", marginBot
    )}}
    <div style={{ marginTop:10, fontSize:11, color:"#9ca3af", displ
      <span>登録材料 {materials.filter(m=>m.supplierId===s.id).length}
      <span>発注履歴 {orders.filter(o=>o.supplierId===s.id).length}件
    </div>
  </div>
  )}}
</div>
</div>
  )}

```

```

{ /* 仕入先フォーム */}

```

```

{view==="supForm"&&supForm&&(
  <div>
    <button onClick={()=>setView("supList")} style={{ ...btnGhost, margin
    <div style={{ background:"#fff", border:"1.5px solid #d1fae5", border
      <div style={{ fontWeight:800, fontSize:18, color:"#065f46", marginB
      <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr", gap:14
        <Field label="会社名 *"><input value={supForm.name} onChange={e=>s
        <Field label="担当者" half><input value={supForm.contact} onChange
        <Field label="電話番号" half><input value={supForm.phone} onChange=
        <Field label="FAX" half><input value={supForm.fax} onChange={e=>s
        <Field label="メールアドレス" half><input value={supForm.email} onCh
        <Field label="住所" half><input value={supForm.address} onChange={
        <Field label="備考"><textarea value={supForm.notes} onChange={e=>s
      </div>
      <div style={{ display:"flex", gap:12, justifyContent:"flex-end", ma
        <button onClick={()=>setView("supList")} style={btnGhost}>キャンセル
        <button onClick={saveSup} style={btnPrimary}>{editTarget?"更新する"
      </div>
    </div>
  </div>
  )}

```

```

{ /* 仕入先詳細 */}

```

```

{view==="supDetail"&&detailTarget&&()=>{
  const s=suppliers.find(x=>x.id===detailTarget.id)||detailTarget;
  const linked=materials.filter(m=>m.supplierId===s.id);
  return (
    <div>
      <button onClick={()=>setView("supList")} style={{ ...btnGhost, marg
      <div style={{ background:"#fff", border:"1.5px solid #d1fae5", bord
        <div style={{ display:"flex", justifyContent:"space-between", mar
          <div><div style={{ fontWeight:800, fontSize:20 }}>{s.name}</div>

```

```

    <div style={{ display:"flex", gap:10 }}>
      <button onClick={()=>{setSupForm({...s});setEditTarget(s.id);
      <button onClick={()=>setConfirmDel({...s,_type:"sup"})}} style
    </div>
  </div>
  <div style={{ display:"grid", gridTemplateColumns:"repeat(auto-fi
    {[["担当者",s.contact],[ "電話",s.phone],[ "FAX",s.fax],[ "メール",s.
      <div key={l} style={{ background:"#f0fdf4", borderRadius:10,
        )}}
    </div>
    <div style={{ fontSize:13, fontWeight:700, color:"#065f46", margi
  <div style={{ display:"flex", flexWrap:"wrap", gap:6 }}>
    {linked.map(m=><span key={m.id} onClick={()=>{setDetailTarget(m
    {linked.length===0&&<span style={{ color:"#6b7280", fontSize:13
  </div>
</div>
</div>
  );
})() }

{/* — 発注 一覧 ————— */}
{view==="orderList"&&(
  <div>
    <div style={{ display:"flex", justifyContent:"space-between", alignIt
      <div style={{ fontWeight:800, fontSize:20, color:"#065f46" }}><img alt="package icon" data-bbox="848 508 868 523"/> 発
      <button onClick={()=>{setOrderSupId(suppliers[0]?.id||null);setOrde
    </div>
    {orders.length===0&&<div style={{ background:"#fff", border:"1.5px so
    {[{label:"入荷待ち・一部入荷",filter:o=>o.status!=="received"},{label:"ノ
    const list=orders.filter(filter); if(!list.length) return null;
    return (
      <div key={label} style={{ marginBottom:20 }}>
        <div style={{ fontSize:14, fontWeight:700, color:"#374151", mar
        <div style={{ display:"flex", flexDirection:"column", gap:10 }}
          {list.map(o=>{
            const sup=suppliers.find(s=>s.id===o.supplierId);
            const stc={"ordered":"#0369a1","partial":"#b45309","receive
            const stl={"ordered":"<img alt="package icon" data-bbox="348 758 368 773"/> 入荷待ち","partial":"<img alt="hourglass icon" data-bbox="758 758 778 773"/> 一部入荷","r
            return (
              <div key={o.id} style={{ background:"#fff", border:`1.5px
                onClick={()=>{setOrderDetail(o);setView("orderDetail");
                <div style={{ display:"flex", justifyContent:"space-bet
                  <div>
                    <div style={{ fontWeight:800, fontSize:16 }}>{sup?.
                    <div style={{ fontSize:12, color:"#6b7280" }}>発注日
                  </div>
                  <span style={{ background:stc+"18", color:stc, border

```

```

    </div>
    <div style={{ display:"flex", flexWrap:"wrap", gap:6, margin:0 }}
      {o.items.map(it=>{ const done=it.receivedQty>=it.orderQty
    </div>
    {o.status!=="received"&&(
      <div style={{ display:"flex", gap:8, flexWrap:"wrap" }}
        <button onClick={()=>receiveAll(o)} style={{ ...btnPrimary }}
        <button onClick={()=>openInspect(o)} style={{ ...btnGhost }}
      </div>
    )}
  </div>
  );
  }}}
</div>
</div>
);
)}}
</div>
)}

```

{/* 発注詳細 */}

```

{view==="orderDetail"&&orderDetail&&(()=>{
  const o=orders.find(x=>x.id===orderDetail.id)||orderDetail;
  const sup=suppliers.find(s=>s.id===o.supplierId);
  const stc={"ordered":"#0369a1","partial":"#b45309","received":"#15803d"};
  const stl={"ordered":"発注済・入荷待ち","partial":"一部入荷","received":"入荷済"};
  return (
    <div>
      <button onClick={()=>setView("orderList")} style={{ ...btnGhost, margin:0 }} />
      <div style={{ background:"#fff", border:"1.5px solid #d1fae5", border-radius:10px, padding:10px }}
        <div style={{ display:"flex", justifyContent:"space-between", margin:0 10px }}
          <div>
            <div style={{ fontWeight:800, fontSize:20 }}>{sup?.name}</div>
            <div style={{ fontSize:13, color:"#6b7280", marginTop:2 }}>発注済
          </div>
          <span style={{ background:stc+"18", color:stc, border:`2px solid ${stc}`, padding:2px 5px }}>{o.status}</span>
        </div>
        {o.status!=="received"&&<div style={{ display:"flex", gap:10, flexWrap:"wrap" }}
          <button onClick={()=>receiveAll(o)} style={btnPrimary}>✅ 全数入荷
          <button onClick={()=>openInspect(o)} style={btnGhost}>🔍 数量を確認
        </div>
        <div style={{ display:"flex", flexDirection:"column", gap:8, margin:0 10px }}
          {o.items.map(it=>{ const rem=it.orderQty-it.receivedQty; const
            <div key={it.materialId} style={{ background:"#f0fdf4", border:1px solid #d1fae5, padding:5px }}
              <div>
                <div style={{ fontWeight:700, fontSize:15 }}>{it.nickname}
                <div style={{ fontSize:12, color:"#6b7280", fontFamily:"sans-serif" }}>{rem}</div>
              </div>
            </div>
          )}
        </div>
      </div>
    )}
  )}

```

```

        </div>
        <div style={{ display:"flex", gap:12, alignItems:"center",
            <div style={{ textAlign:"center" }}><div style={{ fontSiz
            <div style={{ textAlign:"center" }}><div style={{ fontSiz
            <div style={{ textAlign:"center" }}><div style={{ fontSiz
        </div>
    </div>
    );}})
</div>
<div style={{ display:"flex", gap:10, justifyContent:"flex-end" }
    <button onClick={()=>{if(sup)exportCSV(sup,o.items.map(i=>({...
    <button onClick={()=>{if(sup)printOrder(sup,o.items.map(i=>({...
    </div>
</div>
</div>
    );
    })() }

{/* 発注 新規 */}
{view==="orderNew"&&(
    <div>
        <div style={{ display:"flex", justifyContent:"space-between", alignIt
            <div style={{ fontWeight:800, fontSize:20, color:"#065f46" }}><div style={{ fontSiz
            <button onClick={()=>setView("orderList")} style={{ ...btnGhost, pa
        </div>
        <div style={{ display:"grid", gridTemplateColumns:"minmax(0,340px) 1f
            <div>
                <div style={{ background:"#fff", border:"1.5px solid #d1fae5", bo
                    <div style={{ fontWeight:700, color:"#065f46", marginBottom:12,
                        {suppliers.map(s=>(
                            <div key={s.id} onClick={()=>setOrderSupId(s.id)} style={{ pa
                                <div style={{ fontWeight:700, color:orderSupId===s.id?"#065
                                    {s.contact}&&<div style={{ fontSize:12, color:"#6b7280" }}><
                                </div>
                            </div>
                        </div>
                    </div>
                <div style={{ background:"#fff", border:"1.5px solid #d1fae5", bo
                    <div style={{ fontWeight:700, color:"#065f46", marginBottom:10,
                        {orderItems.length===0?<div style={{ color:"#9ca3af", fontSize:
                            <>
                                {orderItems.map(it=>(
                                    <div key={it.materialId} style={{ background:"#f0fdf4", b
                                        <div style={{ fontWeight:700, fontSize:14, marginBottom
                                            <div style={{ display:"flex", alignItems:"center", gap:
                                                <span style={{ fontSize:12, color:"#6b7280" }}>発注数:
                                                <input type="number" value={it.orderQty} onChange={e=
                                                    style={{ width:64, padding:"6px 10px", borderRadius

```

```

        <span style={{ fontSize:12, color:"#6b7280" }}>{it.un
            <button onClick={()=>setOrderItems(prev=>prev.filter(
                </div>
            </div>
        )}}
        <button onClick={()=>setView("orderPreview")} disabled={!or
    </>
    })
    </div>
</div>
<div style={{ background:"#fff", border:"1.5px solid #d1fae5", bord
    <div style={{ display:"flex", gap:8, marginBottom:12, flexWrap:"w
        <input placeholder="🔍 材料名・品番" value={orderSearch} onChange
        <button onClick={()=>{ const low=materials.filter(m=>m.minStock
            style={{ padding:"11px 14px", borderRadius:10, border:"1.5px
        </div>
    <div style={{ display:"flex", flexDirection:"column", gap:8, maxH
        {(orderSearch.trim())?materials.filter(m=>m.nickname.toLowerCase
        const selected=!!orderItems.find(i=>i.materialId===m.id);
        return (
            <div key={m.id} onClick={()=>toggleOrderItem(m)} style={{ p
                <div>
                    <span style={{ fontFamily:"'JetBrains Mono',monospace",
                    <span style={{ fontWeight:700, fontSize:14 }}>{m.nickna
                </div>
                <div style={{ display:"flex", alignItems:"center", gap:8
                    <QtyDisplay quantity={m.quantity} minStock={m.minStock}
                    {selected&&<span style={{ color:"#059669", fontSize:18,
                </div>
            </div>
        );
    })}
    </div>
</div>
</div>
</div>
)}
{ /* 発注プレビュー */}
{view==="orderPreview"&&()=>{
    const sup=suppliers.find(s=>s.id===orderSupId);
    if(!sup) return null;
    return (
        <div>
            <button onClick={()=>setView("orderNew")} style={{ ...btnGhost, mar
            <div style={{ background:"#fff", border:"1.5px solid #d1fae5", bord
                <div style={{ display:"flex", justifyContent:"space-between", mar

```

```

    <div>
      <div style={{ fontWeight:800, fontSize:20 }}>発注書プレビュー</div>
      <div style={{ color:"#6b7280", fontSize:13 }}>{sup.name} {fmt}
    </div>
    <div style={{ display:"flex", gap:10, flexWrap:"wrap" }}>
      <button onClick={()=>exportCSV(sup,orderItems,myCompany)} sty
      <button onClick={()=>printOrder(sup,orderItems,myCompany)} st
      <button onClick={submitOrder} style={{ ...btnPrimary, backgro
    </div>
  </div>
  <div style={{ display:"flex", flexDirection:"column", gap:10 }}>
    {orderItems.map((it,i)=>(
      <div key={it.materialId} style={{ background:"#f0fdf4", borde
        <div>
          <span style={{ fontFamily:"'JetBrains Mono',monospace", c
          <span style={{ fontWeight:700, fontSize:15 }}>{it.nicknam
          <div style={{ fontSize:12, color:"#6b7280", marginTop:2 }
        </div>
        <div style={{ fontFamily:"'JetBrains Mono',monospace", font
          {it.orderQty}<span style={{ fontSize:13, fontWeight:500,
        </div>
      </div>
    )})
  </div>
</div>
);
})() }

</div>
</div>
);
}

```