

🏆 APP SCORES



Security Score **28/100**

Trackers Detection **3/432**

📁 FILE INFORMATION

File Name	InsecureBankv2.apk
Size	3.3MB
MD5	5ee4829065640f9c936ac861d1650ffc
SHA1	80b53f80a3c9e6bfd98311f5b26ccddcd1bf0a98
SHA256	b18af2a0e44d7634bbcdf93664d9c78a2695e050393cfbb5e8b91f902d194a4

ℹ️ APP INFORMATION

App Name	InsecureBankv2				
Package Name	com.android.insecurebankv2				
Main Activity	com.android.insecurebankv2.LoginActivity				
Target SDK	22	Min SDK	15	Max SDK	
Android Version Name	1.0	Android Version Code	1		

4 / 10

EXPORTED ACTIVITIES



View All ⌵

0 / 0

EXPORTED SERVICES



View All ⌵

1 / 2

EXPORTED RECEIVERS



View All ⌵

1 / 1

EXPORTED PROVIDERS



View All ⌵

⚙️ SCAN OPTIONS

📄 DECOMPILED CODE

🔑 SIGNER CERTIFICATE

```
Binary is signed
v1 signature: True
v2 signature: False
v3 signature: False
v4 signature: False
X.509 Subject: ST=MA, L=Boston, O=SI, OU=Services, CN=Dinesh Shetty
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2015-07-24 20:37:08+00:00
Valid To: 2040-07-17 20:37:08+00:00
Issuer: ST=MA, L=Boston, O=SI, OU=Services, CN=Dinesh Shetty
Serial Number: 0x6bb4f616
Hash Algorithm: sha256
md5: 6a736d89abb13d7165e7c905ac928d
sha1: a1bae91a2b1620f6c9dab425e69fc32ba1e97741
sha256: 8092db81ae717486631a1534977def465ee112903e1553d38d41df8abd57a375
sha512:
53770f3f69916f74ddd6e750ae16fd9b23fa5b2c8e9e53bd5a84202d7d7c44a26ede13e6db450ab0c1d9f64534802b88ebb0b4de1da076b62112d9b122cbbd92
Found 1 unique certificates
```

≡ APPLICATION PERMISSIONS

Search:

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.	
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.	
android.permission.GET_ACCOUNTS	dangerous	list accounts	Allows access to the list of accounts in the Accounts Service.	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.	
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.	
android.permission.READ_PROFILE	dangerous	read the user's personal profile data	Allows an application to read the user's personal profile data.	
android.permission.SEND_SMS	dangerous	send SMS messages	Allows application to send SMS messages. Malicious applications may cost you money by sending messages without your confirmation.	
android.permission.USE_CREDENTIALS	dangerous	use the authentication credentials of an account	Allows an application to request authentication tokens.	
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.	

Showing 1 to 9 of 9 entries

[Previous](#)[1](#)[Next](#)

Search:

API	FILES
No data available in table	

Showing 0 to 0 of 0 entries

[Previous](#)[Next](#)

BROWSABLE ACTIVITIES

Search:

ACTIVITY	INTENT
No data available in table	

Showing 0 to 0 of 0 entries

[Previous](#)[Next](#)

NETWORK SECURITY

Search:

NO	SCOPE	SEVERITY	DESCRIPTION
No data available in table			

Showing 0 to 0 of 0 entries

[Previous](#)[Next](#)

 CERTIFICATE ANALYSISHIGH
1WARNING
0INFO
1Search:

TITLE 	SEVERITY 	DESCRIPTION 
Application vulnerable to Janus Vulnerability	high	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Signed Application	info	Application is signed with a code signing certificate

Showing 1 to 2 of 2 entries

[Previous](#)[1](#)[Next](#) MANIFEST ANALYSISHIGH
6WARNING
7INFO
0SUPPRESSED
0Search:

NO 	ISSUE 	SEVERITY 	DESCRIPTION 	OPTIONS 
1	App can be installed on a vulnerable unpatched Android version 4.0.3-4.0.4, [minSdk=15]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.	

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
2	Debug Enabled For App [android:debuggable=true]	high	Debugging was enabled on the app which makes it easier for reverse engineers to hook a debugger to it. This allows dumping a stack trace and accessing debugging helper classes.	
3	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.	
4	Activity (com.android.insecurebankv2.PostLogin) is vulnerable to StrandHogg 2.0	high	Activity is found to be vulnerable to StrandHogg 2.0 task hijacking vulnerability. When vulnerable, it is possible for other applications to place a malicious activity on top of the activity stack of the vulnerable application. This makes the application an easy target for phishing attacks. The vulnerability can be remediated by setting the launch mode attribute to "singleInstance" and by setting an empty taskAffinity (taskAffinity=""). You can also update the target SDK version (22) of the app to 29 or higher to fix this issue at platform level.	
5	Activity (com.android.insecurebankv2.PostLogin) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
6	Activity (com.android.insecurebankv2.DoTransfer) is vulnerable to StrandHogg 2.0	high	Activity is found to be vulnerable to StrandHogg 2.0 task hijacking vulnerability. When vulnerable, it is possible for other applications to place a malicious activity on top of the activity stack of the vulnerable application. This makes the application an easy target for phishing attacks. The vulnerability can be remediated by setting the launch mode attribute to "singleInstance" and by setting an empty taskAffinity (taskAffinity=""). You can also update the target SDK version (22) of the app to 29 or higher to fix this issue at platform level.	

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
7	Activity (com.android.insecurebankv2.DoTransfer) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
8	Activity (com.android.insecurebankv2.ViewStatement) is vulnerable to StrandHogg 2.0	high	Activity is found to be vulnerable to StrandHogg 2.0 task hijacking vulnerability. When vulnerable, it is possible for other applications to place a malicious activity on top of the activity stack of the vulnerable application. This makes the application an easy target for phishing attacks. The vulnerability can be remediated by setting the launch mode attribute to "singleInstance" and by setting an empty taskAffinity (taskAffinity=""). You can also update the target SDK version (22) of the app to 29 or higher to fix this issue at platform level.	
9	Activity (com.android.insecurebankv2.ViewStatement) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
10	Content Provider (com.android.insecurebankv2.TrackUserContentProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

Showing 1 to 10 of 13 entries

</> CODE ANALYSIS

Search:

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
----	-------	----------	-----------	-------	---------

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
No data available in table					

Showing 0 to 0 of 0 entries

[Previous](#)[Next](#)

🚩 SHARED LIBRARY BINARY ANALYSIS

No Shared Objects found.

Search:

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
No data available in table									

Showing 0 to 0 of 0 entries

[Previous](#)[Next](#)

📖 NIAP ANALYSIS v1.3

Search:

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
No data available in table				

Showing 0 to 0 of 0 entries

[Previous](#)[Next](#)

FILE ANALYSIS

Search:

NO	ISSUE	FILES
No data available in table		

Showing 0 to 0 of 0 entries

[Previous](#)[Next](#)

FIREBASE DATABASE ANALYSIS

Search:

TITLE	SEVERITY	DESCRIPTION
No data available in table		

Showing 0 to 0 of 0 entries

[Previous](#)[Next](#)

MALWARE LOOKUP

[VirusTotal Report](#)[Triage Report](#)[MetaDefender Report](#)[Hybrid Analysis Report](#)

APKiD ANALYSIS

Search:

DEX	DETECTIONS								
classes.dex	Search: <table><tr><th>FINDINGS</th><th>DETAILS</th></tr><tr><td>Anti-VM Code</td><td>Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check</td></tr><tr><td>Compiler</td><td>dx (possible dexmerge)</td></tr><tr><td>Manipulator Found</td><td>dexmerge</td></tr></table> Showing 1 to 3 of 3 entries Previous1Next	FINDINGS	DETAILS	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check	Compiler	dx (possible dexmerge)	Manipulator Found	dexmerge
FINDINGS	DETAILS								
Anti-VM Code	Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check								
Compiler	dx (possible dexmerge)								
Manipulator Found	dexmerge								

Showing 1 to 1 of 1 entries

Previous1Next

BEHAVIOUR ANALYSIS

Search:			
RULE ID	BEHAVIOUR	LABEL	FILES
No data available in table			

Showing 0 to 0 of 0 entries

PreviousNext

🔗 ABUSED PERMISSIONS

Top Malware Permissions

7/25

Other Common Permissions


0/44

android.permission.INTERNET,
android.permission.WRITE_EXTERNAL_STORAGE,
android.permission.SEND_SMS, android.permission.GET_ACCOUNTS,
android.permission.READ_CONTACTS,
android.permission.ACCESS_NETWORK_STATE,
android.permission.ACCESS_COARSE_LOCATION

Malware Permissions are the top permissions that are widely abused by known malware.

Other Common Permissions are permissions that are commonly abused by known malware.

🌐 SERVER LOCATIONS



 **DOMAIN MALWARE CHECK**

 **URLS**

 **EMAILS**

 **TRACKERS**

Search:

TRACKER NAME	CATEGORIES	URL
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312
Google Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/48
Google Tag Manager	Analytics	https://reports.exodus-privacy.eu.org/trackers/105

Showing 1 to 3 of 3 entries

[Previous](#)[1](#)[Next](#)

🔑 POSSIBLE HARDCODED SECRETS

▼ Showing all **2** secrets`"loginscreen_password" : "Password:"``"loginscreen_username" : "Username:"`

A STRINGS

From APK Resource

► Show all **3768** strings

From Code

From Shared Objects

📋 ACTIVITIES

▼ Showing all **10** activities

[com.android.insecurebankv2.LoginActivity](#)
[com.android.insecurebankv2.FilePrefActivity](#)
[com.android.insecurebankv2.DoLogin](#)
[com.android.insecurebankv2.PostLogin](#)
[com.android.insecurebankv2.WrongLogin](#)
[com.android.insecurebankv2.DoTransfer](#)
[com.android.insecurebankv2.ViewStatement](#)
[com.android.insecurebankv2.ChangePassword](#)
[com.google.android.gms.ads.AdActivity](#)
[com.google.android.gms.ads.purchase.InAppPurchaseActivity](#)

SERVICES

RECEIVERS

▼ Showing all **2** receivers

[com.android.insecurebankv2.MyBroadCastReceiver](#)
[com.google.android.gms.wallet.EnableWalletOptimizationReceiver](#)

PROVIDERS

▼ Showing all **1** providers

[com.android.insecurebankv2.TrackUserContentProvider](#)

LIBRARIES

 SBOM

 FILES

► Show all **555** files