

SECURITY ASSESSMENT REPORT

29 Jul 2026 - 05 Aug 2026

HEALTH SCORE

72%

3 findings needing attention

SUCCESSFUL CONTROLS

8

24 events reviewed

ACTIVE INCIDENTS

1

Open or recent issues

HIGH ALERTS

0

Critical signal count

EXECUTIVE OVERVIEW

Executive summary

This is a generated sample executive summary for testing evidence rendering.

ENTERPRISE DOMAIN SCORECARD

Health is better when higher. Risk requires attention when higher.

Identity Protection	Health		72%	Risk		28%
Device Protection	Health		83%	Risk		17%
Email Security	Health		75%	Risk		25%
Network Security / Cloudflare	Health		78%	Risk		22%
Applications	Health		87%	Risk		13%
Security Alerts	Health		0%	Risk		100%
Backup and Recovery	Health		75%	Risk		25%
Governance	Health		4%	Risk		96%
Compliance Validation	Health		0%	Risk		100%

DOMAIN INTELLIGENCE AND EVIDENCE

Each domain below is drawn from the latest saved intelligence output and keeps findings, affected entities, evidence, and actions together.

IDENTITY PROTECTION REPORT

Current identity security posture

HEALTH SCORE

72%

Current identity health score

RISK SCORE

28%

moderate risk level

DOMAIN SUMMARY

Most identities have healthy access controls, with MFA enrollment and privileged-account remediation still required.

BUSINESS IMPACT

A compromised privileged identity could allow broad access to the tenant and interrupt business operations before the activity is detected.

KEY IDENTITY FINDINGS (2)

● Break-glass account is missing MFA

FINDING

A privileged emergency access account is not protected by multi-factor authentication.

SEVERITY

High

IMPACT

A privileged emergency access account is not protected by multi-factor authentication.

WHY IT MATTERS

A privileged emergency access account is not protected by multi-factor authentication.

EVIDENCE

- Break-glass account

admin@example.com
MFA not enabled | Risk HIGH | Global Administrator

11 additional affected identity records are available in the Identity dashboard.

RECOMMENDATIONS

- Require MFA for the break-glass account and validate the recovery process

● Privileged users have multiple roles and MFA gaps

FINDING

Five privileged users have multiple privileged roles, increasing risk exposure. One privileged user lacks MFA.

SEVERITY

High

IMPACT

Compromise of these accounts could lead to broad access and control.

WHY IT MATTERS

Privileged roles can change tenant-wide settings and expose sensitive business data.

EVIDENCE

- Brandon Cunningham

brandon@example.com
MFA enabled | Risk SAFE | SharePoint Administrator, Teams Administrator

- **Dave Colley**
dave@example.com
MFA enabled | Risk SAFE | Global Administrator, Security Administrator
- **Gary Norton**
gary@example.com
MFA enabled | Risk SAFE | User Administrator, Exchange Administrator
- **Ken Ross**
ken@example.com
MFA enabled | Risk SAFE | Global Administrator, Fabric Administrator
- **StackOpsIT - Ndamulelo Sandani**
stackopsit@example.com
MFA enabled | Risk SAFE | Global Administrator, Billing Administrator

RECOMMENDATIONS

- Require MFA for every privileged account
- review each privileged role assignment
- remove roles that are not required

DEVICE PROTECTION REPORT

Current device security posture

HEALTH SCORE

83%

Current device health score

RISK SCORE

17%

low risk level

DOMAIN SUMMARY

The Device Protection domain manages 17 devices with 76% compliance and full encryption coverage. Three non-compliant devices require immediate remediation.

BUSINESS IMPACT

Failure to remediate non-compliant stale devices increases the risk of data breaches, regulatory non-compliance, and operational disruption.

KEY DEVICE FINDINGS (2)

- **Non-compliant devices stale or dead over 30 days with assigned users**

FINDING

Three devices are non-compliant and have not synced for over 30 days with active user assignments.

SEVERITY

critical

IMPACT

High

WHY IT MATTERS

Non-compliance combined with stale sync means security controls may not be applied.

EVIDENCE

• **DEAN**
Assigned user: dean@example.com
OS: Windows 10.0.22631.5189
Compliance: noncompliant
Encryption: Encrypted
Management: mdm
Last sync: 02 May 2025, 08:58
Serial: GT22T14

• **LAPTOP-HNCQT3U1**
Assigned user: dave@example.com
OS: Windows 10.0.26100.6584
Compliance: unknown
Encryption: Encrypted
Management: mdm
Last sync: 08 Nov 2025, 17:05
Serial: M9N0LP00F69336

• **DESKTOP-HEM6JNN**
Assigned user: user@example.com
OS: Windows 10.0.22631.5189
Compliance: noncompliant
Encryption: Encrypted
Management: mdm
Last sync: 30 Apr 2025, 12:12
Serial: H3M6JNN

RECOMMENDATIONS

- Initiate remediation or device retirement for non-compliant stale devices

• **Device with unknown compliance and stale sync**

FINDING

LAPTOP-HNCQT3U1 has unknown compliance state and last synced 234 days ago.

SEVERITY

high

IMPACT

Medium

WHY IT MATTERS

Potential policy gaps and security exposure.

EVIDENCE

• **LAPTOP-HNCQT3U1**
Assigned user: dave@example.com
OS: Windows
Compliance: unknown
Encryption: Encrypted
Management: mdm
Last sync: 08 Nov 2025, 17:05
Serial: M9N0LP00F69336

RECOMMENDATIONS

- Investigate device compliance and sync status

EMAIL SECURITY REPORT

Current email posture

HEALTH SCORE 75% Current domain health score	RISK SCORE 25% moderate risk level	ACTIVE ALERTS 5 User-reported email alerts
REPEATEDLY TARGETED 0 Users requiring review	ACTIVE MAILBOXES 36 Mailboxes with current activity	INACTIVE MAILBOXES 0 Mailboxes for review

DOMAIN SUMMARY

Email security is operating normally with five active low-severity, user-reported alerts. No high-severity malware, phishing, spam, or business email compromise incidents were identified.

BUSINESS IMPACT

Repeated user-reported alerts can add operational workload and make genuine threats harder to recognize without mailbox review and user training.

KEY EMAIL FINDINGS (2)

● Repeated low-severity user-reported email alerts require review
FINDING Five active low-severity alerts were reported by users as junk or not junk email.
SEVERITY moderate
IMPACT moderate
WHY IT MATTERS Repeated reports can indicate a training, classification, or mailbox-risk pattern that needs review.
EVIDENCE ● Email reported by user as junk Recipient: ryan Sender: Unknown sender Severity: low Status: newalert Reported: 30 Jun 2026, 13:15 Source: Office 365 Security and Compliance

- **Email reported by user as not junk**

Recipient: gary
Sender: Unknown sender
Severity: low
Status: newalert
Reported: 30 Jun 2026, 13:10
Source: Office 365 Security and Compliance

3 additional evidence records are available in the Email Security dashboard.

RECOMMENDATIONS

- Review alert details and affected mailbox activity for the eight repeatedly targeted users

- **36 active mailboxes have normal mail activity**

FINDING

Thirty-six active mailboxes processed normal mail activity during the reporting period.

SEVERITY

Observed

EVIDENCE

- **Email reported by user as junk**

Recipient: ryan
Sender: Unknown sender
Severity: low
Status: newalert
Reported: 30 Jun 2026, 13:15
Source: Office 365 Security and Compliance

- **Email reported by user as not junk**

Recipient: gary
Sender: Unknown sender
Severity: low
Status: newalert
Reported: 30 Jun 2026, 13:10
Source: Office 365 Security and Compliance

3 additional evidence records are available in the Email Security dashboard.

RECOMMENDATIONS

- Review two inactive mailboxes for deactivation or ownership confirmation

NETWORK SECURITY / CLOUDFLARE REPORT

Current network posture

HEALTH SCORE

78%

Current domain health score

RISK SCORE

22%

low risk level

WARP DEVICES

3

Enrolled and protected devices

GATEWAY RULES

3

Configured network controls

DLP PROFILES

2

Sensitive-data protections

PROTECTED APPS

2

Active protected applications

DOMAIN SUMMARY

Cloudflare network security has active gateway protections, DLP profiles, protected applications, and registered WARP devices. Audit log and API permission evidence gaps limit event-level analysis.

BUSINESS IMPACT

Maintained gateway and DLP controls protect sensitive data and roaming users. Completing audit and permission evidence improves detection, response, and access risk management.

KEY NETWORK FINDINGS (4)

● Audit log raw evidence gap limits event-level visibility

FINDING

Cloudflare audit log coverage is present, but raw audit event evidence is not currently available for detailed analysis.

SEVERITY

high

IMPACT

high

WHY IT MATTERS

Missing raw audit events limits incident detection and forensic investigation.

EVIDENCE

- **DaveLenovo**
Type: WARP device
Status: active
User: dave@example.com

2 additional evidence records are available in the Network Security dashboard.

RECOMMENDATIONS

- Obtain raw audit log data for event-level analysis

● Inactive Do Not Inspect gateway policy may allow uninspected traffic

FINDING

The Do Not Inspect gateway policy is configured with its action set to off.

SEVERITY

medium

IMPACT

medium

WHY IT MATTERS

The policy should be reviewed to confirm its intended traffic inspection behavior.

EVIDENCE

- **Do Not Inspect**

Type: Gateway policy
Action: off
Enabled: Yes

2 additional evidence records are available in the Network Security dashboard.

RECOMMENDATIONS

- Review the Do Not Inspect gateway policy status

- **Three enrolled devices are active and registered with WARP profiles**

FINDING

The enrolled device fleet is active and protected through registered WARP profiles.

SEVERITY

Observed

EVIDENCE

- **DaveLenovo**

Type: WARP device
Status: active
User: dave@example.com

2 additional evidence records are available in the Network Security dashboard.

RECOMMENDATIONS

- Maintain the current device enrollment and WARP profile coverage

- **Two DLP profiles protect sensitive data**

FINDING

DLP profiles target financial and sensitive personal information.

SEVERITY

Observed

EVIDENCE

- **Financial information**

Type: DLP profile
Status: active

1 additional evidence record are available in the Network Security dashboard.

RECOMMENDATIONS

- Review DLP profile coverage and policy updates regularly

APPLICATIONS REPORT

Current application governance posture

HEALTH SCORE 87% Current domain health score	RISK SCORE 13% low risk level	APPLICATIONS 100 Applications in the inventory
EXTERNAL APPS 2 Applications marked external	UNKNOWN PUBLISHERS 2 Publishers requiring verification	ASSIGNED USERS 0 Users assigned to sampled apps

DOMAIN SUMMARY

Application governance is generally healthy, but the application inventory consists of external applications with unknown publishers and no assigned users. Ownership and publisher trust require review.

BUSINESS IMPACT

Unverified external applications can create consent, vendor, and data-access exposure. Establishing ownership and trusted publishers reduces compliance and leakage risk.

KEY NETWORK FINDINGS (2)

● External applications with unknown publishers and no assigned users FINDING The inventory includes external applications with unverified publishers and no assigned users. SEVERITY medium IMPACT medium WHY IT MATTERS Unknown publishers and unclear ownership can expose tenant data through unmanaged consent and vendor relationships. EVIDENCE ● Microsoft Intune SCCM Connector Type: External Publisher: Unknown Assigned users: 0 Roles: 0 Permission scopes: 0 Created: 04 Apr 2022, 17:30
--

- **External Reporting Application**

Type: External
Publisher: Unknown
Assigned users: 0
Roles: 0
Permission scopes: 0
Created: 14 Oct 2023, 11:00

98 additional evidence records are available in the Applications dashboard.

RECOMMENDATIONS

- Review application ownership, publisher trust, permissions, assignments, and ongoing business need

- **No excessive permissions or high-access applications detected**

FINDING

The current inventory does not identify excessive permission scopes or high-access applications.

SEVERITY

Observed

EVIDENCE

- **Microsoft Intune SCCM Connector**

Type: External
Publisher: Unknown
Assigned users: 0
Roles: 0
Permission scopes: 0
Created: 04 Apr 2022, 17:30

- **External Reporting Application**

Type: External
Publisher: Unknown
Assigned users: 0
Roles: 0
Permission scopes: 0
Created: 14 Oct 2023, 11:00

98 additional evidence records are available in the Applications dashboard.

RECOMMENDATIONS

- Implement ongoing monitoring and ownership assignment for external applications

SECURITY ALERTS REPORT

Current security alert posture

HEALTH SCORE

0%

Current domain health score

RISK SCORE

100%

critical risk level

TOTAL ALERTS

16

Security alerts in the period

UNRESOLVED ALERTS

0

Alerts requiring action

SIGN-IN SIGNALS

1

Correlated sign-in events

THREAT INDICATORS

25

Indicators available for correlation

DOMAIN SUMMARY

No critical alerts are active, but persistent anonymous IP sign-ins and unresolved email threat-management alerts require investigation and containment.

BUSINESS IMPACT

Unresolved anonymous IP sign-ins and email threats can lead to unauthorized access, phishing exposure, and potential data breaches that interrupt operational continuity.

KEY NETWORK FINDINGS (4)

● Unresolved anonymous IP sign-ins

FINDING

Anonymous IP sign-in patterns remain unresolved and require investigation.

SEVERITY

medium

WHY IT MATTERS

Anonymous network activity can indicate attempted unauthorized access or account compromise.

EVIDENCE

- **brandon@sunbird.eu**
User: brandon@sunbird.eu
Status: Failed
Location: Lisboa, PT
IP address: 213.13.6.176
Occurred: 30 Jun 2026, 17:54
Reason: This occurred due to 'Keep me signed in' interrupt when the user was signing in.

RECOMMENDATIONS

- Investigate and contain unresolved anonymous IP sign-ins to prevent unauthorized access

● Unresolved email threat-management alerts

FINDING

Email threat-management alerts remain open for review.

SEVERITY

low

WHY IT MATTERS

Unresolved mail alerts can allow phishing or malicious content to persist.

EVIDENCE

- **Anonymous IP address**

User: Unknown user
Severity: medium
Status: resolved
Category: AnonymousLogin
Reported: 15 Jun 2026, 14:47
Source: IPC

15 additional evidence records are available in the Security Alerts dashboard.

RECOMMENDATIONS

- Review and enhance email filtering policies and user training

- **Six unresolved alerts remain across the alert inventory**

FINDING

Six unresolved alerts remain, primarily medium and low severity.

SEVERITY

Observed

EVIDENCE

- **Anonymous IP address**

User: Unknown user
Severity: medium
Status: resolved
Category: AnonymousLogin
Reported: 15 Jun 2026, 14:47
Source: IPC

15 additional evidence records are available in the Security Alerts dashboard.

RECOMMENDATIONS

- Confirm resolution quality and suppress recurring alert patterns after investigation

- **Threat indicators support alert and user correlation**

FINDING

Available indicators can be correlated with affected alerts and users for improved detection.

SEVERITY

Observed

EVIDENCE

- **Anonymous IP**

Type: ThreatKeyword
Severity: medium
Confidence: medium
Occurrences: 22
Action: Review
Users: Unknown user

24 additional evidence records are available in the Security Alerts dashboard.

RECOMMENDATIONS

- Correlate threat indicators with affected alerts and users

BACKUP AND RECOVERY REPORT

Current backup and recovery posture

HEALTH SCORE 75% Current domain health score	RISK SCORE 25% moderate risk level	TOTAL STORAGE 796,6 GB Storage across protected services
BACKUP COVERAGE Recorded Service coverage score	EXPOSURE RISK 94% Risk from large data holders	DATA HOLDERS 28 Active users in recovery scope

DOMAIN SUMMARY

Backup and Recovery has 2,796.6 GB total storage across protected services and a full backup coverage score of 100. Exposure risk is high at 94 because of large data holders and missing external backup configuration.

BUSINESS IMPACT

Large data holders without an external backup strategy can increase data-loss impact and extend recovery time for critical services.

KEY NETWORK FINDINGS (3)

● High exposure risk from large data holders

FINDING

Large data holders substantially increase recovery exposure across protected services.

SEVERITY

high

IMPACT

high

WHY IT MATTERS

Large stores can delay recovery and amplify the business effect of a service outage.

EVIDENCE

- **Dave Colley**
Account: dave@sunbird.eu
Files: 74 271
Storage: 266.7 GB
Last activity: 27 Jun 2026, 02:00
- **John Ross**
Account: john@sunbird.eu
Files: 51 273
Storage: 162.7 GB
Last activity: 28 Jun 2026, 02:00

26 additional evidence records are available in the Backup and Recovery dashboard.

RECOMMENDATIONS

- Confirm backup coverage and recovery objectives for large data holders

• External backup configuration is not in place

FINDING

No external backup configuration is currently recorded for the backup scope.

SEVERITY

high

IMPACT

high

WHY IT MATTERS

An independent backup copy improves resilience against service loss and recovery failures.

EVIDENCE

- **Dave Colley**

Account: dave@sunbird.eu
Files: 74 271
Storage: 266.7 GB
Last activity: 27 Jun 2026, 02:00

- **John Ross**

Account: john@sunbird.eu
Files: 51 273
Storage: 162.7 GB
Last activity: 28 Jun 2026, 02:00

26 additional evidence records are available in the Backup and Recovery dashboard.

RECOMMENDATIONS

- Implement external backup configuration

• Complete backup coverage across services

FINDING

All protected services have recorded backup coverage.

SEVERITY

informational

EVIDENCE

- **Dave Colley**

Account: dave@sunbird.eu
Files: 74 271
Storage: 266.7 GB
Last activity: 27 Jun 2026, 02:00

- **John Ross**

Account: john@sunbird.eu
Files: 51 273
Storage: 162.7 GB
Last activity: 28 Jun 2026, 02:00

26 additional evidence records are available in the Backup and Recovery dashboard.

RECOMMENDATIONS

- Prioritize restore testing based on service storage exposure

GOVERNANCE REPORT

Current governance posture

HEALTH SCORE

4%

Current domain health score

RISK SCORE

96%

critical risk level

OWNERLESS ITEMS

12

Items without an assigned owner

ATTENTION REQUIRED

5

Items requiring management review

GOVERNANCE ITEMS

12

Evidence-backed review activities

CONNECTED REVIEWS

2

Reviews with connected evidence

DOMAIN SUMMARY

Governance is critical: 12 governance items lack assigned owners and five require management attention. Security, threat, software, MFA, and device reviews require formal accountability.

BUSINESS IMPACT

Unassigned, overdue governance reviews increase exposure to security incidents, compliance violations, and operational disruption.

KEY NETWORK FINDINGS (3)

• **Missing ownership for critical security and threat reviews**

FINDING

Critical security and threat-review items require ownership and documented management decisions.

SEVERITY

critical

IMPACT

high

WHY IT MATTERS

Without assigned accountability, remediation and review decisions can be delayed or missed.

EVIDENCE

- **Full stack review**
Area: Security review
Status: Attention Required
Owner: missing or not supplied
Review cycle: Annual
Source: Microsoft Graph security alerts
Evidence: 16 security alert records were checked, with 5 high or critical alerts.
Action: Assign an owner, review evidence, document the decision, and track remediation.

- **Review users**

Area: Access review

Status: Connected

Owner: missing or not supplied

Review cycle: Quarterly

Source: Microsoft Graph users

Evidence: 58 user accounts are available for review, including 9 guest or external accounts.

Action: Maintain governance evidence and include it in the next review cycle.

10 additional evidence records are available in the Governance dashboard.

RECOMMENDATIONS

- Assign owners to all attention-required governance items

- **Missing ownership for device posture and identity audits**

FINDING

Device and identity review activities are not assigned to accountable owners.

SEVERITY

high

IMPACT

high

WHY IT MATTERS

Unowned audits make it difficult to confirm that critical controls are reviewed on schedule.

EVIDENCE

- **Full stack review**

Area: Security review

Status: Attention Required

Owner: missing or not supplied

Review cycle: Annual

Source: Microsoft Graph security alerts

Evidence: 16 security alert records were checked, with 5 high or critical alerts.

Action: Assign an owner, review evidence, document the decision, and track remediation.

- **Review users**

Area: Access review

Status: Connected

Owner: missing or not supplied

Review cycle: Quarterly

Source: Microsoft Graph users

Evidence: 58 user accounts are available for review, including 9 guest or external accounts.

Action: Maintain governance evidence and include it in the next review cycle.

10 additional evidence records are available in the Governance dashboard.

RECOMMENDATIONS

- Document management decisions and review schedules

- **12 owner-missing governance items and 5 attention-required items**

FINDING

Governance evidence is connected, but the activities need assigned owners and timely management review.

SEVERITY

Observed

EVIDENCE

- **Full stack review**

Area: Security review
Status: Attention Required
Owner: missing or not supplied
Review cycle: Annual
Source: Microsoft Graph security alerts
Evidence: 16 security alert records were checked, with 5 high or critical alerts.
Action: Assign an owner, review evidence, document the decision, and track remediation.

- **Review users**

Area: Access review
Status: Connected
Owner: missing or not supplied
Review cycle: Quarterly
Source: Microsoft Graph users
Evidence: 58 user accounts are available for review, including 9 guest or external accounts.
Action: Maintain governance evidence and include it in the next review cycle.

10 additional evidence records are available in the Governance dashboard.

RECOMMENDATIONS

- Schedule regular access and policy reviews with assigned owners

COMPLIANCE VALIDATION REPORT

Current compliance validation posture

HEALTH SCORE

0%

Current domain health score

RISK SCORE

100%

critical risk level

FAILED CONTROLS

5

Controls requiring remediation

PARTIAL CONTROLS

1

Controls needing evidence closure

PASSED CONTROLS

2

API-backed controls passing

API CONTROLS

8

Controls backed by connected evidence

DOMAIN SUMMARY

Compliance Validation is critical with five failed controls and one partial control. Audit readiness is not achieved because Identity, Device, and Application controls require remediation.

KEY NETWORK FINDINGS (7)

- **MFA on all accounts**

FINDING

MFA on all accounts is failing based on API-sourced compliance evidence.

SEVERITY

high

IMPACT

Failed controls reduce audit readiness.

WHY IT MATTERS

Remediate the failed control and collect closure evidence.

EVIDENCE

- **MFA on all accounts**

Area: Identity

Status: failed

Severity: high

Audit impact: Failed controls reduce audit readiness.

Evidence: MFA on all accounts is failing based on API-sourced compliance evidence.

Action: Remediate the failed control and collect closure evidence.

RECOMMENDATIONS

- Remediate the failed control and collect closure evidence

- **Legacy authentication blocked**

FINDING

Legacy authentication remains enabled based on API-sourced compliance evidence.

SEVERITY

high

IMPACT

Failed controls reduce audit readiness.

WHY IT MATTERS

Remediate the failed control and collect closure evidence.

EVIDENCE

- **Legacy authentication blocked**

Area: Identity

Status: failed

Severity: high

Audit impact: Failed controls reduce audit readiness.

Evidence: Legacy authentication remains enabled based on API-sourced compliance evidence.

Action: Remediate the failed control and collect closure evidence.

RECOMMENDATIONS

- Remediate the failed control and collect closure evidence

- **Device compliance**

FINDING

Device compliance is failing based on API-sourced compliance evidence.

SEVERITY

high

IMPACT

Failed controls reduce audit readiness.

WHY IT MATTERS

Remediate the failed control and collect closure evidence.

EVIDENCE

- **Device compliance**

Area: Devices

Status: failed

Severity: high

Audit impact: Failed controls reduce audit readiness.

Evidence: Device compliance is failing based on API-sourced compliance evidence.

Action: Remediate the failed control and collect closure evidence.

RECOMMENDATIONS

- Remediate the failed control and collect closure evidence

- **Approved tools only**

FINDING

Approved tools only is failing based on API-sourced compliance evidence.

SEVERITY

high

IMPACT

Failed controls reduce audit readiness.

WHY IT MATTERS

Remediate the failed control and collect closure evidence.

EVIDENCE

- **Approved tools only**

Area: Applications

Status: failed

Severity: high

Audit impact: Failed controls reduce audit readiness.

Evidence: Approved tools only is failing based on API-sourced compliance evidence.

Action: Remediate the failed control and collect closure evidence.

RECOMMENDATIONS

- Remediate the failed control and collect closure evidence

- **Data visibility**

FINDING

Data visibility partially satisfies compliance validation and needs follow-up.

SEVERITY

medium

IMPACT

Partial controls require evidence closure.

WHY IT MATTERS

Review the partial control and close evidence gaps.

EVIDENCE

- **Data visibility**

Area: Data

Status: partial

Severity: medium

Audit impact: Partial controls require evidence closure.

Evidence: Data visibility partially satisfies compliance validation and needs follow-up.

Action: Review the partial control and close evidence gaps.

RECOMMENDATIONS

- Review the partial control and close evidence gaps

- **Device encryption**

FINDING

Device encryption has API-sourced evidence supporting a passing status.

SEVERITY

low

IMPACT

Passing controls support audit readiness.

WHY IT MATTERS

Maintain evidence for the next review cycle.

EVIDENCE

- **Device encryption**

Area: Devices

Status: passed

Severity: low

Audit impact: Passing controls support audit readiness.

Evidence: Device encryption has API-sourced evidence supporting a passing status.

Action: Maintain evidence for the next review cycle.

RECOMMENDATIONS

- Maintain evidence for the next review cycle

- **Work profile on devices**

FINDING

Devices are managed with work profiles as per API evidence.

SEVERITY

low

IMPACT

Passing controls support audit readiness.

WHY IT MATTERS

Maintain evidence for the next review cycle.

EVIDENCE

- **Work profile on devices**

Area: Devices

Status: passed

Severity: low

Audit impact: Passing controls support audit readiness.

Evidence: Devices are managed with work profiles as per API evidence.

Action: Maintain evidence for the next review cycle.

RECOMMENDATIONS

- Maintain evidence for the next review cycle