

[illegible][illegible][illegible][illegible][illegible][illegible]

Figure 1. The 1000 Genomes Project. The 1000 Genomes Project is a large-scale genomics project that aims to create a comprehensive reference of human genetic variation. The project involves sequencing the genomes of 1000 individuals from diverse populations. The data generated is used to identify common and rare genetic variants across the human population. The project is a collaborative effort involving multiple research institutions and is a key resource for understanding human genetic diversity.

[illegible][illegible][illegible]

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses for all conditions. The number of correct responses was significantly higher than the number of incorrect responses for all conditions. The number of correct responses was significantly higher than the number of incorrect responses for all conditions.

[illegible][illegible][illegible][illegible]

**Figure 6.** The effect of the number of iterations on the accuracy of the proposed algorithm. The results are shown for different values of  $\alpha$  and  $\beta$ . The x-axis represents the number of iterations (0 to 100), and the y-axis represents the accuracy (0.8 to 1.0). The legend indicates four cases:  $(\alpha=0.9, \beta=0.9)$ ,  $(\alpha=0.9, \beta=0.7)$ ,  $(\alpha=0.7, \beta=0.9)$ , and  $(\alpha=0.7, \beta=0.7)$ .

[illegible]

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was plotted against the number of trials for each condition. The number of correct responses increased with the number of trials for all conditions. The number of correct responses was highest for the condition with the highest number of trials (10 trials) and lowest for the condition with the lowest number of trials (2 trials).

[illegible][illegible][illegible][illegible]

Figure 1 shows a 10x10 grid of 100 small squares. Each small square contains a 5x5 grid of dots. The dots are arranged in a pattern that resembles a stylized 'X' or a cross, with the center square being the most prominent. The dots are arranged in a way that suggests a larger, more complex pattern when viewed as a whole.

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was plotted against the number of trials for each condition. The number of correct responses increased with the number of trials for all conditions. The number of correct responses was highest for the condition with the highest number of trials (10 trials) and lowest for the condition with the lowest number of trials (2 trials).

[illegible][illegible][illegible]

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher for the 10 trials condition than for the 5 trials condition. Error bars represent the standard error of the mean.

[illegible][illegible]