

MISHANM/

Japanese_eng_text_generation_Llama3_8B_instruct

like 0

PEFT

Safetensors

Verah/JParaCrawl-Filtered-English-Japanese-Parallel-Corpus

:

Use this model



Model card



Files



Community

Downloads last month

3



Inference Providers NEW

This model isn't deployed by any Inference Provider.



Ask for provider support

Model tree for MISHANM/Japanese_eng_text_generation_Llama3_8B_instruct

Base model

meta-llama/Meta-Llama-3-8B-Instruct



Adapter (1435)

this model

Dataset used to train MISHANM/Japanese_eng_text_generation_Llama3_8B_instruct

MISHANM/Japanese_eng_text_generation_Llama3_8B_instruct

This model is fine-tuned for the Japanese language, capable of answering queries and translating text Between English and Japanese . It leverages advanced natural language processing techniques to provide accurate and context-aware responses.

Model Details

1. Language: Japanese
2. Tasks: Question Answering , Translation (Japanese to English)

3. Base Model: meta-llama/Meta-Llama-3-8B-Instruct

🔗 Training Details

The model is trained on approx 1,000,000 instruction samples.

1. GPUs: 2*AMD Instinct™ MI210 Accelerators

🔗 Inference with HuggingFace

```
import torch
from transformers import AutoModelForCausalLM, AutoTokenizer

# Load the fine-tuned model and tokenizer
model_path = "MISHANM/Japanese_eng_text_generation_Llama3_8B_instruct"

model = AutoModelForCausalLM.from_pretrained(model_path, device_map="auto")

tokenizer = AutoTokenizer.from_pretrained(model_path)

# Function to generate text
def generate_text(prompt, max_length=1000, temperature=0.9):
    # Format the prompt according to the chat template
    messages = [
        {
            "role": "system",
            "content": "You are a Japanese language expert and linguist, with same",
        },
        {"role": "user", "content": prompt}
    ]

    # Apply the chat template
    formatted_prompt = f"<|system|>{messages[0]['content']}<|user|>{messages[1]['content']}"

    # Tokenize and generate output
    inputs = tokenizer(formatted_prompt, return_tensors="pt")
    output = model.generate(
```

```
        **inputs, max_new_tokens=max_length, temperature=temperature, do_sample=True
    )
    return tokenizer.decode(output[0], skip_special_tokens=True)

# Example usage
prompt = """What is LLM ."""
translated_text = generate_text(prompt)
print(translated_text)
```

Citation Information

```
@misc{MISHANM/Japanese_eng_text_generation_Llama3_8B_instruct,
  author = {Mishan Maurya},
  title = {Introducing Fine Tuned LLM for Japanese Language},
  year = {2025},
  publisher = {Hugging Face},
  journal = {Hugging Face repository},

}
```

- PEFT 0.12.0