

 rinna/**youri-7b** 

 like 21

Follow  rinna Co., Ltd. 202

 Text Generation

 Transformers

 PyTorch

 Safetensors

 5 datasets

 Japanese

 English

 llama

 Eval Results

 text-generation-inference

 arxiv:2307.09288

 arxiv:2404.01657

 License: llama2



 Train ▾

 Deploy ▾

 Use this model ▾

 **Model card**  Files  xet  Community 2

Downloads last month
1,697



 **Safetensors** 

Model size 6.74B params Tensor type F16  Files info

 **Inference Providers** NEW

 Text Generation

This model isn't deployed by any Inference Provider.

 Ask for provider support

 **Model tree for rinna/youri-7b**

Base model	meta-llama/Llama-2-7b-hf
 Finetuned (1091)	this model
Finetunes	6 models
Merges	1 model
Quantizations	5 models

 **Datasets used to train rinna/youri-7b**

 **Collections including rinna/youri-7b**

language model  Collection
16 items • Updated Aug 26 •  3

llama-2-youri Collection

The youri model series are based on the ll... • 6 items • Updated Aug 26 • Δ 1

Evaluation results ?

normalized accuracy on AI2 Reasoning Challenge (25-Shot)	test set	Open LLM Leaderboard ↗	49.060
normalized accuracy on HellaSwag (10-Shot)	validation set	Open LLM Leaderboard ↗	74.890
accuracy on MMLU (5-Shot)	test set	Open LLM Leaderboard ↗	42.220
mc2 on TruthfulQA (0-shot)	validation set	Open LLM Leaderboard ↗	36.030
accuracy on Winogrande (5-shot)	validation set	Open LLM Leaderboard ↗	71.820
accuracy on GSM8k (5-shot)	test set	Open LLM Leaderboard ↗	8.640

 View on Papers With Code

 rinna/youri-7b



Overview

We conduct continual pre-training of llama2-7b on **40B** tokens from a mixture of Japanese and English datasets. The continual pre-training significantly improves the model's performance on Japanese tasks.

The name `youri` comes from the Japanese word 妖狸/ようり/Youri, which is a kind of Japanese mythical creature (妖怪/ようかい/Youkai).

- **Library**

The model was trained using code based on EleutherAI/gpt-neox.

- **Model architecture**

A 32-layer, 4096-hidden-size transformer-based language model. Refer to the llama2 paper for architecture details.

- **Continual pre-training**

The model was initialized with the llama2-7b model and continually trained on around **40B** tokens from a mixture of the following corpora

- Japanese CC-100
- Japanese C4
- Japanese OSCAR
- The Pile
- Wikipedia
- rinna curated Japanese dataset

- **Contributors**

- Tianyu Zhao
- Akio Kaga
- Kei Sawada

- **Release date**

October 31, 2023

Benchmarking

Please refer to [rinna's LM benchmark page \(Sheet 20231031\)](#).

🔗 How to use the model

```
import torch
from transformers import AutoTokenizer, AutoModelForCausalLM

tokenizer = AutoTokenizer.from_pretrained("rinna/youri-7b")
model = AutoModelForCausalLM.from_pretrained("rinna/youri-7b")

if torch.cuda.is_available():
    model = model.to("cuda")

text = "西田幾多郎は、"
token_ids = tokenizer.encode(text, add_special_tokens=False, return_tensors="pt")

with torch.no_grad():
    output_ids = model.generate(
        token_ids.to(model.device),
        max_new_tokens=200,
        min_new_tokens=200,
        do_sample=True,
        temperature=1.0,
        top_p=0.95,
        pad_token_id=tokenizer.pad_token_id,
        bos_token_id=tokenizer.bos_token_id,
        eos_token_id=tokenizer.eos_token_id
    )

output = tokenizer.decode(output_ids.tolist()[0])
print(output)
"""
西田幾多郎は、プラトンの復権を主張し、対する従来の西洋哲学は、近代の合理主義哲学に委ね、「従来の哲
"""
```

🔗 Tokenization

The model uses the original llama-2 tokenizer.

🔗 How to cite

```
@misc{rinna-youri-7b,  
  title = {rinna/youri-7b},  
  author = {Zhao, Tianyu and Kaga, Akio and Sawada, Kei},  
  url = {https://huggingface.co/rinna/youri-7b}  
}  
  
@inproceedings{sawada2024release,  
  title = {Release of Pre-Trained Models for the {J}apanese Language},  
  author = {Sawada, Kei and Zhao, Tianyu and Shing, Makoto and Mitsui, Kentaro and  
  booktitle = {Proceedings of the 2024 Joint International Conference on Computa  
  month = {5},  
  year = {2024},  
  pages = {13898--13905},  
  url = {https://aclanthology.org/2024.lrec-main.1213},  
  note = {\url{https://arxiv.org/abs/2404.01657}}  
}
```

🔗 References

```
@software{gpt-neox-library,  
  title = {{GPT}-{N}eo{X}: Large Scale Autoregressive Language Modeling in {P}y  
  author = {Andonian, Alex and Anthony, Quentin and Biderman, Stella and Black,  
  doi = {10.5281/zenodo.5879544},  
  month = {8},
```

```
year = {2021},
version = {0.0.1},
url = {https://www.github.com/eleutherai/gpt-neox}
}
```

[🔗](#) License

[The llama2 license](#)

[🔗](#) Open LLM Leaderboard Evaluation Results

Detailed results can be found [here](#)

Metric	Value
Avg.	47.11
AI2 Reasoning Challenge (25-Shot)	49.06
HellaSwag (10-Shot)	74.89
MMLU (5-Shot)	42.22
TruthfulQA (0-shot)	36.03
Winogrande (5-shot)	71.82
GSM8k (5-shot)	8.64