

# RememberQuran

A free, distraction-free Quran reading platform built as a public good (sadaqah jariyah) by Haseeb Sajjad for Takween Centre UK Ltd. No ads, no pop-ups, no commercial motive — just the Quran.

Live site: [rememberquran.com](https://rememberquran.com)

---

## What it does

### Reading (M1)

- Browse all 114 surahs with Arabic names, English meanings, ayah counts, and Makki/Madani labels
- Read the full Quran in authentic Uthmani script with correct diacritics
- Hover or tap any Arabic word to instantly see its English meaning and transliteration
- Choose between two English translations: Saheeh International and The Clear Quran (Dr Mustafa Khattab)
- Switch between verse-by-verse and continuous reading modes
- Adjust Arabic font style and text size to your preference
- Light and dark mode, saved automatically across visits
- Direct shareable links to any specific ayah (e.g. `/2/255` )
- Copy or share any ayah with one click

### Audio (M2)

- Listen with 21 reciters (Alafasy, Sudais, Saad Al-Ghamdi, Maher Al Muaiqly, and more)
- Per-ayah, continuous surah, and gapless playback with a persistent mini player
- Word-by-word highlight sync and click-to-hear word pronunciation
- Repeat single ayah or a range (including infinite), plus playback speed control
- Quran Radio at `/radio`

### Study tools (M3)

- Tafsir (5 books incl. Ibn Kathir, English) in a shared study panel
- Tajweed colour coding on Arabic text
- Keyword search across Arabic and English ( `/search` )
- Word morphology (root, lemma, grammatical form)
- Asbab al-Nuzul (reasons for revelation) where coverage exists

### Accounts & personal features (M4)

- Email/password accounts with password reset (Auth.js)
- Bookmarks and collections; private per-ayah notes
- Reading progress tracking, daily goals, and streaks
- Media Maker — design and export shareable ayah images ( `/media-maker` )
- Reading, audio, and study stay fully usable without an account (soft-gate for personal features)

### Expansion (M5)

- 21 reciters in the audio player and Quran Radio
- 10 English/Urdu translations (Saheeh Intl., Clear Quran, Abdel Haleem, Pickthall, Yusuf Ali, Usmani, Hilali-Khan, Maududi, Bridges, Junagarhi)
- 5 tafsir books (Ibn Kathir, Ma'arif al-Qur'an, Tazkirul Quran, Al-Sa'di, Muyassar)
- Hide Arabic mode for memorisation testing
- Hifz progress tracker by surah/juz on `/account/hifz`

- Range repeat with a pause between repetitions for memorisation drills

---

## Tech stack

| Concern         | Choice                                                                |
|-----------------|-----------------------------------------------------------------------|
| Framework       | Next.js 16 (App Router) · React 19                                    |
| Language        | TypeScript                                                            |
| Styling         | Tailwind CSS v4                                                       |
| UI components   | shadcn/ui + Base UI                                                   |
| Icons           | Lucide React                                                          |
| Animation       | Motion (Framer Motion)                                                |
| Auth            | Auth.js (NextAuth v5) — credentials + bcrypt                          |
| Database        | Firebase Firestore (via <code>firebase-admin</code> , user data only) |
| Email           | Resend (password-reset)                                               |
| Media Maker     | <code>html-to-image</code> + OG image route                           |
| Package manager | pnpm                                                                  |

---

## Data sources

| Source                                                                                                                                                                                 | Used for                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Quran.com API v4 ( <code>api.quran.com/api/v4</code> )                                                                                                                                 | Chapters, verses, words, translations                                     |
| Quran.com CDN / QDC ( <code>api.qurancdn.com</code> )                                                                                                                                  | Audio + segments, tafsir, search, tajweed fields                          |
| Quran.com audio CDN                                                                                                                                                                    | Word pronunciation MP3s and chapter recitations                           |
| 21 reciters via QDC <code>audio/reciters</code> (14 with word-timing segments, 7 ayah-level only)                                                                                      | Recitation audio + Quran Radio — see <code>docs/m5-resource-ids.md</code> |
| 10 translations (Saheeh Intl. 20, Clear Quran 131 — CDN, Abdel Haleem 85, Pickthall 19, Yusuf Ali 22, Usmani 84, Hilali-Khan 203, Maududi 95, Bridges 149, Junagarhi/Urdu 54)          | English + Urdu translations                                               |
| 5 tafsir books via QDC ( <code>ibn-kathir-en-tafsir-ibn-kathir</code> , <code>Ma'arif al-Qur'an</code> , <code>Tazkirul Quran</code> , <code>Al-Sa'di</code> , <code>Muyassar</code> ) | Study panel tafsir                                                        |
| <code>spa5k/tafsir_api</code> (Asbab al-Nuzul)                                                                                                                                         | Reasons for revelation                                                    |
| Quranic Arabic Corpus (build-time morphology)                                                                                                                                          | Root / lemma / form data                                                  |

|                           |                              |
|---------------------------|------------------------------|
| KFGQPC Uthmanic Hafs font | Primary Arabic script font   |
| Amiri (Google Fonts)      | Secondary Arabic font option |

Quran text is always fetched from the APIs — never stored in our database. Firestore holds **user data only** (accounts, bookmarks, notes, progress, goals) — server-only, accessed via `firebase-admin` in Route Handlers, never a client-side SDK. API access is centralised under `src/lib/` (`quranApi.ts`, `audioApi.ts`, `studyApi.ts`, etc.) so sources can change in one place.

## Project structure

```
src/
├─ app/
│   ├─ page.tsx                # "/" Surah list
│   ├─ [surahId]/              # Surah reader + ayah deep links
│   ├─ search/                 # Keyword search
│   ├─ radio/                  # Quran Radio
│   ├─ media-maker/            # Ayah image designer
│   ├─ login/ · register/ · reset/ # Auth flows
│   ├─ account/                # Bookmarks, notes, progress, goals, settings
│   └─ api/                    # Auth, account, surah, tafsir, search,
media, health
├─ components/
│   ├─ layout/ · reader/ · surah-list/
│   ├─ audio/ · study/ · search/
│   ├─ account/ · auth/ · media-maker/
│   └─ ui/                      # shadcn primitives
├─ context/                     # Reader, audio, study, bookmarks, notes,
soft-gate, UI
├─ lib/
│   ├─ quranApi.ts · audioApi.ts · studyApi.ts · searchApi.ts
│   ├─ models/                  # User, Bookmark, Note, Progress, Streak, ...
│   ├─ auth/ · goals/ · bookmarks/ · media/ · quran/
│   └─ db.ts
├─ hooks/ · types/
docs/                            # Design system notes + M5 resource inventory
```

## Running locally

```
# Install dependencies
pnpm install

# Copy env template and fill in values (required for auth / account features)
cp .env.example .env

# Start the development server
pnpm dev
```

Open <http://localhost:3000> in your browser.

**Environment variables** (see `.env.example`):

| Variable                | Purpose                                                                 |
|-------------------------|-------------------------------------------------------------------------|
| AUTH_URL                | App URL (e.g. <code>http://localhost:3000</code> )                      |
| AUTH_SECRET             | Auth.js secret                                                          |
| FIREBASE_PROJECT_ID     | Firebase project id                                                     |
| FIREBASE_CLIENT_EMAIL   | Firestore service account email                                         |
| FIREBASE_PRIVATE_KEY    | Firestore service account private key                                   |
| FIRESTORE_EMULATOR_HOST | Local dev only — points at the Firestore emulator instead of production |
| RESEND_API_KEY          | Password-reset email                                                    |
| EMAIL_FROM              | From address for transactional email                                    |

Reading, audio, and study work without MongoDB/auth. Account features need the env vars above.

---

## Deployment

Deployed on Vercel with the custom domain `rememberquran.com`. Every push to `main` auto-deploys to the live site. Set the same env vars in the Vercel project for production auth and account features.

---

## Milestones

| #  | Milestone                                                     | Status   |
|----|---------------------------------------------------------------|----------|
| M1 | Core reading experience                                       | Complete |
| M2 | Audio & recitation                                            | Complete |
| M3 | Study tools (tafsir, tajweed, search, morphology, asbab)      | Complete |
| M4 | User accounts, bookmarks, notes, progress, goals, media maker | Complete |
| M5 | Expansion (21 reciters, 10 translations, hifz tracker)        | Complete |
| M6 | Final polish & performance                                    | Complete |

Status vs. the original brief lives in `plan.md`; the shipped M5 reciter/translation/tafsir registry is in `docs/m5-resource-ids.md`.

---

## Guiding principles

- Quran content is never stored in our database — always fetched from the API; Firestore holds user data only
- No ads, no pop-ups, no commercial aesthetics
- Account features are additive — guests keep full reading, audio, and study access

- Every previous milestone's features are regression-tested before the next milestone begins
- The live domain reflects ongoing progress at all times