COMPUTER PROGRAMMING

Name: Talha Ali
Registration No: BF24NWELE0728
Section: A (Power)
Electrical Department
UET Nowshehra

LAB 3

LAB TITLE

Relational Operators, Logical Operators and Conditional Statements in C++

1. OBJECTIVE

The objective of this lab is to understand how relational operators, logical operators, and conditional statements work in C++. In this lab we learn how to compare values, evaluate logical conditions, and control program flow using if, if-else, and else-if statements.

2. THEORY

In C++ programs normally execute instructions one after another. However, sometimes we need to make decisions depending on certain conditions. For this purpose C++ provides relational operators, logical operators, and conditional statements.

Relational Operators

Relational operators are used to compare two values.

Operator	Meaning
<	Less than
>	Greater than

<=	Less than or equal to
>=	Greater than or equal to
==	Equal to
!=	Not equal to

Logical Operators

Logical operators are used to combine multiple conditions.

Operator	Meaning
&&	Logical AND
||	Logical OR
!	Logical NOT

Conditional Statements

Conditional statements allow a program to execute different blocks of code depending on conditions.

Types of conditional statements:

- **if statement**
- **if–else statement**
- **else–if statement**

3. SOFTWARE

- DEV-C++ IDE
- C++ Compiler (included in DEV-C++)

PROGRAM 1

Comparison Using Relational Operators

Algorithm

- Start the program
- Declare two integer variables
- Take two numbers from the user
- Compare the numbers using relational operators
- Display the comparison result
- End the program

```
#include <iostream>
using namespace std;
int main () {
    int a, b;

    cout << "Enter two numbers: ";
    cin >> a >> b;
     if(a == b)
       cout << "Both numbers are equal";
      if(a > b)
    cout << "First number is greater";
    if(a < b)
   cout << "First number is smaller";

    return 0;
}
```

PROGRAM 2

Logical Operators

Algorithm

- Start the program
- Declare an integer variable
- Take a number from the user
- Check if the number is greater than 0 and less than 100

- Display the result
- End the program

```
   #include <iostream>
using namespace std;

   int main()
{
     int num;
         cout << "Enter a number: ";
         cin >> num; if(num > 0 && num < 100)
         cout << "Number is between 0 and 100";
     else
          cout << "Number is not between 0 and 100";
  return 0;
}
```

PROGRAM 2

If Statement (Positive Number)

Algorithm

1. Start the program
2. Declare an integer variable
3. Take a number from the user
4. Check if the number is positive
5. Display the message
6. End the program

```
#include <iostream>
using namespace std;
 int main ()
```

```
 {
 int num;
cout << "Enter a number: ";
  cin >> num;   if(num > 0)
     cout << "The number is positive";
  return 0;
}
```

Conclusion

In this lab we learned how to use relational and logical operators in C++. We also learned how conditional statements such as **if**, **if-else**, and **else-if** help a program make decisions based on different conditions. These concepts are very important for writing logical programs.