

Old Time Coach Progress Report

API

Module	Request Name	Request Type	Api	Parameter
Authentication	Singup	POST	{{baseUrl}}/register	name, email, password, c_password
	Login	POST	{{baseUrl}}/login	email, password
	Logout	POST	{{baseUrl}}/logout	
Company management	Create company	POST	{{baseUrl}}/company	name, director, person, tax_number, email, phone, mobile, fax, country, city,street_no, mailbox, register
	Company list	GET	{{baseUrl}}/company	
	Update company	POST	{{baseUrl}}/company/company_id	name, director, person, tax_number, email, phone, mobile, fax, country, city,street_no, mailbox, register
	View company	GET	{{baseUrl}}/company/company_id	
	Delete company	DELETE	{{baseUrl}}/company/company_id	

Database Structure

Table	Action	Rows	Type	Collation	Size	Overhead
<input type="checkbox"/> companies	★ Browse Structure Search Insert Empty Drop	1	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
<input type="checkbox"/> failed_jobs	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> migrations	★ Browse Structure Search Insert Empty Drop	11	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
<input type="checkbox"/> model_has_permissions	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> model_has_roles	★ Browse Structure Search Insert Empty Drop	4	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> oauth_access_tokens	★ Browse Structure Search Insert Empty Drop	9	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> oauth_auth_codes	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> oauth_clients	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> oauth_personal_access_clients	★ Browse Structure Search Insert Empty Drop	1	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
<input type="checkbox"/> oauth_refresh_tokens	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> password_resets	★ Browse Structure Search Insert Empty Drop	1	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> permissions	★ Browse Structure Search Insert Empty Drop	25	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> personal_access_tokens	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	48.0 KiB	-
<input type="checkbox"/> roles	★ Browse Structure Search Insert Empty Drop	4	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> role_has_permissions	★ Browse Structure Search Insert Empty Drop	88	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
<input type="checkbox"/> users	★ Browse Structure Search Insert Empty Drop	5	InnoDB	utf8mb4_unicode_ci	32.0 KiB	-
16 tables	Sum	151	InnoDB	utf8mb4_general_ci	480.0 KiB	0 B

Modules

Authentication

- Signup
- Login
- Logout

Privileges

- Role
- Permission

Company Management

- Company list
- Create company
- Update company
- View company
- Delete company

User Management

- User list

Code Screenshots

- Admin permissions

```
public function run()
{
    // reset cached roles and permissions
    app()[\Spatie\Permission\PermissionRegistrar::class]->forgetCachedPermissions();
    $adminPermissions = [
        'list-user',
        'view-user',
        'create-user',
        'edit-user',
        'delete-user',
        'list-company',
        'view-company',
        'create-company',
        'edit-company',
        'delete-company',
        'list-vehicle',
        'view-vehicle',
        'create-vehicle',
        'edit-vehicle',
        'delete-vehicle',
        'list-file',
        'view-file',
        'create-file',
        'edit-file',
        'delete-file',
        'list-settings',
        'view-settings',
        'create-settings',
        'edit-settings',
        'delete-settings',
    ];
    // 'long manage'
```

- Company list function

```
public function index()
{
    //check if role superadmin or permission manage-company
    if($this->getUser()->can('list-company') || $this->getUser()->hasRole('super-admin')){
        $companies=Company::all();

        return response()->json([
            'responseMessage' => ($companies->isEmpty()) ? $companies : 'Company not found',
            'responseStatus' =>($companies->isEmpty()) ? 200 : 404,
        ]);
    }
    else{
        return response()->json([
            'responseMessage' => 'Permission denied',
            'responseStatus' => 403,
        ]);
    }
}
```