

Raw HTML with Geo-Targeting

Get raw HTML from any Amazon page with ZIP code geo-targeting

The Raw HTML endpoint retrieves the complete HTML source from any Amazon URL, optionally with ZIP code-based geo-targeting. Unlike the structured endpoints (PDP, Offers, Search), this returns unprocessed HTML that you can parse yourself. This is ideal for scraping pages not covered by other endpoints, custom data extraction needs, or when you need the complete page structure.

When zipcode is provided, the request goes through the ZIP-keyed cookie pool that locks delivery location to that postal code. When zipcode is omitted, the request falls back to the standard rotator: country-level cookies are still applied via geocode, but the delivery location reflects the rotator's IP and may vary between requests.

Endpoint

GET <https://api.scrape.do/plugin/amazon/>

Input Parameters

Parameter	Type	Required	Description
token	string	*	Your Scrape.do API authentication token
url	string	*	Full Amazon URL to scrape (must be URL-encoded)
geocode	string	*	Country code (e.g., us, gb, de, jp)
zipcode	string		Postal code formatted according to country requirements. Omit to use the standard rotator without a ZIP-locked session (delivery location may vary).
output	string		Output format. Optional; the endpoint always returns raw HTML regardless of this value.

Parameter	Type	Required	Description
super	boolean		Enable residential/mobile proxies for higher success rates. Costs 10x credits (default: false)
language	string		Language code in ISO 639-1 format (e.g., EN, DE)
timeout	integer		Request timeout in milliseconds

Example Usage

Step 1: Select a Target URL

Choose any Amazon page you want to scrape. This can be:

- Product pages: <https://www.amazon.com/dp/B0C7BKZ883>
- Search results: <https://www.amazon.com/s?k=laptop+stand>
- Category pages: <https://www.amazon.com/b?node=172282>
- Seller storefronts: <https://www.amazon.com/stores/page/...>
- Best seller lists: <https://www.amazon.com/Best-Sellers/zgbs/...>

For this example, we'll scrape a product page to get its complete HTML source:

The screenshot shows the Amazon product page for an 'Adjustable Laptop Stand for Desk, Metal Foldable Laptop Riser Holder, Portable Desktop Book Stands, Ventilated Cooling Computer Notebook Stand Compatible with 10-15.6" Laptops'. The product is by Gogoonike, has a 4.6-star rating from 2,712 reviews, and is the '#1 Best Seller' in Desktop Book Stands. It has been bought over 10K times in the past month. The price is \$14.99, and it includes free shipping with Amazon Prime. The page also features a Prime logo with text about fast, free delivery and exclusive deals, and a 'Join Prime' button.

Copy the full URL and URL-encode it before passing it to the API.

Step 2: Send the API Request

```
curl --location --request GET 'https://api.scrape.do/plugin/amazon/?token=<SDO-token>&url=https://www.amazon.com/dp/B0C7BKZ883&geocode=US'
```

Step 3: Receive Raw HTML

The API returns the complete HTML source of the page with geo-targeting applied:

```
<!DOCTYPE html>

<html lang="en-us">

<head>

  <meta charset="utf-8">

  <title>Adjustable Laptop Stand for Desk, Metal Foldable...</title>

  <!-- ... meta tags, scripts, stylesheets ... -->

</head>

<body>

  <div id="dp-container">

    <div id="ppd">

      <h1 id="title" class="a-size-large a-spacing-none">

        <span id="productTitle" class="a-size-large product-title-word-break">

          Adjustable Laptop Stand for Desk, Metal Foldable Laptop Riser Holder,

          Portable Desktop Book Stand, Ergonomic Computer Stand...

        </span>

      </h1>

      <div id="averageCustomerReviews">

        <span class="a-icon-alt">4.6 out of 5 stars</span>

      </div>

      <span id="acrCustomerReviewText" class="a-size-base">
```

```
2,712 ratings
</span>

<div id="corePrice_feature_div">
  <span class="a-price-whole">14</span>
  <span class="a-price-fraction">99</span>
</div>

<div id="deliveryBlockMessage">
  <span>FREE delivery Monday, December 16</span>
  <span>Delivering to New York 10001</span>
</div>

<!-- ... complete page HTML ... -->
</div>
</div>
</body>
</html>
```

When a zipcode is provided, the HTML reflects the location-specific content for that ZIP code (local pricing, shipping estimates, stock availability). Without zipcode, the rotator's IP determines the delivery location and these fields can shift between requests.

When to Use Raw HTML

Use this endpoint when:

- Custom parsing needs: You need specific data not covered by structured endpoints
- Page types not supported: Seller pages, best seller lists, deals pages, etc.

- Complete page structure: You need access to JavaScript data, meta tags, or hidden fields
- A/B testing detection: Comparing full page content across regions
- Archive/backup: Storing complete page snapshots

For product details, seller offers, and search results, the structured endpoints ([PDP](#), [Offers](#), [Search](#)) are more efficient as they return parsed JSON data.

The url parameter must contain a valid Amazon domain and must be URL-encoded. Response is limited to a maximum of 4MB.