PROJECT

```
//COLLEGE MANAGEMENT SYSTEM
//GROUP MEMBERS:
//TALHA SIDDIQUE(056)
//LAKHTE HASNAIN(065)
//RAMISH TARIQ (73)
//SHAHZAD AKRAM (88)
#include<iostream>
#include<fstream>
#include<stdio.h>
#include<conio.h>
#include<string.h>
#include<windows.h>
#include<iomanip>
using namespace std;
class DataBase{
    protected:
        int choose;
        int cntq;
        int a=2;
    string studentinfo1[6];
    string studentinfo2[6];
    double physicsmark[20];
    double englishmark[20];
    double chemistrymark[20];
    double mathmark[20];
    double biologymark[20];
    string studentnames[25];  //STUDENT DATA ARRAY
    char studentattendence[25];
    int studentpass[25];
    int
roll_no[20]={1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
};
    string stud_attend[6][20];
```

```
    string teachername[7];
    int teacherpass[7];
    int n=20;

    public:
        DataBase(){

    }
};
class Student:public DataBase{
    protected:
    int nameindex;
    int NOS;
    string namefind;
    int passfind;
    string createname;
    int createpass;
    public:
        void choose(){
            int choice;
        cout<<"\t\t\t-----------------------------------------
"<<endl;
        cout<<"\t\t\t| S T U D E N T    L O G I N    M E N
U  |"<<endl;
        cout<<"\t\t\t-----------------------------------------
"<<endl;
            cout<<endl<<endl;
            cout<<"\t-------------------------------------
"<<endl;
            cout<<"\t| 1- If you Already Have an
Account    |"<<endl;
            cout<<"\t| 2- If you Want to Forget
Password    |"<<endl;
            cout<<"\t| 3- If you Want to Create New Account
|"<<endl;
```

```
            cout<<"\t| 4- if you Want back in
Homepage      |"<<endl;
            cout<<"\t----------------------------------------
"<<endl;
            cin>>choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-4
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>choice;
            }
            switch(choice) {
                case 1:
                    system("cls");
                    Student::login();
                    break;
                case 2:
                Student::forget();
                break;
                case 3:
                system("cls");
                Student::createaccount();
                break;
                case 4:
                cntq=1;
                break;
    default:
        system("cls");
        cout<<"Please Enter Valid Number \n";
        Student::choose();

}
        }
```

```
void createaccount(){
            int d;
            ifstream nos;
            nos.open("nos.txt");

            nos>>NOS;
            cout<<"Enter Name :\n";
            ifstream s1;
            s1.open("studentdata.txt");
            for(int i=0;i<NOS;i++){
                s1>>studentnames[i];
                s1>>studentpass[i];
            }
            int cnt69;

        cnt69=0;

            cin>>createname;
            for(int i=0;i<NOS;i++){
            if(createname==studentnames[i]){cnt69++;}}
            if(cnt69==1){
                cnt69=0;
                cout<<"This Name Already Exists Please Choose
Another Name \n";
                Student::createaccount();

                }

            else{
            cout<<"Enter Password :\n";
            cin>>createpass;
            int pcnt1=0;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
```

```
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>createpass;
            }

            system("cls");
            cout<<"Congratulations(Account Created) !\n";
            NOS=NOS+1;
            ofstream s;
            s.open("nos.txt");
            s<<NOS;
            nos.close();
            s.close();
            ofstream a1;
            a1.open("studentdata.txt",ios::app);
            a1<<endl;
            a1<<createname<<"\t\t"<<createpass;
            a1.close();
            Student::choose();

            }

        }
    void forget(){
        int counter=0;
        int z;
        int i;
        int save;
        string forname;
        int forpass;
        ifstream a;
        a.open("studentdata.txt");
        for(int i=0;i<NOS;i++){
            a>>studentnames[i];
            a>>studentpass[i];
        }
```

```
        int c=0;
        cout<<"Enter User Name (press 't' to back login
menu):\n";
        cin>>forname;
        if(forname=="t"){
        system("cls");
        Student::choose();
        }
        else
        for(int i=0;i<NOS;i++){
            if(forname==studentnames[i]){
                counter=1;
            }
        }
        if(counter==1){
                for(int i=0;i<1;i++){
            cout<<"Enter new password :";
            cin>>forpass;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>forpass;
            }
            studentpass[i]=forpass;
            save=i;

        }}
        else
        {system("cls");
        cout<<"Please enter Valid User name :\n";
        Student::forget();

        }
```

```
        a.close();

    ofstream b1;
    b1.open("studentdata.txt",ios::in);
    for(int i=0;i<NOS;i++){
    b1<<studentnames[i]<<"\t\t"<<studentpass[i]<<endl;
    }
    b1.close();
    system("cls");
    cout<<"\t\t\tPassword forgotted Successfully !\n";
    Student::choose();
    }

void login(){
    int cnt11;
    int cnt12;
    ifstream student;
    ifstream noofstudent;
    noofstudent.open("nos.txt");
    noofstudent>>NOS;
    student.open("studentdata.txt");
    for(int i=0;i<NOS;i++){
    student>>studentnames[i];
    student>>studentpass[i];

}
int cnt=0;


    cin.ignore();
        cout<<"Enter your user name :";
        do{

        int cnt1=0;
        getline(cin,namefind);
        for(int i=0;i<NOS;i++){
```

```
        if(namefind==studentnames[i]){
                    cnt++;
                    nameindex=i;
         }
         else{
            cnt1++;
         }
    }
         if(cnt1==NOS){
            cout<<"Enter a valid user name(A-Z) :";

         }

}while(cnt!=1);
int pcnt=0;
if(cnt==1){
    cout<<"Enter Your Password :";

            do{
            int pcnt1=0;
            cin>>passfind;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>passfind;
            }

                if(passfind==studentpass[nameindex]){
                            pcnt++;
                            break;
                }
                else{
```

```
                        cout<<"Wrong Password "<<endl;
                    cout<<"Please Enter correct password ";

                }


        }while(pcnt!=1);
    }
        if(pcnt==1){system("cls");
        Student::StudentMenu();

        }
noofstudent.close();
}
    void StudentMenu(){
        int ch;
            cout<<"\t\t\t\t\t\t\t\tYou Have Successfully login
! "<<endl<<endl;
            cout<<char(2)<<":"<<studentnames[nameindex]<<endl;
            cout<<"\t\t\t\t\t\tWelcome
"<<studentnames[nameindex]<<endl;
            cout<<endl;
            cout<<endl;
            cout<<"\t\t\t\t\t-----------------------------------
-"<<endl;
            cout<<"\t\t\t\t\t| S T U D E N T    S E C T I O N
|"<<endl;
            cout<<"\t\t\t\t\t-----------------------------------
-"<<endl;
            cout<<"\t\t\t----------------------"<<endl;
            cout<<"\t\t\t| M A I N   M E N U  |"<<endl;
            cout<<"\t\t\t----------------------"<<endl;
            cout<<endl<<endl;
            cout<<"\t-----------------"<<endl;
            cout<<"\t| 1- Courses    |"<<endl;
```

```
            cout<<"\t| 2- Fee status |"<<endl;
            cout<<"\t| 3- Time Table |"<<endl;
            cout<<"\t| 4- User Info  |"<<endl;
            cout<<"\t| 5- User LogOut|"<<endl;
            cout<<"\t-----------------"<<endl;
            cin>>ch;

            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>ch;
            }

            switch(ch) {
                case 1:
                    system("cls");
                    cout<<"\t\t\t\tYou Entered Courses Choice
:"<<endl;
                    Student::courses();
                    break;

                case 2:
                    int choice;
                cout<<"Your fee status is
:"<<"unchecked"<<endl;
                do{
                cout<<"To go back to user menu press 9"<<endl;
                cin>>choice;
                    while(!cin.good()){
                cout<<"Enter Valid Input of integer type
(9)"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
```

```
                cout<<"Enter Again :";
                cin>>choice;
            }
                system("cls");
                if(choice==9){
                    Student::StudentMenu();
                }
            }while(choice!=9);
                break;
                case 3:
                    int x;
                    system("cls");
                    cout<<"\n\nYou entered in time table :";
                    Student::Time_Table();
                    do{
                    cout<<"Enter (9) Key To Go Back Main
Menu:\n";

                    cin>> x;
                    if(x==9){
                    system("cls");
                    Student::StudentMenu();}
                }while(x!=9);
                    break;
                case 4:
                        system("cls");
                        int w;
                    cout<<"\n\nYou entered in User info :\n\n";
                    Student::info();
                    do{
                    cout<<"Press 9 to Main Menu \n";
                    cin>>w;
                    while(!cin.good()){
                cout<<"Enter Valid Input of integer type
(9)"<<endl;
                cin.clear();
```

```
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>w;
            }
                    if(w==9){
                    system("cls");
                    Student::StudentMenu();
                    }}while(w!=9);
                    break;
                case 5:
                    system("cls");
                    cout<<"\t\tLogout Successfully ! \n";
                    Student::choose();
                    break;
    default:
        system("cls");
        cout<<"You Enter invalid Number"<<endl;
        Student::StudentMenu();
}




            }

void info(){
        if(studentnames[nameindex]=="Talha"){
            ifstream s1;

            s1.open("talha.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
```

```
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Ramish"){
            ifstream s1;

            s1.open("ramish.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
    else
    if(studentnames[nameindex]=="ali"){
            ifstream s1;

            s1.open("ali.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
```

```
        }
        else
        if(studentnames[nameindex]=="hasnain"){
            ifstream s1;

            s1.open("hasnain.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Zain"){
            ifstream s1;

            s1.open("zain.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Saad"){
            ifstream s1;
```

```
            s1.open("saad.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Akram"){
            ifstream s1;

            s1.open("akram.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="eshe"){
            ifstream s1;

            s1.open("esha.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
```

```
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Zunair"){
            ifstream s1;

            s1.open("zunair.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="ayesha"){
            ifstream s1;

            s1.open("ayesha.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
```

```
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Emash"){
            ifstream s1;

            s1.open("emash.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        if(studentnames[nameindex]=="asif"){
            ifstream s1;

            s1.open("asif.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
```

```
        else
        if(studentnames[nameindex]=="umer"){
            ifstream s1;

            s1.open("umer.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Anas"){
            ifstream s1;

            s1.open("anas.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Hassan"){
            ifstream s1;
```

```
            s1.open("hassan.txt");
            for(int i=0;i<5;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Hania"){
            ifstream s1;

            s1.open("hania.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Pakiza"){
            ifstream s1;

            s1.open("pakiza.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
```

```
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Khulood"){
            ifstream s1;

            s1.open("khulood.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Mani"){
            ifstream s1;

            s1.open("mani.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
```

```
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
        }
        else
        if(studentnames[nameindex]=="Umair"){
            ifstream s1;

            s1.open("umair.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            s1.close();
    }


}
void courses(){
            int choice1;
            int subject_choice;
    cout<<"\t\t\t\t-------------------------------
"<<endl;
    cout<<"\t\t\t\tS T U D E N T    C O U R S E S "<<endl;
    cout<<"\t\t\t\t-------------------------------"<<endl;
    cout<<"\t----------------------------"<<endl;
    cout<<"\t|  1- PHYSICS              |"<<endl;
    cout<<"\t|  2- CHEMISTRY            |"<<endl;
    cout<<"\t|  3- BIOLOGY              |"<<endl;
    cout<<"\t|  4- MATHEMATICS          |"<<endl;
```

```
    cout<<"\t|  5- English              |"<<endl;
    cout<<"\t|  6- Go back To Main menu |"<<endl;
    cout<<"\t----------------------------"<<endl;
    cout<<"\tSelect one of above :";
    cin>>choice1;


            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>choice1;
            }

    switch(choice1) {
    case 1:
      cout<<"1-Grades:"<<endl;
      cout<<"2-Subject Atendence:"<<endl;

      do{
     cout<<"Select From ( 1 or 2 )>> ";
      cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }
    if(subject_choice==1 ||subject_choice==2){
      if(subject_choice==1){cout<<"your Current Grade is
"<<endl;
      ifstream s1;
```

```
      s1.open("physics.txt");
      for(int i=0;i<n;i++){
        s1>>studentnames[i];
        s1>>physicsmark[i];
        if(studentnames[i]==studentnames[nameindex]){
            cout<<physicsmark[i]<<" /100"<<endl;
          }
      }
      s1.close();
      cout<<"Go Back To Menu(9):";
      cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }

      if(subject_choice==9){
      system("cls");
      Student::courses();}
    }
    else
    if(subject_choice==2){Student::attendence();
    cout<<"\n Go Back to Menu(9):";
    cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }
```

```
    if(subject_choice==9){
    system("cls");
    Student::courses();
    }
    }
}}
while(subject_choice!=1 ||subject_choice!=2);
    case 2:
        cout<<"1-Grades:"<<endl;
      cout<<"2-Subject Atendence:"<<endl;
      do{
      cout<<"Select From ( 1 or 2 )>> ";
      cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-2
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }
    if(subject_choice==1 ||subject_choice==2){
      if(subject_choice==1){cout<<"your Current Grade is :
"<<endl;
        ifstream s1;
      s1.open("chemistry.txt");
      for(int i=0;i<n;i++){
        s1>>studentnames[i];
        s1>>chemistrymark[i];
        if(studentnames[i]==studentnames[nameindex]){
            cout<<chemistrymark[i]<<" /100"<<endl;
          }
      }
      s1.close();
      cout<<"Go Back To Menu(9):";
```

```
      cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }

      if(subject_choice==9){
      system("cls");
      Student::courses();}
    }
    else
    if(subject_choice==2){Student::attendence();
    cout<<"\n Go Back to Menu(9):";
    cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }

    if(subject_choice==9){
    system("cls");
    Student::courses();
    }
    }
    }}
while(subject_choice!=1 ||subject_choice!=2);
    case 3:
        cout<<"1-Grades:"<<endl;
```

```
      cout<<"2-Subject Atendence:"<<endl;
      do{
      cout<<"Select From ( 1 or 2 )>> ";
      cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-2
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }
    if(subject_choice==1||subject_choice==2){
      if(subject_choice==1){cout<<"your Current Grade is :
"<<endl;
        ifstream s1;
      s1.open("biology.txt");
      for(int i=0;i<n;i++){
        s1>>studentnames[i];
        s1>>biologymark[i];
        if(studentnames[i]==studentnames[nameindex]){
            cout<<biologymark[i]<<" /100"<<endl;
          }
      }
      s1.close();
      cout<<"Go Back To Menu(9):";
      cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }
```

```
      if(subject_choice==9){
      system("cls");
      Student::courses();}
    }
    else
    if(subject_choice==2){Student::attendence();
    cout<<"\n Go Back to Menu(9):";

    cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }

    if(subject_choice==9){
    system("cls");
    Student::courses();
    }
    }
    }}
while(subject_choice!=1 ||subject_choice!=2);
    case 4:
        cout<<"1-Grades:"<<endl;
      cout<<"2-Subject Atendence:"<<endl;
      do{
        cout<<"Select From ( 1 or 2 )>> ";
      cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-2
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
```

```
                cout<<"Enter Again :";
                cin>>subject_choice;
            }
    if(subject_choice==1||subject_choice==2){
      if(subject_choice==1){cout<<"your Current Grade is :
"<<endl;
        ifstream s1;
      s1.open("math.txt");
      for(int i=0;i<n;i++){
        s1>>studentnames[i];
        s1>>mathmark[i];
        if(studentnames[i]==studentnames[nameindex]){
            cout<<mathmark[i]<<" /100"<<endl;
          }
      }
      s1.close();
      cout<<"Go Back To Menu(9):";
      cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }

      if(subject_choice==9){
      system("cls");
      Student::courses();}
    }
    else
    if(subject_choice==2){Student::attendence();
    cout<<"\n Go Back to Menu(9):";
    cin>>subject_choice;
    if(subject_choice==9){
```

```
    system("cls");
    Student::courses();
    }
    }
    }}
while(subject_choice!=1 ||subject_choice!=2);
    case 5:
        cout<<"1-Grades:"<<endl;
      cout<<"2-Subject Atendence:"<<endl;
    do{
        cout<<"Select From ( 1 or 2 )>> ";
      cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (1-2)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }
    if(subject_choice==1||subject_choice==2){
      if(subject_choice==1){cout<<"your Current Grade is :
"<<endl;
        ifstream s1;
      s1.open("english.txt");
      for(int i=0;i<n;i++){
        s1>>studentnames[i];
        s1>>englishmark[i];
        if(studentnames[i]==studentnames[nameindex]){
            cout<<englishmark[i]<<" /100"<<endl;
          }
      }
      s1.close();
      cout<<"Go Back To Menu(9):";

      cin>>subject_choice;
```

```
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }

      if(subject_choice==9){
      system("cls");
      Student::courses();}
    }
    else
    if(subject_choice==2){Student::attendence();
    cout<<"\n Go Back to Menu(9):";
    cin>>subject_choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>subject_choice;
            }

    if(subject_choice==9){
    system("cls");
    Student::courses();
    }
    }
    }}
while(subject_choice!=1 ||subject_choice!=2);
    case 6:
        system("cls");
        Student::StudentMenu();
```

```
        break;
        default:
            system("cls");
            cout<<"invalid Number \n";
            Student::StudentMenu();
}
}

void Time_Table(){
    cout<<"\t\t\t T I M E     T A B L E   "<<endl;
    cout<<"\t\t-------------------------------------------------
----------------------------------"<<endl;
    cout<<"\t\t|\t1\t|\t2\t|\t3\t|\t4\t|\t5\t|"<<endl;
    cout<<"-------------------------------------------------------
---------------------------------------------"<<endl;
    cout<<"|        "<<" \t| 8:45-9:30"<<" \t| 9:30-10:15"<<"
\t| 10:15-11:00"<<" \t| 11:00-11:45"<<" \t| 11:45-
12:30   |"<<endl;
    cout<<"-------------------------------------------------------
---------------------------------------------"<<endl;

    cout<<"| Monday  "<<" \t| Mr.Saleem"<<" \t| Mr.Anwar"<<"
\t| Mr.Najeeb"<<" \t| Mr.Zafar"<<" \t|
Mr.Sohail     |"<<endl;
    cout<<"|\t\t|\t\t|\t\t|\t\t|\t\t|\t\t|"<<endl;
    cout<<"|         "<<" \t| Maths    "<<" \t| Biology "
<<"\t| Physics  "<<" \t| Chemistry"<<" \t|
English       |"<<endl;
    cout<<"-------------------------------------------------------
---------------------------------------------"<<endl;
    cout<<"| Tuesday  "<<" \t| Mr.Saleem"<<" \t| Mr.Anwar"<<"
\t| Mr.Najeeb"<<" \t| Mr.Zafar"<<" \t|
Mr.Sohail     |"<<endl;
    cout<<"|\t\t|\t\t|\t\t|\t\t|\t\t|\t\t|"<<endl;
```

```
    cout<<"|         "<<" \t| Maths    "<<" \t| Biology "
<<"\t| Physics  "<<" \t| Chemistry"<<" \t|
English       |"<<endl;
        cout<<"-------------------------------------------------
-------------------------------------------------"<<endl;
    cout<<"| Wednessday  "<<" \t| Mr.Saleem"<<" \t|
Mr.Anwar"<<" \t| Mr.Najeeb"<<" \t| Mr.Zafar"<<" \t|
Mr.Sohail     |"<<endl;
    cout<<"|\t\t|\t\t|\t\t|\t\t|\t\t|\t\t|"<<endl;
    cout<<"|         "<<" \t| Maths    "<<" \t| Biology "
<<"\t| Physics  "<<" \t| Chemistry"<<" \t|
English       |"<<endl;
        cout<<"-------------------------------------------------
-------------------------------------------------"<<endl;
    cout<<"| Thursday  "<<" \t| Mr.Saleem"<<" \t| Mr.Anwar"<<"
\t| Mr.Najeeb"<<" \t| Mr.Zafar"<<" \t|
Mr.Sohail     |"<<endl;
    cout<<"|\t\t|\t\t|\t\t|\t\t|\t\t|\t\t|"<<endl;
    cout<<"|         "<<" \t| Maths    "<<" \t| Biology "
<<"\t| Physics  "<<" \t| Chemistry"<<" \t|
English       |"<<endl;
        cout<<"-------------------------------------------------
-------------------------------------------------"<<endl;
    cout<<"| Friday  "<<" \t| Mr.Saleem"<<" \t| Mr.Anwar"<<"
\t| Mr.Najeeb"<<" \t| Mr.Zafar"<<" \t|
Mr.Sohail     |"<<endl;
    cout<<"|\t\t|\t\t|\t\t|\t\t|\t\t|\t\t|"<<endl;
    cout<<"|         "<<" \t| Maths    "<<" \t| Biology "
<<"\t| Physics  "<<" \t| Chemistry"<<" \t|
English       |"<<endl;
    cout<<"-------------------------------------------------
-------------------------------------------------"<<endl;
    cout<<"| Saturday  "<<" \t| Mr.Saleem"<<" \t| Mr.Anwar"<<"
\t| Mr.Najeeb"<<" \t| Mr.Zafar"<<" \t|
Mr.Sohail     |"<<endl;
    cout<<"|\t\t|\t\t|\t\t|\t\t|\t\t|\t\t|"<<endl;
```

```
    cout<<"|         "<<" \t| Maths    "<<" \t| Biology "
<<"\t| Physics  "<<" \t| Chemistry"<<" \t|
English       |"<<endl;
    cout<<"-------------------------------------------------------
---------------------------------------------"<<endl;

    cout<<"| Sunday    "<<" \t|          "<<" \t|         "<<"
\t|          "<<" \t|         "<<"
\t|               |"<<endl;
    cout<<"|\t\t|\t\t|\t\t|\t\t|\t\t|\t\t|"<<endl;
    cout<<"|         "<<" \t| OFF    "<<" \t| OFF \t" <<"\t|
OFF  "<<" \t| OFF\t"<<" \t| OFF           |"<<endl;
    cout<<"-------------------------------------------------------
---------------------------------------------"<<endl;



}

    void attendence(){
        cout<<"\t\t\t\t\t\t\t\t\t------------------------------
-----"<<endl;
        cout<<"\t\t\t\t\t\t\t\t\tA T T E N D E N C E  D E T A I
L S"<<endl;
        cout<<"\t\t\t\t\t\t\t\t\t------------------------------
-----"<<endl;
        cout<<"\t\t\t\t\t\t---\t\t\t\t----\t\t\t\t-------------
---"<<endl;
        cout<<"\t\t\t\t\t\tDAY\t\t\t\tDATE\t\t\t\tATTENDENCE
MARK"<<endl;
        cout<<"\t\t\t\t\t\t---\t\t\t\t----\t\t\t\t-------------
---"<<endl;
        cout<<"\t\t(for Present=P,Absent=A)\n";
        cout<<"\t\t\t\t\t\tMONDAY       \t\t\t02-05-
2018\t\t\t";
        ifstream s1;
        s1.open("monday.txt");
```

```
        for(int i=0;i<n+1;i++){
            s1>>studentnames[i];
            s1>>studentattendence[i];
            if(studentnames[i]==studentnames[nameindex]){
                cout<<studentattendence[i];
                break;
            }
        }
        s1.close();
        cout<<endl;
        cout<<"\t\t\t\t\t\tTUESDAY      \t\t\t02-05-
2018\t\t\t";
            ifstream s2;
        s2.open("tuesday.txt");
        for(int i=0;i<n+1;i++){
            s2>>studentnames[i];
            s2>>studentattendence[i];
            if(studentnames[i]==studentnames[nameindex]){
                cout<<studentattendence[i];
                break;
            }
        }
        s2.close();
        cout<<endl;
        cout<<"\t\t\t\t\t\tWEDNESDAY    \t\t\t02-05-
2018\t\t\t";
            ifstream s3;
        s3.open("wednesday.txt");
        for(int i=0;i<n+1;i++){
            s3>>studentnames[i];
            s3>>studentattendence[i];
            if(studentnames[i]==studentnames[nameindex]){
                cout<<studentattendence[i];
                break;
            }
        }
```

```
        s3.close();
        cout<<endl;
        cout<<"\t\t\t\t\t\tTHURSDAY     \t\t\t02-05-
2018\t\t\t";
            ifstream s4;
        s4.open("thursday.txt");
        for(int i=0;i<n+1;i++){
            s4>>studentnames[i];
            s4>>studentattendence[i];
            if(studentnames[i]==studentnames[nameindex]){
                cout<<studentattendence[i];
                break;
            }
        }
        s4.close();
        cout<<endl;
        cout<<"\t\t\t\t\t\tFRIDAY       \t\t\t02-05-
2018\t\t\t";
            ifstream s5;
        s5.open("friday.txt");
        for(int i=0;i<n+1;i++){
            s5>>studentnames[i];
            s5>>studentattendence[i];
            if(studentnames[i]==studentnames[nameindex]){
                cout<<studentattendence[i];
                break;
            }
        }
        s5.close();
        cout<<endl;
        cout<<"\t\t\t\t\t\tSATURDAY     \t\t\t02-05-
2018\t\t\t";
            ifstream s6;
        s1.open("saturday.txt");
        for(int i=0;i<n+1;i++){
            s6>>studentnames[i];
```

```
            s6>>studentattendence[i];
            if(studentnames[i]==studentnames[nameindex]){
                cout<<studentattendence[i];
                break;
            }
        }
        s6.close();
        cout<<endl;

    }

};
class Teacher:public Student{
    protected:
        int NOT;
        string tnamefind;
        int tnamepass;
        string tname;
        int nameindex1;
        int tpass;
        char nameFinder[50];

    public:
    void tchoose(){

            int choice;
        cout<<"\t\t\t-----------------------------------------
"<<endl;
        cout<<"\t\t\t| T E A C H E R   L O G I N   M E N
U  |"<<endl;
        cout<<"\t\t\t-----------------------------------------
"<<endl;
            cout<<endl<<endl;
            cout<<"\t-------------------------------------
"<<endl;
```

```
            cout<<"\t| 1- If you Already Have an
Account    |"<<endl;
            cout<<"\t| 2- If you Want to Forget
Password    |"<<endl;
            cout<<"\t| 3- If you Want to Create New Account
|"<<endl;
            cout<<"\t| 4- if you Want back in
Homepage      |"<<endl;
            cout<<"\t----------------------------------------
"<<endl;
            cin>>choice;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-4
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>choice;
            }
            switch(choice) {
                case 1:
                    system("cls");
                   Teacher::tlogin();
                    break;
                case 2:
                Teacher::tforget();
                break;
                case 3:
                system("cls");
                Teacher::tcreateaccount();
                break;
                case 4:
                cntq=1;
                break;
    default:
        system("cls");
```

```
        cout<<"Please Enter Valid number \n";
        Teacher::tchoose();
}
        }
        void tcreateaccount(){
            system("cls");
            ifstream s1;
            ifstream noT;
            noT.open("not.txt");
            noT>>NOT;
            ofstream S1;
            S1.open("not.txt");
            s1.open("teacherdata.txt");
            for(int i=0;i<NOT;i++){
                s1>>teachername[i];
                s1>>teacherpass[i];
            }
            cout<<"Enter Name :\n";


            int cnt69;

        cnt69=0;

            cin>>tname;
            for(int i=0;i<NOT;i++){
            if(tname==teachername[i]){cnt69++;}}
            if(cnt69==1){
                cnt69=0;
                cout<<"This Name Already Exists Please Choose
Another Name \n";
                Teacher::tcreateaccount();

                }

            else{
```

```
            cout<<"Enter Password :\n";
            int pcnt1=0;
            cin>>tpass;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tpass;
            }

            system("cls");
            cout<<"Congratulations(Account Created) !\n";
            NOT=NOT+1;
            S1<<NOT;
            noT.close();
            S1.close();
            s1.close();
            ofstream a1;
            a1.open("teacherdata.txt",ios::app);
            a1<<endl;
            a1<<tname<<"\t\t"<<tpass;
            a1.close();
            Teacher::tchoose();

            }

        }
    void tforget(){
        int counter=0;
        int z;
        int i;
        int save;
        string forname;
        int forpass;
```

```
        ifstream a;
        ifstream Z;
        Z.open("not.txt");
        Z>>NOT;
        a.open("teacherdata.txt");
        for(int i=0;i<NOT;i++){
            a>>teachername[i];
            a>>teacherpass[i];
        }
        int c=0;
        cout<<"Enter User Name (press 't' to back login
menu):\n";
        cin>>forname;
        if(forname=="t"){
        system("cls");
        Teacher::tchoose();
        }
        else
        for(int i=0;i<NOT;i++){
            if(forname==teachername[i]){
                counter=1;
            }
        }
        if(counter==1){
                for(int i=0;i<1;i++){
            cout<<"Enter new password :";
            cin>>forpass;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>forpass;
            }
            teacherpass[i]=forpass;
```

```
            save=i;

        }}
        else
        {system("cls");
        cout<<"Please enter Valid User name :\n";
        Teacher::tforget();

        }
        a.close();
        Z.close();
    ofstream b;
    b.open("teacherdata.txt",ios::in);
    for(int i=0;i<7;i++){
    b<<teachername[i]<<"\t\t"<<teacherpass[i]<<endl;
    }
    b.close();
    system("cls");
    cout<<"\t\tPassword forgotted !\n";
    Teacher::tchoose();
    }
    void showstudinfo(){
        string findnaam;
        int tec;
        ifstream studentre;
    ifstream noofstudent;
    noofstudent.open("nos.txt");
    noofstudent>>NOS;
    studentre.open("studentdata.txt");
    for(int i=0;i<NOS;i++){
    studentre>>studentnames[i];
    studentre>>studentpass[i];

}
        int nameindexre;
        int cntre1=0;
```

```
        do{

        int cntre=0;
        cout<<"Enter the student name you want to check data of
:";
        getline(cin.ignore(),findnaam);
        for(int i=0;i<NOS;i++){

        if(findnaam==studentnames[i]){
                    cntre1++;
                    nameindexre=i;
         }
         else{
            cntre++;
         }
    }
         if(cntre==NOS){
            cout<<"Enter a valid user name(A-Z) :";

         }

}while(cntre1!=1);
                if(findnaam=="Talha"){
            ifstream s1;

            s1.open("talha.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
```

```
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Ramish"){
            ifstream s1;

            s1.open("ramish.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
```

```
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
    else
    if(findnaam=="ali"){
            ifstream s1;

            s1.open("ali.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
```

```
        else
        if(findnaam=="hasnain"){
            ifstream s1;

            s1.open("hasnain.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Zain"){
            ifstream s1;

            s1.open("zain.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
```

```
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Saad"){
            ifstream s1;

            s1.open("saad.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
```

```
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Akram"){
            ifstream s1;

            s1.open("akram.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
```

```
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="eshe"){
            ifstream s1;

            s1.open("esha.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
```

```
        }
        else
        if(findnaam=="Zunair"){
            ifstream s1;

            s1.open("zunair.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="ayesha"){
            ifstream s1;

            s1.open("ayesha.txt");
            for(int i=0;i<6;i++){
```

```
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Emash"){
            ifstream s1;

            s1.open("emash.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
```

```
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        if(findnaam=="asif"){
            ifstream s1;

            s1.open("asif.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
```

```
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="umer"){
            ifstream s1;

            s1.open("umer.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
```

```
        }
        else
        if(findnaam=="Anas"){
            ifstream s1;

            s1.open("anas.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Hassan"){
            ifstream s1;

            s1.open("hassan.txt");
            for(int i=0;i<5;i++){
```

```
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Hania"){
            ifstream s1;

            s1.open("hania.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
```

```
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Pakiza"){
            ifstream s1;

            s1.open("pakiza.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
```

```
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Khulood"){
            ifstream s1;

            s1.open("khulood.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
```

```
            s1.close();
        }
        else
        if(findnaam=="Mani"){
            ifstream s1;

            s1.open("mani.txt");
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
        }
        else
        if(findnaam=="Umair"){
            ifstream s1;

            s1.open("umair.txt");
```

```
            for(int i=0;i<6;i++){
                s1>>studentinfo1[i];
                s1>>studentinfo2[i];
            }

            for(int i=0;i<6;i++){
            cout<<studentinfo1[i]<<"\t\t"<<studentinfo2[i]<<end
l;
            }
            do{
                cout<<"Press 9 to Teacher Menu :\n";
                cin>>tec;
                while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tec;
            }
            }while(tec!=9);
            Teacher::TeacherMenu();
            s1.close();
    }


    }
void tlogin(){
    system("cls");
    string tnamefind;
    int tpassfind;
    int cnt11;
    int cnt12;
        ifstream z;
        z.open("not.txt");
        z>>NOT;
```

```
    ifstream teacher;
    teacher.open("teacherdata.txt",ios::app);
    for(int i=0;i<NOT;i++){
    teacher>>teachername[i];
    teacher>>teacherpass[i];

}
int cnt2=0;
    cin.ignore();

        cout<<"Enter your user name :";
        do{

        int cnt1=0;
        getline(cin,tnamefind);
        for(int i=0;i<NOT;i++){

        if(tnamefind==teachername[i]){
                    cnt2++;
                    nameindex1=i;
         }
         else{
            cnt1++;
         }
    }
         if(cnt1==NOT){
            cout<<"Enter a valid user name(A-Z) :";
         }

}while(cnt2!=1);
int pcnt=0;
if(cnt2==1){
    cout<<"Enter Your Password :";

            do{
            int pcnt1=0;
```

```
            cin>>tpassfind;
            while(!cin.good()){
                cout<<"Enter Valid Input of integer type 1-9
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>tpassfind;
            }

                if(tpassfind==teacherpass[nameindex1]){
                            pcnt++;
                            break;
                }
                else{

                        cout<<"Wrong Password "<<endl;
                    cout<<"Please Enter correct password ";

                }


        }while(pcnt!=1);
    }
        if(pcnt==1){system("cls");
        Teacher::TeacherMenu();

        }


}
void Student_Attendence(){
    int daych;
    int cnt;
    cout<<"1-Monday"<<endl;
    cout<<"2-Tuesday"<<endl;
```

```
    cout<<"3-Wednesday"<<endl;
    cout<<"4-Thursday"<<endl;
    cout<<"5-Friday"<<endl;
    cout<<"6-Saturday"<<endl;
    cout<<"7-Teacher Menu"<<endl;
    cout<<"Select a day you want to check attendence of :";
    cin>>daych;
    //cws
    switch (daych){
        case 1:{
            ofstream a;
            a.open("monday.txt");
            ifstream s1;
            s1.open("studentdata.txt");
            for(int i=0;i<n+2;i++){
                s1>>studentnames[i];
                s1>>studentpass[i];
            }
            s1.close();
            cout<<"For present press 'P' , for absent press
'A'"<<endl;
            cout<<"\t\tDAY\tMONDAY"<<endl;
            cout<<"\t\tNAME\t\t\tAttendence"<<endl;
            int cnt;
            cin.ignore();
            for(int i=0;i<n+1;i++){
                cout<<"\t\t"<<studentnames[i]<<"\t\t\t";
                a<<"\t\t"<<studentnames[i]<<"\t\t\t";
                    do{
                cnt=0;
                getline(cin,stud_attend[0][i]);

                if(stud_attend[0][i]=="P"||stud_attend[0][i]=="
A"){
                    cnt++;
                }
```

```
                else{
                    cout<<"invalid input enter again :"<<endl;
                    cout<<studentnames[i]<<"\t\t\t";
                }
            }while(cnt!=1);
//              cin>>stud_attend[0][i];
                a<<stud_attend[0][i]<<endl;
                cout<<endl;
            }
        }
            system("cls");
            cout<<"\t\t\tAttendece marked Successfully !\n";
            Teacher::Student_Attendence();
            break;

        case 2:
            {
            ofstream a;
            a.open("tuesday.txt");
            ifstream s1;
            s1.open("studentdata.txt");
                for(int i=0;i<n+1;i++){
                s1>>studentnames[i];
            s1>>studentpass[i];
            }
            s1.close();
            cout<<"\t\tDAY\tTUESTDAY"<<endl;
            cout<<"\t\tNAME\t\t\tAttendence"<<endl;
        cin.ignore();
            for(int i=0;i<n+1;i++){
                cout<<"\t\t"<<studentnames[i]<<"\t\t\t";
                a<<"\t\t"<<studentnames[i]<<"\t\t\t";

                do{
                cnt=0;
                getline(cin,stud_attend[1][i]);
```

```
                if(stud_attend[1][i]=="P"||stud_attend[1][i]=="
A"){
                    cnt++;
                }
                else{
                    cout<<"invalid input enter again :"<<endl;
                    cout<<studentnames[i]<<"\t\t\t";
                }
            }while(cnt!=1);
                a<<stud_attend[1][i]<<endl;
                cout<<endl;
            }
        }
            system("cls");
            cout<<"\t\t\tAttendece marked Successfully !\n";
            Teacher::Student_Attendence();
            break;

        case 3:{
            ofstream a;
            a.open("wednesday.txt");
                ifstream s1;
        s1.open("studentdata.txt");
                for(int i=0;i<n+1;i++){
                s1>>studentnames[i];
                s1>>studentpass[i];
            }
            s1.close();
            cout<<"\t\tDAY\tWEDNESDAY"<<endl;
            cout<<"\t\tNAME\t\t\tAttendence"<<endl;
                    cin.ignore();

            for(int i=0;i<21;i++){
                cout<<"\t\t"<<studentnames[i]<<"\t\t\t";
                a<<"\t\t"<<studentnames[i]<<"\t\t\t";
```

```
                do{
                cnt=0;
                getline(cin,stud_attend[2][i]);

                if(stud_attend[2][i]=="P"||stud_attend[2][i]=="
A"){
                    cnt++;
                }
                else{
                    cout<<"invalid input enter again :"<<endl;
                    cout<<studentnames[i]<<"\t\t\t";
                }
            }while(cnt!=1);
                a<<stud_attend[2][i]<<endl;
                cout<<endl;
            }
        }
        system("cls");
            cout<<"\t\t\tAttendece marked Successfully !\n";
            Teacher::Student_Attendence();
            break;

        case 4:
            {
            ofstream a;
            a.open("thursday.txt");
                    ifstream s1;
            s1.open("studentdata.txt");
                for(int i=0;i<n+1;i++){
                s1>>studentnames[i];
                s1>>studentpass[i];
            }
            s1.close();
            cout<<"\t\tDAY\tTHURSDAY"<<endl;
            cout<<"\t\tNAME\t\t\tAttendence"<<endl;
                    cin.ignore();
```

```
            for(int i=0;i<21;i++){
                cout<<"\t\t"<<studentnames[i]<<"\t\t\t";
                a<<"\t\t"<<studentnames[i]<<"\t\t\t";
                do{
                cnt=0;
                getline(cin,stud_attend[3][i]);

                if(stud_attend[3][i]=="P"||stud_attend[3][i]=="
A"){
                    cnt++;
                }
                else{
                    cout<<"invalid input enter again :"<<endl;
                    cout<<studentnames[i]<<"\t\t\t";
                }
            }while(cnt!=1);
                a<<stud_attend[3][i]<<endl;
                cout<<endl;
            }
        }
            system("cls");
            cout<<"\t\t\tAttendece marked Successfully !\n";
            Teacher::Student_Attendence();
            break;

        case 5:
        {
            ofstream a;
            a.open("friday.txt");
                    ifstream s1;
            s1.open("studentdata.txt");
                for(int i=0;i<n+1;i++){
                s1>>studentnames[i];
                s1>>studentpass[i];
            }
```

```
            s1.close();
            cout<<"\t\tDAY\tFRIDAY"<<endl;
            cout<<"\t\tNAME\t\t\tAttendence"<<endl;
                    cin.ignore();
            for(int i=0;i<21;i++){
                cout<<"\t\t"<<studentnames[i]<<"\t\t\t";
                a<<"\t\t"<<studentnames[i]<<"\t\t\t";
                do{
                cnt=0;
                getline(cin,stud_attend[4][i]);

                if(stud_attend[4][i]=="P"||stud_attend[4][i]=="
A"){
                    cnt++;
                }
                else{
                    cout<<"invalid input enter again :"<<endl;
                    cout<<studentnames[i]<<"\t\t\t";
                }
            }while(cnt!=1);
                a<<stud_attend[4][i]<<endl;
                cout<<endl;
            }
        }
            system("cls");
            cout<<"\t\t\tAttendece marked Successfully !\n";
            Teacher::Student_Attendence();
            break;

        case 6:
            {
            ofstream a;
            a.open("saturday.txt");
                    ifstream s1;
            s1.open("studentdata.txt");
                for(int i=0;i<n+1;i++){
```

```
                s1>>studentnames[i];
                s1>>studentpass[i];
            }
            s1.close();
            cout<<"\t\tDAY\tSATURDAY"<<endl;
            cout<<"\t\tNAME\t\t\tAttendence"<<endl;
                    cin.ignore();
            for(int i=0;i<21;i++){
                cout<<"\t\t"<<studentnames[i]<<"\t\t\t";
                a<<"\t\t"<<studentnames[i]<<"\t\t\t";
                do{
                cnt=0;
                getline(cin,stud_attend[5][i]);

                if(stud_attend[5][i]=="P"||stud_attend[5][i]=="
A"){
                    cnt++;
                }
                else{
                    cout<<"invalid input enter again :"<<endl;
                    cout<<studentnames[i]<<"\t\t\t";
                }
            }while(cnt!=1);
                a<<stud_attend[5][i]<<endl;
                cout<<endl;
            }
        }
        system("cls");
            cout<<"\t\t\tAttendece marked Successfully !\n";
            Teacher::Student_Attendence();
            break;

        case 7:
            system("cls");
            Teacher::TeacherMenu();
            break;
```

```
        default:
            system("cls");
            cout<<"please Enter valid Input\n";
            Teacher::Student_Attendence();
    }
}
void Teacher_atendence(){
    int man;
            cout<<"\t\t\t\tU S E R    A T E N D E N C E"<<endl;
        cout<<"\t\t\t\t\t\tDAY\t\t\t\tDATE\t\t\t\tATTENDENCE
MARK"<<endl;
        cout<<"\t\t\t\t\t\tMONDAY       \t\t\t02-05-
2018\t\t\t"<<endl;
        cout<<"\t\t\t\t\t\tTUESDAY      \t\t\t02-05-
2018\t\t\t"<<endl;
        cout<<"\t\t\t\t\t\tWEDNESDAY    \t\t\t02-05-
2018\t\t\t"<<endl;
        cout<<"\t\t\t\t\t\tTHURSDAY     \t\t\t02-05-
2018\t\t\t"<<endl;
        cout<<"\t\t\t\t\t\tFRIDAY       \t\t\t02-05-
2018\t\t\t"<<endl;
        cout<<"\t\t\t\t\t\tSATURDAY     \t\t\t02-05-
2018\t\t\t"<<endl;
        cout<<"\t\t\t\t\t\tSUNDAY       \t\t\t02-05-
2018\t\t\t"<<endl;
        cout<<"\n\nPress 9 To Go Back teacher Menu"<<endl;
        cin>>man;
        system("cls");
        if(man==9){Teacher::TeacherMenu();
        }
    }
    void physics(){

        cout<<"\t\t\tYou entered in Physics Subject"<<endl;
        ofstream a1;
        a1.open("physics.txt",ios::app);
```

```
        ifstream d;
        int c;
        d.open("physics.txt");
        cout<<"Press-1 to back menu \n";
        cout<<"Press-2 to Continue \n";
        cin>>c;
        if(c==1){
        system("cls");
        Teacher::student_grades();
        }
        else
        if(c==2){
        cout<<"Total Subject Mark(100)\n";
        cout<<"Student Name #\tMarks"<<endl;
        ifstream z;
        z.open("studentdata.txt");
        for(int i=0;i<n+1;i++){
            z>>studentnames[i];
            z>>studentpass[i];
        }
        for(int j=0;j<n+1;j++){
            cout<<studentnames[j]<<"\t";
            cin>>physicsmark[j];
            a1<<studentnames[j]<<"\t"<<physicsmark[j]<<endl;
        }
        system("cls");
        cout<<"\t\t\tMarked Successfully !\n";
        Teacher::student_grades();
        z.close();
        d.close();
        a1.close();
    }
}

void english(){
```

```
        cout<<"\t\t\tYou entered in English Subject"<<endl;
        ofstream a1;
        a1.open("english.txt",ios::app);
        ifstream d;
        int c;
        d.open("english.txt");
        cout<<"Press-1 to back menu \n";
        cout<<"Press-2 to Continue \n";
        cin>>c;
        if(c==1){
        system("cls");
        Teacher::student_grades();
        }
        else
        if(c==2){
        cout<<"Total Subject Mark(100)\n";
        cout<<"Student Name #\tMarks"<<endl;
        ifstream z;
        z.open("studentdata.txt");
        for(int i=0;i<n+1;i++){
            z>>studentnames[i];
            z>>studentpass[i];
        }
        for(int j=0;j<n+1;j++){
            cout<<studentnames[j]<<"\t";
            cin>>englishmark[j];
            a1<<studentnames[j]<<"\t"<<englishmark[j]<<endl;
        }
        system("cls");
        cout<<"\t\t\tMarked Successfully !\n";
        Teacher::student_grades();
        z.close();
        d.close();
        a1.close();
    }
}
```

```
void biology(){

        cout<<"\t\t\tYou entered in Biology Subject"<<endl;
        ofstream a1;
        a1.open("biology.txt",ios::app);
        ifstream d;
        int c;
        d.open("biology.txt");
        cout<<"Press-1 to back menu \n";
        cout<<"Press-2 to Continue \n";
        cin>>c;
        if(c==1){
        system("cls");
        Teacher::student_grades();
        }
        else
        if(c==2){
        cout<<"Total Subject Mark(100)\n";
        cout<<"Student Name #\tMarks"<<endl;
        ifstream z;
        z.open("studentdata.txt");
        for(int i=0;i<n+1;i++){
            z>>studentnames[i];
            z>>studentpass[i];
        }
        for(int j=0;j<n+1;j++){
            cout<<studentnames[j]<<"\t";
            cin>>biologymark[j];
            a1<<studentnames[j]<<"\t"<<biologymark[j]<<endl;
        }
        system("cls");
        cout<<"\t\t\tMarked Successfully !\n";
        Teacher::student_grades();
        z.close();
        d.close();
        a1.close();
```

```
    }
}
void chemistry(){

        cout<<"\t\t\tYou entered in Chemistry Subject"<<endl;
        ofstream a1;
        a1.open("chemistry.txt",ios::app);
        ifstream d;
        int c;
        d.open("chemistry.txt");
        cout<<"Press-1 to back menu \n";
        cout<<"Press-2 to Continue \n";
        cin>>c;
        if(c==1){
        system("cls");
        Teacher::student_grades();
        }
        else
        if(c==2){
        cout<<"Total Subject Mark(100)\n";
        cout<<"Student Name #\tMarks"<<endl;
        ifstream z;
        z.open("studentdata.txt");
        for(int i=0;i<n+1;i++){
            z>>studentnames[i];
            z>>studentpass[i];
        }
        for(int j=0;j<n+1;j++){
            cout<<studentnames[j]<<"\t";
            cin>>chemistrymark[j];
            a1<<studentnames[j]<<"\t"<<chemistrymark[j]<<endl;
        }
        system("cls");
        cout<<"\t\t\tMarked Successfully !\n";
        Teacher::student_grades();
        z.close();
```

```
        d.close();
        a1.close();
    }
}
void math(){

        cout<<"\t\t\tYou entered in Mathematics Subject"<<endl;
        ofstream a1;
        a1.open("math.txt",ios::app);
        ifstream d;
        int c;
        d.open("math.txt");
        cout<<"Press-1 to back menu \n";
        cout<<"Press-2 to Continue \n";
        cin>>c;
        if(c==1){system("cls");
        Teacher::student_grades();
        }
        else
        if(c==2){
        cout<<"Total Subject Mark(100)\n";
        cout<<"Student Name #\tMarks"<<endl;
        ifstream z;
        z.open("studentdata.txt");
        for(int i=0;i<n+1;i++){
            z>>studentnames[i];
            z>>studentpass[i];
        }
        for(int j=0;j<n+1;j++){
            cout<<studentnames[j]<<"\t";
            cin>>mathmark[j];
            a1<<studentnames[j]<<"\t"<<mathmark[j]<<endl;
        }
        system("cls");
        cout<<"\t\t\tMarked Successfully !\n";
        Teacher::student_grades();
```

```
        z.close();
        d.close();
        a1.close();
    }
}
    void student_grades(){
        int chaman;
    cout<<"\t\t\t\t-------------------------------------------
--------"<<endl;
    cout<<"\t\t\t\tS T U D E N T     M I D T E R M S     G R A
D E S  |"<<endl;
    cout<<"\t\t\t\t-------------------------------------------
--------"<<endl;
    cout<<"\t----------------------------"<<endl;
    cout<<"\t|  1- PHYSICS              |"<<endl;
    cout<<"\t|  2- CHEMISTRY            |"<<endl;
    cout<<"\t|  3- BIOLOGY              |"<<endl;
    cout<<"\t|  4- MATHEMATICS          |"<<endl;
    cout<<"\t|  5- English              |"<<endl;
    cout<<"\t|  6- Go back To Main menu |"<<endl;
    cout<<"\t----------------------------"<<endl;
    cout<<"\tSelect one of above :";
    cin>>chaman;
    while(!cin.good()){
                cout<<"\t\t\t\tEnter Valid Input of integer
type 1-6 "<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"\t\t\t\tEnter Again :";
                cin>>chaman;
            }
        switch(chaman) {
            case 1:
                system("cls");
                Teacher::physics();
                break;
```

```
            case 2:
                system("cls");
                Teacher::chemistry();
                break;
            case 3:
                system("cls");
                Teacher::biology();
                break;
            case 4:
                system("cls");
                Teacher::math();
                break;
            case 5:
                system("cls");
                Teacher::english();
                break;
            case 6:
               system("cls");
               Teacher::TeacherMenu();
               break;
    default:
        cout<<"Invalid Number\n";
        Teacher::student_grades();
}


    }

    void TeacherMenu(){
        int choi;
        int ti;
            cout<<"\t\t\t\t\t\tWelcome
"<<teachername[nameindex1]<<endl;
            cout<<char(2)<<":"<<teachername[nameindex1]<<endl;
            cout<<endl;
            cout<<endl;
```

```
            cout<<"\t\t\t----------------------"<<endl;
            cout<<"\t\t\t| M A I N   M E N U  |"<<endl;
            cout<<"\t\t\t----------------------"<<endl;
            cout<<endl<<endl;
            cout<<"\t\t\t\t\t-----------------------------------
-"<<endl;
            cout<<"\t\t\t\t\t| T E A C H E R    S E C T I O N
|"<<endl;
            cout<<"\t\t\t\t\t-----------------------------------
-"<<endl;
            cout<<"\t-------------------------
"<<endl;
            cout<<"\t| 1- User Attendence    |"<<endl;
            cout<<"\t| 2- Student Attendence |"<<endl;
            cout<<"\t| 3- Time Table         |"<<endl;
            cout<<"\t| 4- User Info          |"<<endl;
            cout<<"\t| 5- User LogOut        |"<<endl;
            cout<<"\t| 6- Student Grades     |"<<endl;
            cout<<"\t| 7- Student Data       |"<<endl;
            cout<<"\t-------------------------"<<endl<<"\t";
            cin>>choi;
            while(!cin.good()){
                cout<<"\t\t\t\tEnter Valid Input of integer
type 1-7 "<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"\t\t\t\tEnter Again :";
                cin>>choi;
            }

         switch(choi) {
            case 1:
                system("cls");
                cout<<"\t\You Entered in User Attendence
"<<endl;
                Teacher::Teacher_atendence();
```

```
                break;
            case 2:
             system("cls");
             int m;
                cout<<"\t\You Entered in Student Attendece
"<<endl;
                Teacher::Student_Attendence();
                system("cls");
                break;
             case 3:
             system("cls");

                cout<<"\t\tYou Entered in User Time Table
"<<endl;
                Teacher::Time_Table();

                 do{
                cout<<"Press 9 to go back User Menu ";
                     cin>>ti;
                        while(!cin.good()){
                cout<<"Enter Valid Input of integer type (9)
"<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');
                cout<<"Enter Again :";
                cin>>ti;
            }
                     system("cls");
                if(ti==9){Teacher::TeacherMenu();
                 }
            }while(ti!=9);
                 break;
             case 4:
                system("cls");
             cout<<"\t\tYou Entered in User Info"<<endl;
             cout<<"Press 9 to go back User Menu ";
```

```
                    cin>>m;
                    system("cls");
                if(m==9){Teacher::TeacherMenu();
                 }
                 break;
             case 5:
                system("cls");
                cout<<"\t\t\t\tLog out Successfully !!"<<endl;
                Teacher::tchoose();
                                break;
            case 6:
            system("cls");
            Teacher::student_grades();
            break;
            case 7:
            system("cls");
            Teacher::showstudinfo();
            break;
    default:
        system("cls");
        cout<<"Invalid input \n";
        cout<<"\t\tPlease enter Valid Input !\n";
        Teacher::TeacherMenu();
            }

}





  };
class Dis:public Teacher{
    private:
        int choose;
    public:
```

```
    void display(){
    cout<<endl;
    cout<<"\t\t\t\t-----------------------------------------------
-------------------------------------"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t\t\t\t\t\t\t\t|"<<endl<<"\t\t\t\t|\t\
t\t\t\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t-----------------------------------------
--------------------- \t|"<<endl;
    cout<<"\t\t\t\t|          C O L L E G E     M A N A G E M E
N T     S Y S T E M \t\t|"<<endl;
    cout<<"\t\t\t\t|\t-----------------------------------------
--------------------- \t|"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t\t\t\t\t\t\t\t|"<<endl<<"\t\t\t\t|\t\
t\t\t\t\t\t\t\t\t\t|"<<endl<<"\t\t\t\t|\t\t\t\t\t\t\t\t\t\t\t|"<<en
dl<<"\t\t\t\t|\t\t\t\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t---------------\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t|  MAIN  MENU |\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t---------------\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t ---------------------
\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t | 1-Student
Login   |\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t ---------------------
\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t | 2-Teacher
Login   |\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t ---------------------
\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t | 3-Admin
Login     |\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t ---------------------
\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t | 4-Principal Login
|\t\t\t\t\t\t\t|"<<endl;
```

```
    cout<<"\t\t\t\t|\t ---------------------
\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t\t\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t\t\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t\t\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t|\t\t\t\t\t\t\t\t\t\t\t\t|"<<endl;
    cout<<"\t\t\t\t-----------------------------------------------
-------------------------------------"<<endl;
    cout<<"\t\t\t\tChoose one of them"<<endl;
    cout<<"\t\t\t\t-----------------------\n\t\t\t\t|--> ";
    cin>>choose;

        while(!cin.good()){
                cout<<"\t\t\t\tEnter Valid Input of integer
type 1-4 "<<endl;
                cin.clear();
                cin.ignore(INT_MAX,'\n');

                cout<<"\t\t\t\tEnter Again :";
                cin>>choose;
            }


    switch(choose) {
    case 1:
        system("cls");
         cntq=0;
        cout<<"Welcome To Student login !"<<endl;
        Student::choose();
        if(cntq==1){system("cls");
        Dis::display();
        }
        break;
    case 2:
        system("cls");
        cntq=0;
```

```
        cout<<"Welcome To Teacher login !"<<endl;
        Teacher::tchoose();
        if(cntq==1){system("cls");
        Dis::display();
        }
        break;
    case 3:
        system("cls");
        cout<<"Welcome To Admin login !"<<endl;
        cout<<"Under Development \n";
        Dis::display();
        break;
    case 4:
        system("cls");
        cout<<"Welcome To Principal login !"<<endl;
        cout<<"Under Development \n";
        Dis::display();
        break;
    default:
        system("cls");
        cout<<"\t\t\t\tInput not valid"<<endl;
        Dis::display();


}
}
};
```

```
int main()
{

system("color E4");
Dis a1;
a1.display();
}
```