Object Oriented Programming (CSEG1044)

Unit 01 – Lecture 02: Java Overview + Program Structure + Features

Tofik Ali

School of Computer Science, UPES Dehradun

February 26, 2026

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Quick Links

Overview Key Topics Demo Summary

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Agenda

1 Overview

2 Key Topics

3 Demo / Example

4 Summary

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Learning Outcomes

- Explain JDK vs JRE vs JVM and what bytecode is.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Learning Outcomes

- Explain JDK vs JRE vs JVM and what bytecode is.
- Compile and run a Java program; recognize compile-time vs runtime errors.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Learning Outcomes

- Explain JDK vs JRE vs JVM and what bytecode is.
- Compile and run a Java program; recognize compile-time vs runtime errors.
- List key features of Java and their practical meaning.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Unit 01: Introduction to OOPs

- Lecture focus: Java Overview + Program Structure + Features

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Today: Roadmap

- Java ecosystem: JDK/JRE/JVM, bytecode, compile/run flow

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Today: Roadmap

- Java ecosystem: JDK/JRE/JVM, bytecode, compile/run flow
- Basic program structure: class, ‘main‘, compilation errors vs runtime errors

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Today: Roadmap

- Java ecosystem: JDK/JRE/JVM, bytecode, compile/run flow
- Basic program structure: class, ‘main‘, compilation errors vs runtime errors
- Features of Java (platform independence, security, GC overview)

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

JDK vs JRE vs JVM (picture)

JDK
developer tools + JRE (includes `javac`)

JRE
JVM + standard libraries (run-time)

JVM
loads + verifies + executes bytecode (`.class`)

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Compile → Run flow



Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Program structure (minimum)

```
public class Hello {
    public static void main(String[] args) {
        System.out.println("Hello, Java!");
    }
}
```

- If the class is `public`, file name must be `Hello.java`.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Program structure (minimum)

```java
public class Hello {
    public static void main(String[] args) {
        System.out.println("Hello, Java!");
    }
}
```

- If the class is `public`, file name must be `Hello.java`.
- JVM starts execution from `main`.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Compile-time vs Runtime (quick)

- **Compile-time error:** caught by `javac` (syntax/type errors).

Examples

- Compile-time: missing semicolon, "cannot find symbol"
- Runtime: `ArithmeticException`, `NullPointerException`

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Compile-time vs Runtime (quick)

- **Compile-time error:** caught by `javac` (syntax/type errors).
- **Runtime exception:** program compiles but fails while running.

Examples

- Compile-time: missing semicolon, "cannot find symbol"
- Runtime: `ArithmeticException`, `NullPointerException`

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Features of Java (what you get)

- Platform independent: bytecode + JVM

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Features of Java (what you get)

- Platform independent: bytecode + JVM
- Strongly typed: many errors caught early

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Features of Java (what you get)

- Platform independent: bytecode + JVM
- Strongly typed: many errors caught early
- Garbage collection: automatic memory management

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Features of Java (what you get)

- Platform independent: bytecode + JVM
- Strongly typed: many errors caught early
- Garbage collection: automatic memory management
- Rich libraries: collections, I/O, GUI, DB, networking

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Features of Java (what you get)

- Platform independent: bytecode + JVM
- Strongly typed: many errors caught early
- Garbage collection: automatic memory management
- Rich libraries: collections, I/O, GUI, DB, networking
- Security model: class loading + bytecode verification

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Demo: javac and java

```
public class Hello {
    public static void main(String[] args) {
        System.out.println("Hello, Java!");
    }
}
```

- Compile: `javac Hello.java`

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Demo: javac and java

```
public class Hello {
    public static void main(String[] args) {
        System.out.println("Hello, Java!");
    }
}
```

- Compile: `javac Hello.java`
- Run: `java Hello`

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Demo: javac and java

```java
public class Hello {
    public static void main(String[] args) {
        System.out.println("Hello, Java!");
    }
}
```

- Compile: `javac Hello.java`
- Run: `java Hello`
- Try: change message and re-run.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Demo: runtime exception (observe)

```java
public class DivideDemo {
    public static void main(String[] args) {
        int a = 10, b = 0;
        System.out.println(a / b);
    }
}
```

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Mini Exercises (2–3 mins)

1. Which contains `javac`: JDK, JRE, or JVM?

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Mini Exercises (2–3 mins)

1. Which contains `javac`: JDK, JRE, or JVM?
2. If you write `public class Student`, what should the file be named?

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Mini Exercises (2–3 mins)

1. Which contains `javac`: JDK, JRE, or JVM?
2. If you write `public class Student`, what should the file be named?
3. Is "cannot find symbol" compile-time or runtime?

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Key Takeaways

- JDK is for development (includes `javac`); JRE/JVM are for running.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Key Takeaways

- JDK is for development (includes `javac`); JRE/JVM are for running.
- Java compiles to bytecode (`.class`) and runs on the JVM.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Key Takeaways

- JDK is for development (includes `javac`); JRE/JVM are for running.
- Java compiles to bytecode (`.class`) and runs on the JVM.
- Compile-time errors stop compilation; runtime exceptions happen while running.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Checkpoint Questions

1. Why does Java use bytecode?

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Checkpoint Questions

1. Why does Java use bytecode?
2. Give one compile-time error example and one runtime exception example.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Checkpoint Questions

1. Why does Java use bytecode?
2. Give one compile-time error example and one runtime exception example.
3. What is the role of `main`?

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Next Lecture Preview

Next: I/O + Command Line + Types + Operators

- Practice running a program with command line arguments.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).

Next Lecture Preview

Next: I/O + Command Line + Types + Operators

- Practice running a program with command line arguments.
- Revise basic numeric types and operator precedence.

Sources: Schildt, *Java: A Beginner's Guide* (10e), McGraw-Hill (Java fundamentals + OOP basics).; Oracle Java Tutorials: Getting Started + Language Basics + Classes and Objects (accessed February 26, 2026).; Java SE API docs (e.g., `String`, `Scanner`) (accessed February 26, 2026).