

Python Programming

Unit 03 – Lecture 03 Notes

Modules, Packages, and the Standard Library

Tofik Ali

February 17, 2026

Contents

1	Lecture Overview	1
2	Core Concepts	1
2.1	What is a Module?	1
2.2	Import Styles (and When to Use Them)	2
2.3	<code>__name__</code> and the Script Entry Point	2
2.4	What is a Package?	2
2.5	A Few Standard Modules You Should Know	3
3	Demo Walkthrough	3
4	Interactive Checkpoints (with Solutions)	4
5	Practice Exercises (with Solutions)	4
6	Exit Question (with Solution)	4

1 Lecture Overview

As programs grow, keeping everything in one file becomes messy. Modules and packages help you:

- reuse code (write once, import anywhere),
- keep a clean structure,
- and avoid “copy-paste programming”.

This lecture also introduces useful standard library modules.

2 Core Concepts

2.1 What is a Module?

A **module** is simply a `.py` file. When you import a module, Python executes that file (top to bottom) once, and then you can use its variables and functions.

2.2 Import Styles (and When to Use Them)

Style 1: import module

```
import math
print(math.sqrt(25))
```

Pros: clear namespace (`math.sqrt`). Less name collision.

Style 2: import module as alias

```
import math as m
print(m.pi)
```

Pros: shorter, still keeps namespace.

Style 3: from module import name

```
from math import sqrt, pi
print(sqrt(9), pi)
```

Pros: shorter calls. Cons: can shadow your own variable names.

2.3 `__name__` and the Script Entry Point

Python sets a special variable `__name__`:

- If a file is executed directly, `__name__ == "__main__"`.
- If a file is imported, `__name__` is the module name.

This is why many scripts use:

```
def main():
    print("Hello")

if __name__ == "__main__":
    main()
```

So that importing does not accidentally run the script logic.

2.4 What is a Package?

A **package** is a folder that groups related modules. Traditionally, it contains `__init__.py`.

Example structure used in the demo:

```
demo/
  my_utils/
    __init__.py
    math_helpers.py
    text_helpers.py
    use_my_utils.py
```

2.5 A Few Standard Modules You Should Know

sys

Common uses:

- `sys.argv` to read command-line arguments
- `sys.path` to see the module search paths

```
import sys
print(sys.argv)
```

math

```
import math
print(math.sqrt(16))
print(math.pi)
```

time

```
import time
start = time.time()
time.sleep(1)
print("Elapsed:", time.time() - start)
```

os and pathlib

pathlib is often nicer for paths:

```
from pathlib import Path
root = Path(".")
print(root.resolve())
```

3 Demo Walkthrough

Package: `demo/my_utils/`

Script: `demo/use_my_utils.py`

How to run

From the lecture folder:

```
python demo/use_my_utils.py "hello world"
```

What to observe

- How functions are imported from a local package.
- How `sys.argv` can accept input from terminal.
- How standard modules (`math`, `time`, `pathlib`) are used.

4 Interactive Checkpoints (with Solutions)

Checkpoint 1 Solution

Question: value of `__name__` when run directly vs imported?

Answer:

- Run directly: `"__main__"`
- Imported: module name (e.g., `"math_helpers"`)

Checkpoint 2 Solution

Question: when prefer `import module` over `from module import name`?

Answer:

- When you want to avoid name conflicts and keep a clear namespace.
- When importing many things; `module.name` stays readable.

5 Practice Exercises (with Solutions)

Exercise 1: Create a Module

Task: Create `calc.py` with function `add(a,b)` and import it in another file.

Solution (idea):

```
# calc.py
def add(a, b):
    return a + b
```

```
# main.py
import calc
print(calc.add(2, 3))
```

Exercise 2: Use `sys.argv`

Task: Print the first command-line argument (if provided).

Solution:

```
import sys
if len(sys.argv) >= 2:
    print("Arg1:", sys.argv[1])
else:
    print("No argument provided.")
```

6 Exit Question (with Solution)

Question: Which file makes a folder a package?

Answer: `__init__.py`

Appendix: Slide Deck Content (Reference)

The material below is a reference copy of the slide deck content. Exercise solutions are explained in the main notes where applicable.

Title Slide

Repository: <https://github.com/tali7c/Python-Programming>

Quick Links

[Core Concepts](#) [Demo](#) [Interactive](#) [Summary](#)

Agenda

- Core Concepts
- Demo
- Interactive
- Summary

Learning Outcomes

- Explain what modules and packages are in Python
- Import modules using different import styles
- Use `__name__ == "__main__"` to control script execution
- Use common standard modules: `sys`, `math`, `time`, `os`, `pathlib`

Why Modules?

- Organize code into reusable files
- Improve readability and maintainability
- Enable teamwork (different files for different features)
- Avoid copying-pasting functions between scripts

A Module is a .py File

Example:

- `math_helpers.py` contains functions
- another script imports and uses them

```
import math
print(math.sqrt(16))
```

Import Styles

- `import module`
- `import module as alias`
- `from module import name`
- `from module import name as alias`

```
import math as m
from math import pi, sqrt
```

`__name__` and Script Entry Point

- If a file is executed directly, `__name__` is `"__main__"`
- If the file is imported, `__name__` is the module name

```
def main():
    print("Running as a script")

if __name__ == "__main__":
    main()
```

What is a Package?

- A package is a folder that groups modules
- Conventionally contains `__init__.py`

Example structure:

```
demo/
  my_utils/
    __init__.py
    math_helpers.py
    text_helpers.py
  use_my_utils.py
```

Standard Modules You Should Know

- `sys`: command-line args, Python path
- `math`: math functions/constants
- `time`: timestamps, delays
- `os` and `pathlib`: filesystem and paths

Example: `sys.argv`

```
import sys
print(sys.argv) # list of command-line arguments
```

- Useful when building scripts that take inputs from terminal

Demo: Create a Small Package

- Package: `demo/my_utils/`
- Script: `demo/use_my_utils.py`
- Also demonstrates standard modules (`sys`, `math`, `time`, `pathlib`)

Checkpoint 1

Question: What is the value of `__name__` when:

- you run a file directly?
- you import that file as a module?

Checkpoint 2

Question: When should you prefer `import module` over `from module import name`?

Think-Pair-Share

You have a project with 200 lines of code in one file. Discuss how you would split it into modules:

- What goes into `utils.py`?
- What stays in `main.py`?

Key Takeaways

- Modules and packages help organize and reuse code
- `__name__ == "__main__"` controls what runs on import
- The standard library provides powerful tools without extra installs

Exit Question

Create a package named `tools` with a module `helpers.py`. Which file makes `tools` a package?