

// deliverable: Reference.Workflow

DHS — Client Report Workflow Reference

// client: TalKalisker

// 2026-04-29

01. /overview

The DHS (Deliverables System) turns an Obsidian markdown file into an encrypted, professional HTML portal — automatically, on every git push.

Obsidian .md → source_reports/ → npm run build → clients/{slug}/ → GitHub Pages

One source file. One command (or one push). Live in minutes.

Reports Live	5	+5
Card Types	10	+1 (Benchmark, Apr 2026)
Languages	3	Stable (EN / ES / HE)

02. /how_to_create_a_report

✓ 1 — Write the source file

New .md in source_reports/

Paste the frontmatter block from /frontmatter_reference. Fill title, client, project, type, date. Set confidential: true for encrypted reports. Set languages: '["en", "he"]' for bilingual.

Write content below the closing - - -.

✓ 2 — Structure sections and cards

DHS heading + card syntax

Every section: # 01. /slug_name. Slug becomes the sidebar nav link.

Cards are inline — see /card_reference. Prose, tables, and images all work. Images go in _dhs/assets/ first, then reference as ![Caption] (filename.png).



3 — (Optional) Run the agent for complex source

Raw Obsidian notes → structured DHS

When source is messy notes (callouts, wikilinks, unstructured bullets), use

`_dhs/agents/dhs-report-publisher.md` as your instruction set.

Agent handles classification, bilingual structuring, card mapping, and quality checks.



4 — Build the portal

Local or automatic

Local: `cd _dhs && npm run build` — builds all reports, rebuilds master index.

Auto: Push to `main` — GitHub Actions runs the build and commits output.



5 — Access and share

talkalisker.com/clients/

Master portal: `talkalisker.com/clients/` — password in `_dhs/clients.json` → `_masterkey`.

Individual report: `talkalisker.com/clients/{slug}/` — client password from same file.

Delete a report: `cd _dhs && node scripts/delete_report.js {slug}`

03. /frontmatter_reference

Copy for every new report. Minimum required fields.

```
---
title: "Full Report Title"
client: "Client Name"           # must match _dhs/clients.json for encryption
project: "Project Name"
type: "Audit.UX"                # see types below
date: 2026-04-29
confidential: true              # true = AES-256 encrypted, client password required
languages: '["en"]'            # '["en","he"]' or '["en","es","he"]'
---
```

Report types: Audit.UX·Audit.Technical·Audit.SEO·Proposal.Strategy·Proposal.Naming·Report.Monthly·Report.Handoff·Summary.Meeting·Reference.Workflow

Bilingual structure:

English content here.

04. /card_reference

All 10 card types. Everything after the pipe | is the description body (next line).

CARD	SYNTAX	USE FOR
Finding	- **Finding:** Title **Severity:** High	Audit issues (Critical / High / Medium / Low)
Proposal	- **Name:** X **Slogan:** Y **Level:** Recommended	Naming options, strategy alternatives
Decision	- **Decision:** Title **Impact:** High	Strategic choices, meeting outcomes

CARD	SYNTAX	USE FOR
Action	- Action: Task Owner: Name Status: Pending	Tasks (Pending / In Progress / Done / Blocked)
Metric	- Metric: Name Value: X Trend: +10%	KPIs, performance data
Ranking	- Keyword: Term Rank: 3 Change: +2	SEO keyword positions
Swatch	- Color: Name Hex: #B85A44 Usage: Primary	Brand color documentation
Deliverable	* Deliverable: Name Details: Subtitle	Scope items, workflow steps (use * not -)
Signature	- Signature: Full Name Role: Title	Approval sign-off lines
Benchmark	- Benchmark: Institution Metric: Key Stat	Industry comparisons with evidence
Timeline	```timeline fenced block	Roadmaps, recovery phases, project sequences

Timeline — live demo of the syntax:

WEEK 1-2

Phase 1 Example

First item — Description of what happens in this step

Second item — Another deliverable or milestone in this phase

MONTH 1-2

Phase 2 Example

First item — Description

Second item — Description

Add a description paragraph on the next line after any card (except Timeline) — it renders inside the card.

Hebrew equivalents: ממצא · מדד · החלטה · פעולה · תוצר · מידוד

05. /new_card_protocol

When content doesn't fit any of the 10 cards, build a new one. Four files to touch:

FILTER:

ALL

PENDING

DONE

BLOCKED

☐

Add regex to `\_dhs/scripts/publish.js`

Tal

PENDING

Inside `parseMarkdownContent()`, before the Deliverable block. Pattern: - `**NewField:** value | **Secondary:** value + description lines`. Follow existing card regex structure.



Add CSS to `\_dhs/brand/dashboard\_shell.html`

Tal

PENDING

In the `<style>` block, after `.signature-card`. Use existing CSS variables only — `var(--bg-surface), var(--accent), var(--text-primary)`. No hardcoded colors.



Add example to matching template in `\_dhs/templates/`

Tal

PENDING

Add syntax example with a comment explaining when to use it.



Register in `\_dhs/agents/dhs-report-publisher.md` § Card Registry

Tal

PENDING

One row in the table: card name, primary field trigger, use case.

06. /quick_commands

```
# Build all reports
cd _dhs && npm run build

# Build one report
cd _dhs && node scripts/publish.js source_reports/Filename.md clients/output-slug/

# Delete a report + rebuild master index
cd _dhs && node scripts/delete_report.js report-slug-name

# Add new client password → edit clients.json, then rebuild
```

Portals:

Master index: `talkalisker.com/clients/` → password: `_master` in `clients.json`
Per-client: password = client name key in `clients.json`
Override per-report: add password: `"custom"` to frontmatter