

Schema documentation for search_strategy_scenario_family_results.xsd

september 16, 2012


Table of Contents

Resource hierarchy:	1
Namespace: "http://github.com/talkasab/assayer_process"	1
Schema(s)	1
Main schema search_strategy_scenario_family_results.xsd	1
Included schema uuid_attribute.xsd	1
Element(s)	1
Element a:search_strategy_scenario_family_results	1
Element a:scenario_results	2
Element a:item_result	2
Element a:uuid	3
Simple Type(s)	3
Simple Type a:uuidPattern	3
Attribute Group(s)	3
Attribute Group a:at_uuid	3
Namespace: ""	3
Attribute(s)	3
Attribute a:item_result / @item_id	3
Attribute a:item_result / @included	3
Attribute a:scenario_results / @scenario_uuid	4
Attribute a:search_strategy_scenario_family_results / @search_strategy_uuid	4
Attribute a:search_strategy_scenario_family_results / @scenario_family_uuid	4
Attribute a:at_uuid / @uuid	4

Resource hierarchy:

Legend:  Import,  Include,  Redefine,  Cycle detected

search_strategy_scenario_family_results.xsd

 uuid_attribute.xsd

Namespace: "http://github.com/talkasab/assayer_process"

Schema(s)

Main schema search_strategy_scenario_family_results.xsd

Namespace	http://github.com/talkasab/assayer_process
Properties	attribute form default: unqualified
	element form default: qualified


Included schema uuid_attribute.xsd

Namespace	http://github.com/talkasab/assayer_process
Properties	attribute form default: unqualified
	element form default: qualified


Element(s)

Element a:search_strategy_scenario_family_results


Namespace	http://github.com/talkasab/assayer_process
-----------	--

Diagram					
Properties	content: complex				
Model	a:scenario_results+				
Children	a:scenario_results				
Instance	<pre><a:search_strategy_scenario_family_results scenario_family_uuid=" " search_strategy_uuid=" " xmlns:a="http://github.com/talkasab/assayer_process"> <a:scenario_results scenario_uuid=" ">{1,unbounded}</a:scenario_results> </a:search_strategy_scenario_family_results></pre>				
Attributes	QName	Type	Fixed	Default	Use
	scenario_family_uuid	a:uuidPattern			required
	search_strategy_uuid	a:uuidPattern			required


Element a:scenario_results

Namespace	http://github.com/talkasab/assayer_process				
Diagram					
Properties	content:	complex			
Used by	Element	a:search_strategy_scenario_family_results			
Model	a:item_result+				
Children	a:item_result				
Instance	<pre><a:scenario_results scenario_uuid=" " xmlns:a="http://github.com/talkasab/assayer_process"> <a:item_result included=" " item_id=" ">{1,unbounded}</a:item_result> </a:scenario_results></pre>				
Attributes	QName	Type	Fixed	Default	Use
	scenario_uuid	a:uuidPattern			required

Element a:item_result


Namespace	http://github.com/talkasab/assayer_process				
Diagram					
Properties	content:	complex			
Used by	Element	a:scenario_results			
Attributes	QName	Type	Fixed	Default	Use
	included	xs:boolean			required
	item_id	xs:NMTOKEN			required

Element a:uuid

Namespace	http://github.com/talkasab/assayer_process				
Diagram					
Properties	content:	complex			
Attributes	QName	Type	Fixed	Default	Use
	uuid	a:uuidPattern			required


Simple Type(s)

Simple Type a:uuidPattern

Namespace	http://github.com/talkasab/assayer_process				
Diagram					
Type	restriction of xs:string				
Facets	pattern	[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}			
Used by	Attributes	a:at_uuid/@uuid, a:scenario_results/@scenario_uuid, a:search_strategy_scenario_family_results/@scenario_family_uuid, a:search_strategy_scenario_family_results/@search_strategy_uuid			

Attribute Group(s)

Attribute Group a:at_uuid

Namespace	http://github.com/talkasab/assayer_process				
Diagram					
Used by	Element	a:uuid			
Attributes	QName	Type	Fixed	Default	Use
	uuid	a:uuidPattern			required

Namespace: ""

Attribute(s)

Attribute a:item_result / @item_id

Namespace	No namespace				
Type	xs:NMTOKEN				
Properties	use:	required			
Used by	Element	a:item_result			

Attribute a:item_result / @included

Namespace	No namespace				
Type	xs:boolean				
Properties	use:	required			
Used by	Element	a:item_result			

Attribute **a:scenario_results** / **@scenario_uuid**

Namespace	No namespace	
Type	a:uuidPattern	
Properties	use:	required
Facets	pattern	[a-f0-9]{8}-[a-f0-9]{4}- [a-f0-9]{4}-[a-f0-9]{4}- [a-f0-9]{12}
Used by	Element	a:scenario_results

Attribute **a:search_strategy_scenario_family_results** / **@search_strategy_uuid**

Namespace	No namespace	
Type	a:uuidPattern	
Properties	use:	required
Facets	pattern	[a-f0-9]{8}-[a-f0-9]{4}- [a-f0-9]{4}-[a-f0-9]{4}- [a-f0-9]{12}
Used by	Element	a:search_strategy_scenario_family_results

Attribute **a:search_strategy_scenario_family_results** / **@scenario_family_uuid**

Namespace	No namespace	
Type	a:uuidPattern	
Properties	use:	required
Facets	pattern	[a-f0-9]{8}-[a-f0-9]{4}- [a-f0-9]{4}-[a-f0-9]{4}- [a-f0-9]{12}
Used by	Element	a:search_strategy_scenario_family_results

Attribute **a:at_uuid** / **@uuid**

Namespace	No namespace	
Type	a:uuidPattern	
Properties	use:	required
Facets	pattern	[a-f0-9]{8}-[a-f0-9]{4}- [a-f0-9]{4}-[a-f0-9]{4}- [a-f0-9]{12}
Used by	Attribute Group	a:at_uuid