

Cucumber Report

Jan 4, 2022 1:42:50 PM

Start : Jan 04, 1:37:50.444 PM

End : Jan 04, 1:42:43.841 PM

Duration : 4 m 53.397 s

Features


Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 4
FAILED - 1
SKIPPED - 0

PASSED - 14
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Smoke Tests	5	4	1	0	4 m 53.397 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Smoke Tests</u>	<u>Login to application</u>	3	2	1	0	2 m 9.093 s
2	<u>Smoke Tests</u>	<u>Login to application</u>	3	3	0	0	28.914 s
3	<u>Smoke Tests</u>	<u>Order TShirt and Verify Order</u>	3	3	0	0	1 m 34.252 s
4	<u>Smoke Tests</u>	<u>Update Personal Information in My Account</u>	3	3	0	0	20.046 s
5	<u>Smoke Tests</u>	<u>Update Personal Information in My Account</u>	3	3	0	0	20.938 s

(F)- Smoke Tests


FAILED	DURATION - 4 m 53.397 s	Scenarios		Steps	
/ 1:37:50.444 PM // 1:42:43.841 PM /		Total - 5		Total - 15	
		Pass - 4		Pass - 14	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Login to application



<div>FAILED</div> <div>DURATION - 2 m 9.093 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:37:50.460 PM // 1:39:59.553 PM /				
Smoke Tests				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given I click on SignIn button on Homepage	PASSED	15.257 s
2	When I login to application using "iamdeepakbains@gmail.com" and "Selenium1012"	PASSED	9.549 s
3	Then I am able to Login with the given User org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.cssSelector: div.header_user_info span (tried for 60 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.example.dbainsSpring.helpers.VisibilityHelper.waitForPresenceOf(VisibilityHelper.java:43) at com.example.dbainsSpring.pages.SignInPage.verifySignInSuccessful(SignInPage.java:40) at com.example.dbainsSpring.steps.SignInSteps.verifyLogin(SignInSteps.java:22) at ?.I am able to Login with the given User(classpath:features/smoke.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"div.header_user_info span"} (Session info: chrome=96.0.4664.110) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DEEPSIINGHBAINS', ip: '172.20.10.8', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_311' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.110, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\DEEPSI~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:58517}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(),	FAILED	1 m 0.387 s

#	Step / Hook Details	Status	Duration
	<p>setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 50de69b5feceedac73b602591547b799 *** Element info: {Using=css selector, value=div.header_user_info span}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420) at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.example.dbainsSpring.helpers.VisibilityHelper.waitForPresenceOf(VisibilityHelper.java:43) at com.example.dbainsSpring.pages.SignInPage.verifySignInSuccessful(SignInPage.java:40) at com.example.dbainsSpring.steps.SignInSteps.verifyLogin(SignInSteps.java:22) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p>		



#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)</p> <p>at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)</p> <p>at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)</p> <p>at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)</p> <p>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)</p> <p>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)</p> <p>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)</p> <p>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - com.example.dbainsSpring.steps.BaseSteps.closeDriver(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
			

(S)- Login to application

<div>PASSED</div> <div>DURATION - 28.914 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:39:59.615 PM // 1:40:28.529 PM /</div>			
<div>Smoke Tests</div>			
<div>@smoke</div>			



#	Step / Hook Details	Status	Duration
1	Given I click on SignIn button on Homepage	PASSED	14.815 s
2	When I login to application using "iamdeepakbains@gmail.com" and "Selenium101"	PASSED	14.011 s
3	Then I am able to Login with the given User	PASSED	0.065 s

(S)- Order TShirt and Verify Order

<div>PASSED</div> <div>DURATION - 1 m 34.252 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:40:28.568 PM // 1:42:02.820 PM /</div>				
<div>Smoke Tests</div>				
<div>@smoke</div>				



#	Step / Hook Details	Status	Duration
1	Given I press the T-Shirts button in the home page navigation bar	PASSED	10.536 s
2	When I place and confirm an order for a new TShirt	PASSED	1 m 15.026 s
3	Then The corresponding Order gets displayed in Order History	PASSED	8.682 s

(S)- Update Personal Information in My Account

PASSED	DURATION - 20.046 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:42:02.835 PM // 1:42:22.881 PM /				
Smoke Tests				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given I navigate to MyAccount	PASSED	5.726 s
2	When I update FirstName as "DeepakABCD"	PASSED	14.195 s
3	Then I verify FirstName has been updated to "DeepakABCD"	PASSED	0.105 s

(S)- Update Personal Information in My Account

PASSED	DURATION - 20.938 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:42:22.903 PM // 1:42:43.841 PM /				
Smoke Tests				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given I navigate to MyAccount	PASSED	5.745 s
2	When I update FirstName as "DeepakABCD"	PASSED	15.094 s
3	Then I verify FirstName has been updated to "DeepakABCDE"	PASSED	0.087 s

(Step) AFTER - com.example.
dbainsSpring.steps.BaseSteps.
closeDriver(io.cucumber.java.Scenario)

(S) Login to application

(F) Smoke Tests

The screenshot displays a web application interface. At the top, a black banner features a woman's image on the left, the text "SALE 70% OFF ALL PRODUCTS" in the center, and a "GET SAVINGS NOW" button on the right. Below the banner, a dark grey navigation bar contains a phone icon and the text "Call us now: 0123-456-789" on the left, and "Contact us" and "Sign in" links on the right. The main content area has a white background. It starts with a logo "Your Logo" and the tagline "a new experience". To the right of the logo is a search bar with the placeholder "Search" and a magnifying glass icon. Further right is a shopping cart icon with the text "Cart (empty)". Below these elements is a horizontal menu with three items: "WOMEN", "DRESSES", and "T-SHIRTS". Underneath the menu is a breadcrumb trail showing a home icon followed by "Authentication". The main heading "AUTHENTICATION" is centered. A prominent red error message box states "There is 1 error" and "1. Authentication failed.". At the bottom, there are two registration forms. The left form is titled "CREATE AN ACCOUNT" and includes a text input field with the placeholder "Please enter your email address to create an account". The right form is titled "ALREADY REGISTERED?" and includes a text input field with the placeholder "Email address".