

Cucumber Report

Dec 28, 2021 1:38:57 AM

Start : Dec 28, 1:35:51.706 AM

End : Dec 28, 1:38:56.972 AM

Duration : 3 m 5.266 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 4


FAILED - 2


SKIPPED - 0

PASSED - 14


FAILED - 2

SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>Smoke Tests</u>	6	4	2	0	3 m 5.266 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Smoke Tests</u>	<u>Login to application</u>	3	2	1	0	1 m 15.766 s
2	<u>Smoke Tests</u>	<u>Login to application</u>	3	3	0	0	6.226 s
3	<u>Smoke Tests</u>	<u>Order TShirt and Verify Order</u>	3	3	0	0	31.333 s
4	<u>Smoke Tests</u>	<u>Update Personal Information in My Account</u>	3	3	0	0	6.048 s
5	<u>Smoke Tests</u>	<u>Update Personal Information in My Account</u>	3	3	0	0	5.265 s
6	<u>Smoke Tests</u>	<u>Login to application</u>	3	0	1	2	1 m 0.558 s

(F)- Smoke Tests

FAILED	DURATION - 3 m 5.266 s	Scenarios		Steps	
/ 1:35:51.706 AM // 1:38:56.972 AM /		Total - 6		Total - 18	
		Pass - 4		Pass - 14	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	


(S)- Login to application

<div>FAILED</div> <div>DURATION - 1 m 15.766 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 1:35:51.706 AM // 1:37:07.472 AM /</div>				
<div>Smoke Tests</div>				
<div>@smoke</div>				



#	Step / Hook Details	Status	Duration
1	Given I click on SignIn button on Homepage	PASSED	2.476 s
2	When I login to application using "iamdeepakbains@gmail.com" and "Selenium1012"	PASSED	1.732 s
3	Then I am able to Login with the given User org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.cssSelector: div.header_user_info span (tried for 60 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.example.dbainsSpring.helpers.VisibilityHelper.waitForPresenceOf(VisibilityHelper.java:43) at com.example.dbainsSpring.pages.SignInPage.verifySignInSuccessful(SignInPage.java:40) at com.example.dbainsSpring.steps.SignInSteps.verifyLogin(SignInSteps.java:22) at ?.I am able to Login with the given User(classpath:features/smoke.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"div.header_user_info span"} (Session info: chrome=96.0.4664.110) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GABILAN-QA22L', ip: '172.20.10.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_231' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.110, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\lbains\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:52451}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit:	FAILED	1 m 0.451 s

#	Step / Hook Details	Status	Duration
	<p>0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 61705412e547c02d04774ccb96e38d *** Element info: {Using=css selector, value=div.header_user_info span}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420) at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.example.dbainsSpring.helpers.VisibilityHelper.waitForPresenceOf(VisibilityHelper.java:43) at com.example.dbainsSpring.pages.SignInPage.verifySignInSuccessful(SignInPage.java:40) at com.example.dbainsSpring.steps.SignInSteps.verifyLogin(SignInSteps.java:22) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:43) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Iterator.forEachRemaining(Iterator.java:116) at java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:82) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:73) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248) at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)		



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132) at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:154) at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:127) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:377) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:138) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:465) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:451) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - com.example.dbainsSpring.steps.BaseSteps.closeDriver(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
			

(S)- Login to application

<div>PASSED</div> <div>DURATION - 6.226 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:37:07.504 AM // 1:37:13.730 AM /</div>				
<div>Smoke Tests</div>				
<div>@smoke</div>				



#	Step / Hook Details	Status	Duration
1	Given I click on SignIn button on Homepage	PASSED	2.766 s
2	When I login to application using "iamdeepakbains@gmail.com" and "Selenium101"	PASSED	3.413 s
3	Then I am able to Login with the given User	PASSED	0.039 s

(S)- Order TShirt and Verify Order

<div>PASSED</div> <div>DURATION - 31.333 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:37:13.739 AM // 1:37:45.072 AM /</div>			
<div>Smoke Tests</div>			
<div>@smoke</div>			



#	Step / Hook Details	Status	Duration
1	Given I press the T-Shirts button in the home page navigation bar	PASSED	4.238 s
2	When I place and confirm an order for a new TShirt	PASSED	24.450 s
3	Then The corresponding Order gets displayed in Order History	PASSED	2.639 s

(S)- Update Personal Information in My Account

PASSED <i>DURATION - 6.048 s</i>			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:37:45.081 AM // 1:37:51.129 AM /				
Smoke Tests				
@smoke				



#	Step / Hook Details	Status	Duration
1	Given I navigate to MyAccount	PASSED	1.677 s
2	When I update FirstName as "DeepakABCD"	PASSED	4.314 s
3	Then I verify FirstName has been updated to "DeepakABCD"	PASSED	0.052 s

(S)- Update Personal Information in My Account

<div>PASSED</div> <div>DURATION - 5.265 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:37:51.139 AM // 1:37:56.404 AM /</div>				
<div>Smoke Tests</div>				
<div>@smoke</div>				

#	Step / Hook Details	Status	Duration
1	Given I navigate to MyAccount	PASSED	1.493 s
2	When I update FirstName as "DeepakABCD"	PASSED	3.714 s
3	Then I verify FirstName has been updated to "DeepakABCDE"	PASSED	0.055 s


(S)- Login to application

<div>FAILED</div> <div>DURATION - 1 m 0.558 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:37:56.414 AM // 1:38:56.972 AM /				
Smoke Tests				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given I click on SignIn button on Homepage org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.cssSelector: a[title='Log in to your customer account']' (tried for 60 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.example.dbainsSpring.helpers.VisibilityHelper.waitForVisibilityOf(VisibilityHelper.java:25) at com.example.dbainsSpring.pages.HomePage.clickSignIn(HomePage.java:22) at com.example.dbainsSpring.steps.HomeSteps.iClickOnSignInButton(HomeSteps.java:14) at ?.I click on SignIn button on Homepage(classpath:features/smoke2.feature:5) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"a[title='Log in to your customer account']"} (Session info: chrome=96.0.4664.110) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time:	FAILED	1 m 0.400 s

#	Step / Hook Details	Status	Duration
	<p>'2018-11-14T08:17:03' System info: host: 'GABILAN-QA22L', ip: '172.20.10.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_231' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.110, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\dbains\AppData\Loc..}, goog:chromeOptions: {debuggerAddress: localhost:52451}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 61705412e547c02d04774ccb96e38d *** Element info: {Using=css selector, value=a[title='Log in to your customer account']}</p> <p>at sun.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420) at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy68.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.example.dbainsSpring.helpers.VisibilityHelper.waitForVisibilityOf(VisibilityHelper.java:25) at com.example.dbainsSpring.pages.HomePage.clickSignIn(HomePage.java:22) at com.example.dbainsSpring.steps.HomeSteps.iClickOnSignInButton(HomeSteps.java:14) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:43) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Iterator.forEachRemaining(Iterator.java:116) at java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)		

#	Step / Hook Details	Status	Duration
	<pre> at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:82) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:73) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248) at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211) at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132) at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:154) at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:127) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:377) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:138) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:465) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:451) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When I login to application using "iamdeeqpakbains@gmail.com" and "Selenium1012"	SKIPPED	0.000 s
3	Then I am able to Login with the given User	SKIPPED	0.000 s
	AFTER - com.example.dbainsSpring.steps.BaseSteps.closeDriver(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
			

(Step) AFTER - com.example.
dbainsSpring.steps.BaseSteps.
closeDriver(io.cucumber.java.Scenario)

(S) Login to application

(F) Smoke Tests

The screenshot displays the top section of a web application. At the top, a black banner features a woman's image, the text "SALE 70% OFF ALL PRODUCTS", and a "GET SAVINGS NOW" button. Below this, a dark navigation bar contains a phone icon, the text "Call us now 0123-456-789", and links for "Contact us" and "Sign in". The main content area has a white background. It features the "Your Logo" with the tagline "a new experience", a search bar, and a shopping cart icon labeled "Cart (empty)". A horizontal menu bar includes "WOMEN", "DRESSES", and "T-SHIRTS". Below this is a breadcrumb trail: "Home > Authentication". The "AUTHENTICATION" section contains a red error message: "There is 1 error" and "1. Authentication failed.". Below the error message are two forms: "CREATE AN ACCOUNT" and "ALREADY REGISTERED?". The "CREATE AN ACCOUNT" form has a text input field with the placeholder "Please enter your email address to create an account." and a label "Email address". The "ALREADY REGISTERED?" form has a label "Email address" and a text input field containing "iamdeepakbains@gmail.com".

(Step) AFTER - com.example.
dbainsSpring.steps.BaseSteps.
closeDriver(io.cucumber.java.Scenario)

(S) Login to application

(F) Smoke Tests

The screenshot displays the top section of a web application, similar to the previous one. The banner and navigation bar are identical. The main content area features the "Your Logo" and the same menu bar. The breadcrumb trail is "Home > My account > Your personal information". The "YOUR PERSONAL INFORMATION" section contains a green success message: "Your personal information has been successfully updated.". Below this message are two buttons: "Back to your account" and "Home".