


Database System Engineering and Distributed Backend Development

Course Code: 25CS1302E


AGGREGATE FUNCTIONS with WHERE, GROUP BY, HAVING, ORDER BY

T.Ananya
2520030155

Query-1:



Query-2:



Query-3:

The screenshot shows the MySQL Workbench interface with the following SQL queries in the editor:

```
13
14 • INSERT INTO bank_transactions VALUES
15 (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'),
16 (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06'),
17 (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),
18 (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),
19 (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
20 (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
21 (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
22 (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
23 (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
24 (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
25
26 • SELECT SUM(amount) AS Total_Amount
27 FROM bank_transactions;
```

The Output tab shows the following error messages:

#	Time	Action	Message	Duration / Fetch
1	13:43:03	create database bank_DB	Error Code: 1007. Can't create database 'bank_db'; database exists	0.000 sec
2	13:43:03	USE bank_DB	0 row(s) affected	0.015 sec
3	13:43:03	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), br...	Error Code: 1050. Table 'bank_transactions' already exists	0.000 sec
4	13:43:03	INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'), (102,'Sita'...	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec

Query-4:

The screenshot shows the MySQL Workbench interface with the following SQL queries in the editor:

```
13
14 • INSERT INTO bank_transactions VALUES
15 (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'),
16 (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06'),
17 (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),
18 (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),
19 (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
20 (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
21 (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
22 (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
23 (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
24 (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
25
26 • SELECT SUM(amount) AS Total_Amount
27 FROM bank_transactions;
```

The Output tab shows the following error messages:

#	Time	Action	Message	Duration / Fetch
1	13:43:03	create database bank_DB	Error Code: 1007. Can't create database 'bank_db'; database exists	0.000 sec
2	13:43:03	USE bank_DB	0 row(s) affected	0.015 sec
3	13:43:03	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), br...	Error Code: 1050. Table 'bank_transactions' already exists	0.000 sec
4	13:43:03	INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'), (102,'Sita'...	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
5	13:43:03	SELECT SUM(amount) AS Total_Amount FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Query-5:

MySQL Workbench

Ananya_2520030039

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

Query 1

```

19 (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
20 (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
21 (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
22 (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
23 (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
24 (110,'Nadhu','Vijayawada','Deposit',11000,'2024-01-16');
25
26 • SELECT SUM(amount) AS Total_Amount
27 FROM bank_transactions;
28
29 • SELECT AVG(amount) AS Average_Transaction
30 FROM bank_transactions;
31
32 • SELECT MAX(amount) AS Highest_Transaction
33 FROM bank_transactions;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
1	13:43:03	create database bank_DB	Error Code: 1007. Can't create database 'bank_db'; database exists	0.000 sec
2	13:43:03	USE bank_DB	0 row(s) affected	0.015 sec
3	13:43:03	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), br...	Error Code: 1050. Table 'bank_transactions' already exists	0.000 sec
4	13:43:03	INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'), (102,'Sta'...	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
5	13:43:03	SELECT SUM(amount) AS Total_Amount FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
6	13:43:03	SELECT AVG(amount) AS Average_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Query-6:

MySQL Workbench

Ananya_2520030039

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

Query 1

```

25
26 • SELECT SUM(amount) AS Total_Amount
27 FROM bank_transactions;
28
29 • SELECT AVG(amount) AS Average_Transaction
30 FROM bank_transactions;
31
32 • SELECT MAX(amount) AS Highest_Transaction
33 FROM bank_transactions;
34
35 • SELECT MIN(amount) AS Lowest_Transaction
36 FROM bank_transactions;
37
38 • SELECT COUNT(*) AS Total_Transactions
39 FROM bank_transactions;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
1	13:43:03	create database bank_DB	Error Code: 1007. Can't create database 'bank_db'; database exists	0.000 sec
2	13:43:03	USE bank_DB	0 row(s) affected	0.015 sec
3	13:43:03	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), br...	Error Code: 1050. Table 'bank_transactions' already exists	0.000 sec
4	13:43:03	INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'), (102,'Sta'...	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
5	13:43:03	SELECT SUM(amount) AS Total_Amount FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
6	13:43:03	SELECT AVG(amount) AS Average_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
7	13:43:03	SELECT MAX(amount) AS Highest_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Query-7:

MySQL Workbench interface showing Query 8. The query window contains the following SQL code:

```

25
26 • SELECT SUM(amount) AS Total_Amount
27 FROM bank_transactions;
28
29 • SELECT AVG(amount) AS Average_Transaction
30 FROM bank_transactions;
31
32 • SELECT MAX(amount) AS Highest_Transaction
33 FROM bank_transactions;
34
35 • SELECT MIN(amount) AS Lowest_Transaction
36 FROM bank_transactions;
37
38 • SELECT COUNT(*) AS Total_Transactions
39 FROM bank_transactions;

```

The output window shows the results of the queries:

#	Time	Action	Message	Duration / Fetch
5	13:43:03	SELECT SUM(amount) AS Total_Amount FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
6	13:43:03	SELECT AVG(amount) AS Average_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
7	13:43:03	SELECT MAX(amount) AS Highest_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	13:43:03	SELECT MIN(amount) AS Lowest_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Query-8:

MySQL Workbench interface showing Query 9. The query window contains the following SQL code:

```

28
29 • SELECT AVG(amount) AS Average_Transaction
30 FROM bank_transactions;
31
32 • SELECT MAX(amount) AS Highest_Transaction
33 FROM bank_transactions;
34
35 • SELECT MIN(amount) AS Lowest_Transaction
36 FROM bank_transactions;
37
38 • SELECT COUNT(*) AS Total_Transactions
39 FROM bank_transactions;
40
41 • SELECT SUM(amount) AS Total_Deposit
42 FROM bank_transactions;

```

The output window shows the results of the queries:

#	Time	Action	Message	Duration / Fetch
5	13:43:03	SELECT SUM(amount) AS Total_Amount FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
6	13:43:03	SELECT AVG(amount) AS Average_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
7	13:43:03	SELECT MAX(amount) AS Highest_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	13:43:03	SELECT MIN(amount) AS Lowest_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
9	13:43:03	SELECT COUNT(*) AS Total_Transactions FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Query-9:

MySQL Workbench interface showing Query-10. The query editor contains the following SQL code:

```

31
32 • SELECT MAX(amount) AS Highest_Transaction
33 FROM bank_transactions;
34
35 • SELECT MIN(amount) AS Lowest_Transaction
36 FROM bank_transactions;
37
38 • SELECT COUNT(*) AS Total_Transactions
39 FROM bank_transactions;
40
41 • SELECT SUM(amount) AS Total_Deposit
42 FROM bank_transactions
43 WHERE transaction_type='Deposit';
44
45 • SELECT branch_name,

```

The Output pane shows the results of the queries:

#	Time	Action	Message	Duration / Fetch
5	13:43:03	SELECT SUM(amount) AS Total_Amount FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
6	13:43:03	SELECT AVG(amount) AS Average_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
7	13:43:03	SELECT MAX(amount) AS Highest_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	13:43:03	SELECT MIN(amount) AS Lowest_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
9	13:43:03	SELECT COUNT(*) AS Total_Transactions FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
10	13:43:03	SELECT SUM(amount) AS Total_Deposit FROM bank_transactions WHERE transaction_type='Deposit' LIM...	1 row(s) returned	0.000 sec / 0.000 sec

Query-10:

MySQL Workbench interface showing Query-11. The query editor contains the following SQL code:

```

45 • SELECT branch_name,
46 SUM(amount) AS Total_Amount
47 FROM bank_transactions
48 GROUP BY branch_name;
49
50 • SELECT branch_name,
51 SUM(amount) AS Total_Amount
52 FROM bank_transactions
53 GROUP BY branch_name
54 HAVING SUM(amount) > 200000;
55
56 • SELECT branch_name,
57 SUM(amount) AS Total_Amount
58 FROM bank_transactions
59 GROUP BY branch_name

```

The Output pane shows the results of the queries:

#	Time	Action	Message	Duration / Fetch
5	13:43:03	SELECT SUM(amount) AS Total_Amount FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
6	13:43:03	SELECT AVG(amount) AS Average_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
7	13:43:03	SELECT MAX(amount) AS Highest_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	13:43:03	SELECT MIN(amount) AS Lowest_Transaction FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
9	13:43:03	SELECT COUNT(*) AS Total_Transactions FROM bank_transactions LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
10	13:43:03	SELECT SUM(amount) AS Total_Deposit FROM bank_transactions WHERE transaction_type='Deposit' LIM...	1 row(s) returned	0.000 sec / 0.000 sec
11	13:43:03	SELECT branch_name, SUM(amount) AS Total_Amount FROM bank_transactions GROUP BY branch_...	0 row(s) returned	0.000 sec / 0.000 sec
12	13:43:03	SELECT branch_name, SUM(amount) AS Total_Amount FROM bank_transactions GROUP BY branch_...	0 row(s) returned	0.000 sec / 0.000 sec
13	13:43:03	SELECT branch_name, SUM(amount) AS Total_Amount FROM bank_transactions GROUP BY branch_...	0 row(s) returned	0.000 sec / 0.000 sec
14	13:43:03	SELECT branch_name, COUNT(*) AS Total_Transactions FROM bank_transactions GROUP BY branc...	0 row(s) returned	0.000 sec / 0.000 sec

Query-11:

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

Query 1

```

54  HAVING SUM(amount) > 20000;
55
56  • SELECT branch_name,
57      SUM(amount) AS Total_Amount
58  FROM bank_transactions
59  GROUP BY branch_name
60  ORDER BY Total_Amount DESC;
61
62  • SELECT branch_name,
63      COUNT(*) AS Total_Transactions
64  FROM bank_transactions
65  GROUP BY branch_name
66  HAVING COUNT(*) >= 3
67  ORDER BY Total_Transactions DESC;
68

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	13:43:03	SELECT branch_name, SUM(amount) AS Total_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
12	13:43:03	SELECT branch_name, SUM(amount) AS Total_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
13	13:43:03	SELECT branch_name, SUM(amount) AS Total_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
14	13:43:03	SELECT branch_name, COUNT(*) AS Total_Transactions FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
15	13:43:03	SELECT COUNT(*) AS Withdrawals FROM bank_transactions WHERE transaction_type='Withdrawal' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
16	13:43:03	SELECT AVG(amount) AS Avg_Deposit FROM bank_transactions WHERE transaction_type='Deposit' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
17	13:43:03	SELECT branch_name, MAX(amount) AS Highest_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
18	13:43:03	SELECT branch_name, MIN(amount) AS Lowest_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
19	13:43:03	SELECT * FROM bank_transactions WHERE amount > 8000 ORDER BY amount DESC LIMIT 0.1000	0 row(s) returned	0.000 sec / 0.000 sec
20	13:43:03	SELECT branch_name, COUNT(*) AS Customer_Count FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
21	13:43:03	SELECT branch_name, COUNT(*) AS Total_Transactions FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec

Query-12:

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

Query 1

```

66  HAVING COUNT(*) >= 3
67  ORDER BY Total_Transactions DESC;
68
69  • SELECT COUNT(*) AS Withdrawals
70  FROM bank_transactions
71  WHERE transaction_type='Withdrawal';
72
73  • SELECT AVG(amount) AS Avg_Deposit
74  FROM bank_transactions
75  WHERE transaction_type='Deposit';
76
77  • SELECT branch_name,
78      MAX(amount) AS Highest_Amount
79  FROM bank_transactions
80  GROUP BY branch_name;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	13:43:03	SELECT branch_name, COUNT(*) AS Total_Transactions FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
15	13:43:03	SELECT COUNT(*) AS Withdrawals FROM bank_transactions WHERE transaction_type='Withdrawal' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
16	13:43:03	SELECT AVG(amount) AS Avg_Deposit FROM bank_transactions WHERE transaction_type='Deposit' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
17	13:43:03	SELECT branch_name, MAX(amount) AS Highest_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec

Query-13:

MySQL Workbench

Ananya_2520030039

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

Query 1

```

81
82 • SELECT branch_name,
83       MIN(amount) AS Lowest_Amount
84 FROM bank_transactions
85 GROUP BY branch_name;
86
87 • SELECT *
88 FROM bank_transactions
89 WHERE amount > 8000
90 ORDER BY amount DESC;
91
92 • SELECT branch_name,
93       COUNT(*) AS Customer_Count
94 FROM bank_transactions
95 GROUP BY branch_name;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
14	13:43:03	SELECT branch_name, COUNT(*) AS Total_Transactions FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
15	13:43:03	SELECT COUNT(*) AS Withdrawals FROM bank_transactions WHERE transaction_type='Withdrawal' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
16	13:43:03	SELECT AVG(amount) AS Avg_Deposit FROM bank_transactions WHERE transaction_type='Deposit' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
17	13:43:03	SELECT branch_name, MAX(amount) AS Highest_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
18	13:43:03	SELECT branch_name, MIN(amount) AS Lowest_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
19	13:43:03	SELECT * FROM bank_transactions WHERE amount > 8000 ORDER BY amount DESC LIMIT 0.1000	0 row(s) returned	0.000 sec / 0.000 sec
20	13:43:03	SELECT branch_name, COUNT(*) AS Customer_Count FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec

Query -14:

MySQL Workbench

Ananya_2520030039

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

Query 1

```

97 • SELECT branch_name,
98       COUNT(*) AS Total_Transactions
99 FROM bank_transactions
100 GROUP BY branch_name
101 HAVING COUNT(*) > 3;
102
103 • SELECT branch_name,
104       AVG(amount) AS Avg_Amount
105 FROM bank_transactions
106 GROUP BY branch_name;
107
108 • SELECT branch_name,
109       SUM(amount) AS Total_Deposit
110 FROM bank_transactions
111 WHERE transaction_type='Deposit';

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
14	13:43:03	SELECT branch_name, COUNT(*) AS Total_Transactions FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
15	13:43:03	SELECT COUNT(*) AS Withdrawals FROM bank_transactions WHERE transaction_type='Withdrawal' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
16	13:43:03	SELECT AVG(amount) AS Avg_Deposit FROM bank_transactions WHERE transaction_type='Deposit' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
17	13:43:03	SELECT branch_name, MAX(amount) AS Highest_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
18	13:43:03	SELECT branch_name, MIN(amount) AS Lowest_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
19	13:43:03	SELECT * FROM bank_transactions WHERE amount > 8000 ORDER BY amount DESC LIMIT 0.1000	0 row(s) returned	0.000 sec / 0.000 sec
20	13:43:03	SELECT branch_name, COUNT(*) AS Customer_Count FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
21	13:43:03	SELECT branch_name, COUNT(*) AS Total_Transactions FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
22	13:43:03	SELECT branch_name, AVG(amount) AS Avg_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
23	13:43:04	SELECT branch_name, SUM(amount) AS Total_Deposit FROM bank_transactions WHERE transaction_type='Deposit'	0 row(s) returned	0.000 sec / 0.000 sec
24	13:43:04	SELECT branch_name, AVG(amount) AS Avg_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec

Query -15:

MySQL Workbench

Ananya_2520030039

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

Query 1

```

108 SELECT branch_name,
109 SUM(amount) AS Total_Deposit
110 FROM bank_transactions
111 WHERE transaction_type='Deposit'
112 GROUP BY branch_name
113 HAVING SUM(amount) > 15000;
114
115 SELECT branch_name,
116 AVG(amount) AS Avg_Amount
117 FROM bank_transactions
118 GROUP BY branch_name
119 HAVING AVG(amount) > 7000
120 ORDER BY Avg_Amount DESC;
121

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
14	13:43:03	SELECT branch_name, COUNT(*) AS Total_Transactions FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
15	13:43:03	SELECT COUNT(*) AS Withdrawals FROM bank_transactions WHERE transaction_type='Withdrawal' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
16	13:43:03	SELECT AVG(amount) AS Avg_Deposit FROM bank_transactions WHERE transaction_type='Deposit' LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
17	13:43:03	SELECT branch_name, MAX(amount) AS Highest_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
18	13:43:03	SELECT branch_name, MIN(amount) AS Lowest_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
19	13:43:03	SELECT * FROM bank_transactions WHERE amount > 8000 ORDER BY amount DESC LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
20	13:43:03	SELECT branch_name, COUNT(*) AS Customer_Count FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
21	13:43:03	SELECT branch_name, COUNT(*) AS Total_Transactions FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
22	13:43:03	SELECT branch_name, AVG(amount) AS Avg_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec
23	13:43:04	SELECT branch_name, SUM(amount) AS Total_Deposit FROM bank_transactions WHERE transaction_type='Deposit'	0 row(s) returned	0.000 sec / 0.000 sec
24	13:43:04	SELECT branch_name, AVG(amount) AS Avg_Amount FROM bank_transactions GROUP BY branch_name	0 row(s) returned	0.000 sec / 0.000 sec

Output::

MySQL Workbench

Ananya_2520030039

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

Query 1

```

1 create database bank_DB;
2 USE bank_DB;
3
4 CREATE TABLE bank_transactions (
5     txn_id INT PRIMARY KEY,
6     customer_name VARCHAR(50),

```

Result Grid

Total_Amount
NULL

Filter Rows: Export: Wrap Cell Content: IA

Result 21 x Result 22 Result 23 Result 24 Result 25 Result 28

Output

MySQL Workbench

Ananya_2520030039 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

Query 1 x

```
1 • create database bank_DB;  
2 • USE bank_DB;  
3  
4 • CREATE TABLE bank_transactions (  
5     txn_id INT PRIMARY KEY,  
6     customer_name VARCHAR(50),
```

Limit to 1000 rows

Result Grid Filter Rows: Export: Wrap Cell Content:

branch_name	Total_Amount
-------------	--------------

Result 21 Result 22 Result 23 Result 24 Result 25 Result 28 x