

STREET
AVENUE

Cassan

No.

663

Boro.

BROOKLYN

D-34

Card No.

1

USE District

L12

BLOCK No. 1142

Record of Business Use—Location

Date

Origin

RECORD OF FIRE RETARDING AND FIREPROOFING

Location

Origin of Report

Date

Public Halls
Flame Fire Station 11-15-33

ALTERATION PLANS

B'd'gs

Plan No.

Date Filed

Approved

Completed

alt 1090 11-15-26 12-2-26 3-1-31
alt 271 4-14-33 5-1-33 12-28-33

DEPARTMENT OF BUILDINGS

APP. No.

PERMIT No.

APPROVED

3656 2716 4-14-33 5-1-33 12-28-33
F.E. 853 12-13-34 12-13-34 1-18-35
5493 5493 10-15-40 11-14-40

LEGAL OCCUPANCY

Date

No. Ap'ts

Height

Cellar

Basement

2-8-11 2 4
3-13-34 6 7

CELLAR OR BASEMENT PERMIT

Number

Date

Number

Date

CLASSIFICATION

REG 359050

HERETOFORE ERECTED - O. L.

ORIGIN OF CLASSIFICATION

TENEMENT HOUSE DEPT. New Building Plan

B'd'gs

Plan No.

Date filed

Date Approved

Application No.

Certificate No.

Date issued

HEREAFTER CONVERTED DWELLINGS

Plan No.

Date filed

Date approved

Application No.

Certificate No.

Date issued

BUREAU OF BUILDINGS RECORD

Plan No.

Certificate of Occ. No.

Date issued

To be occupied by:

Form 500

39-1010-31-B

ALTERATION PLANS

Buildings

Plan No.

Date Filed

Approved

Completed

BN 313 313 3/4/44 3-11-45 4-18-57
FO 3606 12-30-59
BN 3275 9-3-71

ACCEPTANCES

[illegible]

CLASSON AVE

663

3-13-34 I

STREET

NO.

DATE

SKYLIGHT 220

Over Stairwell — Area of Glazed Surface — Ridge Vent. — Louvres — Other Vent. — Obstructed —

ADEQUATE

BULKHEAD 233

Windows — Doors — Fireproof — Fire Ret. — Self-closing — Lock — Stairs — Handrail — Accessible —

ADEQUATE

SCUTTLE 233

Opening — Size — Outside Metal Cov'd — Lock — Needs Hinging — Accessible — Ladder — Iron — Stationary —

ADEQUATE

Shafts	Length	Width	Area	Material of Walls	Starts at	Cov'd	Vent. Skylight	Suff. Access at Base	By Door	Sill above floor Room	Size of Opening	How Hung	Ladder Needed
A													
B													
C													
D													

Fire Escapes

231

One Each Apt.

Kind

Fire Stair

Fire Tower

Comm. Ladders

8Y 1ST

Egress From Yard

G. N. Ladder—Slid Drop. Ladder—Fire Egress Adeq.

BALCONY
One Each Apt. Kind
NOT
NOT
Inclined — Stairways
Party Wall Pierced
NOT

Windows and Alcoves 213

A L K L M N O P Q R

Water Closets 250

NUMBER PER FLOOR

Width	4	3'	2'										
Height	8'	5'	2'4"										
Windows Low Hung	6L 10 14	PH	H										
Provides Adeq. Light and Vent.	✓	✓	✓										

Public Hall

Apt. Enclosed

Wood Enclosed

Keylock on Door

W. C.'s in Yard or Courts

No. W. C.'s in Stores

C	B	1	2	3	4	5	6	7	8		
			2	2	2						
No.	Total No. W. C.'s				6					Used by Families	6

CELLAR CEILING 240

Fireproof — Fire Retarded — Material — Condition

No. W. C.'s in Stores

ENTRANCE HALL 238

Adjoins Ent. Hall of Adj. Building — Is Separating Wall F. P. or F. R.

HALL LIGHTING 224

Windows to Outer Air — Glass Panels in Doors — Artificial Light — ADEQUATE

Windows or Sashes in Hall Walls or Partitions 238

How Glazed

DOORS TO PUBLIC HALLS 238

Self-closing

Public Hall Windows

Guards Required

Stand Pipes

Where

Sprinklers

Where

Form 1010 39-1049 31-B

(Over)

B'LD'G

25' 60'

STORIES

C-4

APTS

BY 2 2 2

Brick — Stone — Frame — width — depth F. P. — Non F. P.

Number B—C—S.C.

S. C. — C. — B. — 1 — 2 — 3 — 4 — 5 — 6 —

Manufacturing 61

Where

Kind

No. Employees

Sep. Egress — Walls and Ceiling F. Ret. — Viol. of Zoning Res.

Business Conducted 61

Where

Walls

Ceilings F. P. — F. Ret.

Bakery — Fat Boiling

"By" Card App.

"B" Card App.

Interior Rooms 61


No. Per Floor

C.-B. — 1 — 2 — 3 — 4 — 5 — 6

Rear Building Used for Business

Sep. Passage to Street


Size



THD ALT PLAN 271-33
80 PERMIT 2716-33.
NEW BATHROOMS INSTALLED
2ND 3RD, AND 4TH FL.

NEW FES.
Bldg Dept
AFRear
E. L. H. R. V.

ELEVATION OF
WC COMPTS.
2ND AND 3RD
STORIES



Inspector Benjamin Lipawsky Date 3-13-34

CLASSON AVE. 20' NORTH OF BERGEN ST. 663 3-13-34 BY

STREET CLASSON AVE. No. 663 DATE 3-13-34 BY

BAKERY — Fat Boiling — Building — Fireproof — Non-fireproof — ☒ ABOUT 1890 Products entirely consumed within building ☒

LOCATION Occupies Entire — Part — Cellar — Base — OVEN Built in — Portable — Hoodover — Separate Flue

OPENING INTO BUILDING (Designate by letter) Number — Doors — Windows — Transoms — Stairs — Elevator Shaft DUMBWAITER SHAFT Extends from shop on to store on

DUMBWAITER SHAFT 8-inch brick walls — Ceiling F. P. DOORS Fireproof—so arranged that when one door is open or partly open the other door is completely closed

CEILING 12' Height — Fireproof — I Beams FILLING Brick Arch — Hollow Tile — Concrete

Non-Fireproof Open Joist — Sheathed — Lath and Plaster — Metal — Plaster Board Plaster on Metal Lath Asbestos Board

EXPOSED POSTS (Designate by letter) Number Material Location EXPOSED GIRDERS (Designate by letter) Number Material Location

FLOOR Watertight — Dry — Damp Material of floor

LIGHTING AND VENTILATION Adequate — Light — Dim — Dark WINDOWS (Designate by letter) Number Location Open on street — yard — court — shaft

APPLIANCES FOR FAT BOILING On premises — Consists of — brick — set stove — furnace — portable stove



Location	Diagram	WALLS AND PARTITIONS						WATER CLOSETS	REAR EXT.
		Stone	Brick	Stud	Plastered	Sheathed	Metal Covered		
Front			<input checked="" type="checkbox"/>					Number	Location Separate Room
Rear	C		<input checked="" type="checkbox"/>					Partition to ceiling	WINDOW
Side	D		<input checked="" type="checkbox"/>					Ventilation — open on street — yard — court — shaft	
Side	B		<input checked="" type="checkbox"/>					Waterproof floor	Base Type of fixture Open

SINK In bakery water supplied Open Flushed

REMARKS

BUILDING ☒ 25' 60' STORIES 0-4 APTS 222 C TOTAL

Brick — Stone — Frame — Width — Depth F. P. — Non-F. P. Number S. C. — C. B. S. C. — C. B. — 1 — 2 — 3 — 4 — 5 — 6



ELEVATION

Benjamin Lipowsky
Inspector

Date 3-13-34

STREET CLASSON NO. 663 WARD 7 DIST. 91 DATE 3/10/23 1923

SKYLIGHT 83 Over Stairwell IN ROOF; Area glazed surf.-Size of Opening-Ridg. Vent.-Louvres; Obstructed Dome light under ADEQUATE *184 3x6 100 0* *Not.* WINDOWS IN HALL; Number Size

IN BULKHEAD; Area glazed surf.-Windows; Number Size How open Other ventilation ADEQUATE *Hall dark 2+3 sty.* How hung Location VENT. ADEQUATE

SCUTTLE-BULKHEAD 32 SCUTTLE; Size opening Outside; Metal cov.-Wood-Iron-Glazed Lock Needs hinging BULKHEAD; Door top of stairs-Lock Door foot of stairs-Lock *28" x 34"* *14141* *Not.* ADEQUATE

LADDER-STAIRS; Stationary-Wood-Iron-Handrail Short Accessible

CHAFTS	Length	Width	Area	Material of Walls	Starts at	Covered	Vent. Skylight	Suff. access at base 100	By Door	By Window				Ladder needed	FIRE ESCAPES	One each apt. LOCATION; Front-Rear-Shaft
										Size Opening	Sill above floor of Room	Shaft	How hung			
A	16"	42"	4 1/2	plaster	2nd	✓	✓	Not		16x3	5'	5'	hing	-	29-30	Party wall balcony; Wall pierced where Egress from Yard
B																
C																
D																

3308

WINDOWS	J	K	L	M	N	O	P	Q	R	S	X	T
Width	24"	27"	16"	26"								
Height	28"	5'	3'	61"								
Dist. below cell.	18"	18"	2'	3'								
How hung	hing	R.H.	hing	R.H.								

YARD FIXTURES 100 School sink-Latrines-Privy vault-Water closets; Number Compart. (Sewer in street)

CLOSET ACCOM. 100 No. in Yard-Cellar-Apts.-Stores-Total Used by Families; In Eldg.-Other Bldgs.-Stores-Total Ratio; 1 W. C. to *754* families

REMARKS

FIXTURES	Number per Floor							
	Cellar	Base	1	2	3	4	5	6
SINKS IN HALLS	NONE							
Wood encased 99								
WATER CLOSETS In Halls (Pan.)			1	1	1			
In Apts. (Pan.)								
Wood Risers 98								

OWNER *John J. Mark* ADDRESS *Premises 502 10th St.*

AGENT *Edmund J. Duffy* acting

BOROUGH OF *Brook* All statements on this card are correct. INSPECTOR *91* DIST.

PAINT-OIL-LIQ-DRUGS 42 No. Doors to Halls; Fireproof No. Windows to Halls-Transoms; Wire glass-closed 41 Fire proof Ceiling-Walls Openings to Bldg.; Doors-Windows-Transoms-Shafts-Stairways

INTERIOR ROOMS 79 No. per floor; Base - 1 - 2 - 3 - 4 - 5 - 6 Windows above adjoining building possible at what floors Windows into shafts and yards on lot line possible at what floors

rooms with painting windows puff 6+7 *CELLAR FLOOR CONCRETE DRY.* *" S.D. glass panels* *" CEILING PLASTER.*

3x5 windows in 2nd partition from front on 2-3-4 sty S side + 3x4 sty N side *practical.* *Same* *3-13-94* *MSW I CARD DRAWN.* *BD ALT PLAN* *271-33.* *BD PERMIT* *2716-33.* *MSW BATHROOM WC INSTALLED, 2, 3, 4 ST.* *Benjamin Lipowsky Insp*

11'6" x 15' *7'8" x 8'3"* *7'8" x 8'3"* *9'6" x 8'6"* *11'6" x 16'* *7'* *28'* *7'*

Glass panels 14x16 2-3-4 sty. *Apt 3 sty S. divided, 1 large living in 2 rooms pt rear + 3 rooms pt front. Used as parlor + bedrooms in conjunction with apt 1 sty R of store.* *One int room on 1 sty used as storage only no windows*