

ADDRESS
AVENUE

Brooklyn

No. 663

Block

BROOKLYN

U-34

Card No.

1

USE District

112

BLOCK No. 1142

Record of Building Code Location

Date

Order

RECORD OF FIRE DETECTING AND FIREPROOFING

Location

Origin of Report

Date

*Public Hall
Main Floor*

ALTERATION PLANS

File No.

Plan No.

Date Filed

Approved

Completed

*212
Alt.*

*2090
271*

*2-18-26
5-14-33*

*2-2-30
5-1-33*

*2-1-31
12-28-33*

DEPARTMENT OF BUILDINGS

APP No.

PERMIT No.

APPROVED

3-56

2716

7-14-33

5-1-33

12-28-33

F.E.

853

12-13-34

12-13-34

1-18-35

5493

5493

10-15-40

11-14-40

LEGAL OCCUPANCY

Code

No. And

Height

Cellar

Basement

*2-11
3-1334*

*2
6*

*4
7*

✓

✓

CELLAR OR BASEMENT PERMIT

Number

Date

Number

Date

CLASSIFICATION *REG 359050*

HERETOFORE ERECTED - D. L.

ORIGIN OF CLASSIFICATION

TESTMENT DEED DEED New Building Plan

Plan No.

Plan No.

Date Filed

Date Approved

Application No.

Contract No.

Date issued

HERETOFORE CONVERTED DWELLINGS

Plan No.

Date Filed

Date approved

Application No.

Contract No.

Date issued

BUREAU OF BUILDING RECORD

Plan No.

Contract or Rec. No.

Date issued

To be completed by

Form No.

Revised

RE 17 17

ALTERATION PLANS

Building

Plan No.

Date Filed

Approved

Completed

130/317

313

7/4/47

2-21-47

4-18-57

FP

3606

12-8-47

BN

3275

9-3-51

ACCEPTANCE

2013 348

[illegible]

CLASSON AVE

SOUTH OF BENCH

663

3-13-34

STREET

NO.

DATE

SKYLIGHT 220

Over Stairwell — Area of Glazed Surface — Ridge Vent. — Louvers — Other Vent. — Obstructed —

ADEQUATE

BULKHEAD 233

Windows — Doors — Fireproof — Fire Ret. — Self-closing — Lock — Stairs — Handrail — Accessible —

ADEQUATE

SCUTTLE 233

Opening — Size — Outside Metal Cov'd — Lock — Needs Rinsing — Accessible — Ladder — Iron — Stationary —

ADEQUATE

NONE

213

A

B

C

D

E

F

G

H

I

J

K

L

M

N

O

P

Q

R

S

T

U

V

W

X

Y

Z

AA

AB

AC

AD

AE

AF

AG

AH

AI

AJ

AK

AL

AM

AN

AO

AP

AQ

AR

AS

AT

AU

AV

AW

AX

AY

AZ

BA

BB

BC

BD

BE

BF

BG

BH

BI

BJ

BK

BL

BM

BN

BO

BP

BQ

BR

BS

BT

BU

BV

BW

BX

BY

BZ

CA

CB

CC

CD

CE

CF

CG

CH

CI

CJ

CK

CL

CM

CN

CO

CP

CQ

CR

CS

CT

CU

CV

CW

CX

CY

CZ

DA

DB

DC

DD

DE

DF

DG

DH

DI

DJ

DK

DL

DM

DN

DO

DP

DQ

DR

DS

DT

DU

DV

DW

DX

DY

DZ

EA

EB

EC

ED

EE

EF

EG

EH

EI

EJ

EK

EL

EM

EN

EO

EP

EQ

ER

ES

ET

EU

EV

EW

EX

EY

EZ

FA

FB

FC

FD

FE

FF

FG

FH

FI

FJ

FK

FL

FM

FN

FO

FP

FQ

FR

FS

FT

FU

FV

FW

FX

FY

FZ

GA

GB

GC

GD

GE

GF

GG

GH

GI

GJ

GK

GL

GM

GN

GO

GP

GQ

GR

GS

GT

GU

GV

GW

GX

GY

GZ

HA

HB

HC

HD

HE

HF

HG

HH

HI

HJ

HK

HL

HM

HN

HO

HP

HQ

HR

HS

HT

HU

HV

HW

HX

HY

HZ

IA

IB

IC

ID

IE

IF

IG

IH

II

IJ

IK

IL

IM

IN

IO

IP

IQ

IR

IS

IT

IU

IV

IW

IX

IY

IZ

JA

JB

JC

JD

JE

JF

JG

JH

JI

JJ

JK

JL

JM

JN

JO

JP

JQ

JR

JS

JT

JU

JV

JW

JX

JY

JZ

KA

KB

KC

KD

KE

KF

KG

KH

KI

KJ

KK

KL

KM

KN

KO

KP

KQ

KR

KS

KT

KU

KV

KW

KX

KY

KZ

LA

LB

LC

LD

LE

LF

LG

LH

LI

LJ

LK

LL

LM

LN

LO

LP

LQ

LR

LS

LT

LU

LV

LW

LX

LY

LZ

MA

MB

MC

MD

ME

MF

MG

MH

MI

MJ

MK

ML

MM

MN

MO

MP

MQ

MR

MS

MT

MU

MV

MW

MX

MY

MZ

NA

NB

NC

ND

NE

NF

CLASSON AVE.

20' NORTH OF BERGEN ST.

663

3-13-34

BY

STREET

No.

DATE

BAKERY

NOT

Building

Fireproof

Non-fireproof

Date of erection

ABOUT 1890

Products entirely consumed within building

LOCATION

Occupies Entire

Part

Cellar

Base

OVEN

Built in

Portable

Hoodless

Separate Flue

OPENING INTO BUILDING

1

(E)

Number

Doors

Windows

Transoms

Stairs

Elevator Shaft

DUMBWAITER SHAFT

Extends from shop on

to store on

(Designate by letter)

NONE

DUMBWAITER

SHAFT

4-inch brick walls

Ceiling F. P.

DOORS

Fireproof—so arranged that when one door is open or partly open the other door is completely closed

CEILING

Height

12'

Fireproof

I Beams

FILLING

Brick Arch

Hollow Tile

Concrete

Non-Fireproof

Open Joint

Sheathed

Lath and Plaster

Metal

Plaster Board

Plaster on Metal Lath

Asbestos Board

EXPOSED POSTS

(Designate by letter)

NONE

EXPOSED GIRDERS

(Designate by letter)

NONE

Number

Material

Location

Number

Material

Location

FLOOR

Waterlight

Dry

Damp

WOOD

Material of floor

LIGHTING AND VENTILATION

Adequate

Light

Dim

Dark

WINDOWS

(Designate by letter)

2(F): FRONT

4(F): REAR

STORE WINDOW

FPWG

Open on street

yard

court

shaft

APPLIANCES FOR

FAT BOILING

On premises

Consists of

brick

set stove

furnace

portable stove

WALLS AND PARTITIONS

Stone

Brick

Sand

Plastered

Sheathed

Metal Covered

Location

Diagram

Stone

Brick

Sand

Plastered

Sheathed

Metal Covered

Front

Rear

Side

Side

C

D

B

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

BUILDING

Brick

Stone

Frame

Width

Depth

25'

60'

F. P.

None

F. P.

STORIES

2-4

APTS.

OV 2 E E

C

TOTAL

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

Brick

Stone

Frame

Width

Depth

25'

60'

F. P.

None

F. P.

STORIES

2-4

APTS.

OV 2 E E

C

TOTAL

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

Brick

Stone

Frame

Width

Depth

25'

60'

F. P.

None

F. P.

STORIES

2-4

APTS.

OV 2 E E

C

TOTAL

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

8

Brick

Stone

Frame

Width

Depth

25'

60'

F. P.

None

F. P.

STORIES

2-4

APTS.

OV 2 E E

C

TOTAL

8

8

8

STREET CLASSON NO. 663 WARD 7 DIST. 2 DATE 3/16/23

SKYLIGHT 63 (Cyl. Slanted) IN ROOF, Area glazed surf., Size of Opening, Ridge, Vent., Louvers Obstructed, Some light under, ADEQUATE

IN BULKHEAD, Area glazed surf., Windows, Number 1 Size 1' x 1' How open 1 Other ventilation 1 ADEQUATE

SCUTTLE-BULKHEAD 32 SCUTTLE, Size opening 1' x 1' Outside, Metal cov.-Wood-Iron-Glazed 1 Lock 1 Needs hinging 1 BULKHEAD, Door top of stairs-Lock 1 Door foot of stairs-Lock 1 ADEQUATE

LADDER-STAIRS: Stationary-Wood-Iron-Handrail 1 Skirt 1 ADEQUATE

SHAFTS	Length	Width	Area	Material of Wall	Stairs at	Covered	Vent. Skylight	Self-closing at base	By Door	By Window				How hung	Ladder reached
										Size Opening	Self-closing floor of beam	Skirt	Skirt		
A	16'	42"	4 1/2	plaster	24"	✓	✓	✓	10' x 3'	5'	5'	hinged			
B															
C															
D															

FIRE ESCAPES
20-30 One each apt. LOCATION: Front-Rear-Shaft
Party wall balcony: Wall pierced where 1 ADEQUATE
Where looking 1
Egress from Yard 1

SALONIES: Wood-Iron-None RAILINGS: Wood-Iron 1

FLOORS: Wood-Iron STAIRS: Wood-Iron-Open tread-Solid tread 1

LADDERS: Vert.-Inclined-Double rung-Wood rail-Missing what doors-Door ladder needed 1

FIXTURES	Number per Floor						
	Center	Base	1	2	3	4	5
SINKS IN HALLS							
Wood record							
90							
WATER CLOSETS							
In Hall (Per.)							
In apt. (Per.)							
Wood Room							
98							

YARD FIXTURES 100 School sink-Latrine-Privy vault-Water closets. Number Complete. (Same in apt.)

CLOSET ACCOM. 100 No. in yard-Closet-Room-Store-Total Used by Families. In Bldg-Other Bldg-School-Total (Same in apt.)

OWNER James O. Brown ADDRESS 663 Classon St. Brooklyn

AGENT James O. Brown All statements on this card are correct.

BOROUGH OF Brooklyn INSPECTOR James O. Brown DIST. 2

PAINT-OIL LIQ-DRUGS 42 No. Jars to Equip. Kitchen No. Windows to Halls-Transoms: Wire glass-covered 42 Fix. poor Ceiling, Walls Opening to Bldg. - Doors Windows Transoms Drafts Drawers

INTERIOR ROOMS 73 No. per floor. Base - 1 - 2 - 3 - 4 - 5 - 6 Windows above adjoining building possible at what floor. Windows into shaft and yard as on line window at what floor.

2586

3-13-24
MSW I CANO
DRAWN
80 ALT PLAN
271-35
80 PERMIT
2716-33
MSW BATHROOM
400 INSTALLED
271-4 35
Bayesian
Lipovsky
1931