

# **HikCentral Professional License**

Thank you for choosing HikCentral Professional.

# **License Performance**

Activation Code	5275-bcab-67ed-4240-92e5-9767-23f4-6e23		
Purchase Order	PO21000290		
License Type	Basal		
Expiry Date	2099-12-31		
Software Maintenance	Software Upgrade Period	3 Years	
	Software Service Period	0 Years	
Addition	Limited Expand	NO	
	Open API	YES	
	EZVIZ DDNS	YES	
	GIS MAP	YES	
	ONVIF	YES	
	Virtual Machine	YES	
Video Surveillance System	12 Channels		
Access Control System	8 Doors		
Indoor Stations	4 Indoor Stations		
ANPR	0 Cameras		
Facial Recognition	0 Cameras		
Remote Site Management	0 Sites		
Alarm Inputs*	32 Channels		
Radar	0 Radars		
Digital Signage	0 Terminals		
IP Speakers	0 Units		
Parking Lanes	0 Lane		
Parking Spaces	0 Parking Spaces		
Thermal Imaging Report	0 Cameras		
Security Inspection Analyzers	0 Units		
Security Inspection Detector	0 Units		
Dock Station	0 Dockstation		
Application	Smart Wall NO		
	Entrance & Exit System	NO	
	Parking Analysis	NO	
	Parking Charging	NO	
	Attendance	NO	
	Elevator Control	NO	
	Visitor Management	NO	



Application	Video Intercom System	YES
	UVSS	NO
	Temperature & Mask	YES
	Data Reporting	NO

- \* Alarm inputs only refer to the channels managed by security control devices, excluding the ones of network cameras and NVRs
- \* Stream Media Server is not supported by Virtual Machine
- \* The Software Upgrade Period and Software Service Period starts from the day when License is activated



### **Download links for software:**

- HikCentral Professional v2.1.0 Client and Server Software package download LINK
- HikCentral Professional v2.1.0 Client only Software package download <u>LINK</u>

### **Software Requirements and Hardware performance**

 For recommended Server and Client configuration and expected performance please refer to following document: LINK

## **Recommendations for cybersecurity:**

- Block unauthorized computers or devices to access the local network, and forbid unauthorized connection to untrusted network on rightful computers.
- In case some services must be exposed to an untrusted network, build a
  Demilitarized Zone (DMZ) to add an additional layer of security to the Local Area
  Network (LAN), so that an external attacker only has access to the services in the
  DMZ, rather than any device of the LAN.
- Create VLANs to divide the network into different broadcast domains, and apply strict security strategies for important VLANs.
- Use VPN for remote access, which interconnects remote, and mostly geographically separate, networks through public communication infrastructures, such as the Internet.
- Choose proper security technologies to enhance the network safety, such as intrusion detection system (IDS), ACL (Access Control List), 802.1x, RADIUS authentication and Security Auditing.
- Adopt Domain Control on Windows Server Systems, whereby computer users are granted to have a number of necessary permissions.

### **Attention**

To ensure the proper use of your license, please subject to the following items:

- The license can be applied to activate only one Hikvision SYS platform at a time.
- The license should be kept in a safe place. Hikvision shall not provide replacement for any loss of the license.
- The Upgrade license can only be applied on platform of standard versions (customized versions excluded)
- NEW: Due to the upgrade of License system, if the version of your HikCentral Professional is V1.5.0 or earlier, you need to upgrade your software or install a patch following professional instructions. Instruction(*User Manual*) and patch installation package(*License Patch V1.1.0-V1.5.0*) download <u>LINK</u>