



HikCentral Professional License

Thank you for choosing HikCentral Professional.

License Performance

Activation Code	92b3-9b10-bdfb-415e-8854-cc42-5b5a-1873	
Purchase Order	PO21000290	
License Type	Basal	
Expiry Date	2099-12-31	
Software Maintenance	Software Upgrade Period	3 Years
	Software Service Period	0 Years
Addition	Limited Expand	NO
	Open API	YES
	EZVIZ DDNS	YES
	GIS MAP	YES
	ONVIF	YES
	Virtual Machine	YES
Video Surveillance System	12 Channels	
Access Control System	8 Doors	
Indoor Stations	4 Indoor Stations	
ANPR	0 Cameras	
Facial Recognition	0 Cameras	
Remote Site Management	0 Sites	
Alarm Inputs*	32 Channels	
Radar	0 Radars	
Digital Signage	0 Terminals	
IP Speakers	0 Units	
Parking Lanes	0 Lane	
Parking Spaces	0 Parking Spaces	
Thermal Imaging Report	0 Cameras	
Security Inspection Analyzers	0 Units	
Security Inspection Detector	0 Units	
Dock Station	0 Dockstation	
Application	Smart Wall	NO
	Entrance & Exit System	NO
	Parking Analysis	NO
	Parking Charging	NO
	Attendance	NO
	Elevator Control	NO
	Visitor Management	NO



Application	Video Intercom System	YES
	UVSS	NO
	Temperature & Mask	YES
	Data Reporting	NO

* Alarm inputs only refer to the channels managed by security control devices, excluding the ones of network cameras and NVRs

* Stream Media Server is not supported by Virtual Machine

* The Software Upgrade Period and Software Service Period starts from the day when License is activated



Download links for software:

- HikCentral Professional v2.1.0 Client and Server Software package download [LINK](#)
- HikCentral Professional v2.1.0 Client only Software package download [LINK](#)

Software Requirements and Hardware performance

- For recommended Server and Client configuration and expected performance please refer to following document: [LINK](#)

Recommendations for cybersecurity:

- Block unauthorized computers or devices to access the local network, and forbid unauthorized connection to untrusted network on rightful computers.
- In case some services must be exposed to an untrusted network, build a Demilitarized Zone (DMZ) to add an additional layer of security to the Local Area Network (LAN), so that an external attacker only has access to the services in the DMZ, rather than any device of the LAN.
- Create VLANs to divide the network into different broadcast domains, and apply strict security strategies for important VLANs.
- Use VPN for remote access, which interconnects remote, and mostly geographically separate, networks through public communication infrastructures, such as the Internet.
- Choose proper security technologies to enhance the network safety, such as intrusion detection system (IDS), ACL (Access Control List), 802.1x, RADIUS authentication and Security Auditing.
- Adopt Domain Control on Windows Server Systems, whereby computer users are granted to have a number of necessary permissions.

Attention

To ensure the proper use of your license, please subject to the following items:

- The license can be applied to activate only one Hikvision SYS platform at a time.
- The license should be kept in a safe place. Hikvision shall not provide replacement for any loss of the license.
- The Upgrade license can only be applied on platform of standard versions (customized versions excluded)
- **NEW:** Due to the upgrade of License system, if the version of your HikCentral Professional is V1.5.0 or earlier, you need to upgrade your software or install a patch following professional instructions. Instruction(*User Manual*) and patch installation package(*License Patch V1.1.0-V1.5.0*) download [LINK](#)