

Slope Field of Ordinary Differential Equations

MATLAB Implementation

Tamas Kis | kis@stanford.edu

TAMAS KIS
<https://github.com/tamaskis>

Copyright © 2021 Tamas Kis

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



Contents

slope_field	4
Syntax	4
Description	4
Examples	4
Links	6

slope_field

Draws the slope field of a first-order, univariate, ordinary differential equation.

Syntax

```
slope_field(f,[xmin,xmax],[ymin,ymax])  
slope_field(f,[xmin,xmax],[ymin,ymax],density,color,width)  
fig = slope_field(__)
```

Description

`slope_field(f,[xmin,xmax],[ymin,ymax])` draws the slope field of a differential equation $dy/dx = f(x,y)$, where `f` is the function handle of $f(x,y)$, and where `[xmin,xmax]` and `[ymin,ymax]` define the domain $D = \{(x,y) \mid x_{\min} \leq x \leq x_{\max}, y_{\min} \leq y \leq y_{\max}\}$ for which the slope field is drawn.

`slope_field(f,[xmin,xmax],[ymin,ymax],density,color,width)` draws the slope field of a differential equation $dy/dx = f(x,y)$, where `f` is the function handle of $f(x,y)$, and where `[xmin,xmax]` and `[ymin,ymax]` define the domain $D = \{(x,y) \mid x_{\min} \leq x \leq x_{\max}, y_{\min} \leq y \leq y_{\max}\}$. Additionally, `density` defines the number of lines to draw in the horizontal direction (effectively controlling how many lines are drawn to create the slope field), and `color` and `width` define the color and line width, respectively, of the lines.

`fig = slope_field(__)` draws the slope field and also returns the figure handle of the slope field. You can use any of the input arguments in the previous syntaxes.

Examples

Example 1

Draw the slope field of

$$\frac{dy}{dx} = \frac{y}{3-x}$$

on the domain

$$D = \{(x,y) \mid 0 \leq x \leq 10, -5 \leq y \leq 5\}$$

■ SOLUTION

First, we define the domain for plotting the slope field.

```
xmin = 0;  
xmax = 10;  
ymin = -5;  
ymax = 5;
```

Next, we define the differential equation as an anonymous function.

```
f = @(x,y) y/(x-3);
```


First, we plot the slope field with a line density of 25 and red lines with a line width of 1.

```
slope_field(f,[xmin,xmax],[ymin,ymax],25,'r',1)
```

Adding axes labels and a title,

```
xlabel('$x$', 'interpreter', 'latex', 'fontsize', 18);
ylabel('$y$', 'interpreter', 'latex', 'fontsize', 18);
title('Slope Field for $\displaystyle\frac{dy}{dx}=\frac{y}{3-x}$', ...
      'interpreter', 'latex', 'fontsize', 20);
```


This yields the slope field



We can plot the same slope field with the default settings.

```
slope_field(f,[0,10],[-5,5]);
xlabel('$x$', 'interpreter', 'latex', 'fontsize', 18);
ylabel('$y$', 'interpreter', 'latex', 'fontsize', 18);
title('Slope Field for $\displaystyle\frac{dy}{dx}=\frac{y}{3-x}$', ...
      'interpreter', 'latex', 'fontsize', 20);
```

This yields the slope field



Links

MATLAB® Central's File Exchange:

https://www.mathworks.com/matlabcentral/fileexchange/85433-slope-field-generator-for-odes-slope_field

GitHub®:

https://github.com/tamaskis/slope_field-MATLAB