

Slope Field of Ordinary Differential Equations

MATLAB Implementation

Tamas Kis | kis@stanford.edu

TAMAS KIS
<https://github.com/tamaskis>

Copyright © 2021 Tamas Kis

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



Contents

1	Download and Installation	4
1.1	Download from MATLAB Central's File Exchange	4
1.2	Download from GitHub	4
1.3	Files Included With Download	4
1.4	Accessing the <code>slope_field</code> Function in a MATLAB Script	4
2	<code>slope_field</code>	5

1 Download and Installation

1.1 Download from MATLAB Central's File Exchange

The `slope_field` function is available for download on MATLAB® Central's File Exchange at https://www.mathworks.com/matlabcentral/fileexchange/85433-slope-field-generator-for-odes-slope_field.

1.2 Download from GitHub

The `slope_field` function is available for download on GitHub® at https://github.com/tamaskis/slope_field-MATLAB.

1.3 Files Included With Download

There are **five** files included in the downloaded zip file:

1. `EXAMPLE.M` – *example for using the `slope_field` function*
2. `LICENSE` – *license for the `slope_field` function*
3. `README.md` – *markdown file for GitHub documentation*
4. `Slope Field of Ordinary Differential Equations - MATLAB Implementation.pdf` – *this PDF*
5. `slope_field.m` – *MATLAB function that draws slope field*

1.4 Accessing the `slope_field` Function in a MATLAB Script

There are **four** options for accessing the `slope_field` function in a MATLAB script:

1. Copy the `slope_field` function to the *end* of your MATLAB script.
2. Place the `slope_field.m` file in the same folder as the MATLAB script.
3. Place the `slope_field.m` file into whatever folder you want, and then use the `addpath(folderName)` command¹ where the `folderName` parameter is a string that stores the filepath of the folder that `slope_field.m` is in *relative to* the folder that your script is in.
4. Make a toolbox by first opening `slope_field.m`, then going to the HOME tab in MATLAB, and finally selecting Package Toolbox in the drop-down menu under Add-Ons. Once you package the `slope_field` function as a toolbox, you can use it in any script.

¹ <https://www.mathworks.com/help/matlab/ref/addpath.html>

2 slope_field

Draws the slope field of a first-order, univariate, ordinary differential equation.

Syntax

```
slope_field(f,[xmin,xmax],[ymin,ymax])
slope_field(f,[xmin,xmax],[ymin,ymax],density,color,width)
fig = slope_field(__)
```

Description

`slope_field(f,[xmin,xmax],[ymin,ymax])` draws the slope field of a differential equation $dy/dx = f(x,y)$, where `f` is the function handle of $f(x,y)$, and where `[xmin,xmax]` and `[ymin,ymax]` define the domain $D = \{(x,y) \mid x_{\min} \leq x \leq x_{\max}, y_{\min} \leq y \leq y_{\max}\}$ for which the slope field is drawn.

`slope_field(f,[xmin,xmax],[ymin,ymax],density,color,width)` draws the slope field of a differential equation $dy/dx = f(x,y)$, where `f` is the function handle of $f(x,y)$, and where `[xmin,xmax]` and `[ymin,ymax]` define the domain $D = \{(x,y) \mid x_{\min} \leq x \leq x_{\max}, y_{\min} \leq y \leq y_{\max}\}$. Additionally, `density` defines the number of lines to draw in the horizontal direction (effectively controlling how many lines are drawn to create the slope field), and `color` and `width` define the color and line width, respectively, of the lines.

`fig = slope_field(__)` draws the slope field and also returns the figure handle of the slope field. You can use any of the input arguments in the previous syntaxes.

Example

Example 2.1

Draw the slope field of

$$\frac{dy}{dx} = \frac{y}{3-x}$$

on the domain

$$D = \{(x,y) \mid 0 \leq x \leq 10, -5 \leq y \leq 5\}$$

■ SOLUTION

First, we define the domain for plotting the slope field.

```
xmin = 0;
xmax = 10;
ymin = -5;
ymax = 5;
```

Next, we define the differential equation as an anonymous function.

```
f = @(x,y) y/(x-3);
```


First, we plot the slope field with a line density of 25 and red lines with a line width of 1.

```
slope_field(f,[xmin,xmax],[ymin,ymax],25,'r',1)
```

Adding axes labels and a title,

```
xlabel('$x$','interpreter','latex','fontsize',18);
ylabel('$y$','interpreter','latex','fontsize',18);
title('Slope Field for $\displaystyle\frac{dy}{dx}=\frac{y}{3-x}$',...
      'interpreter','latex','fontsize',20);
```

This yields the slope field



We can plot the same slope field with the default settings.

```
slope_field(f,[0,10],[-5,5]);
xlabel('$x$','interpreter','latex','fontsize',18);
ylabel('$y$','interpreter','latex','fontsize',18);
title('Slope Field for $\displaystyle\frac{dy}{dx}=\frac{y}{3-x}$',...
      'interpreter','latex','fontsize',20);
```

This yields the slope field

