

Security Assessment Letter

clinicstaff.md-hq.com Date: 23 September 2026

Dear Clinic Manager,

I have completed an external security check of your staff portal (**clinicstaff.md-hq.com**). Below is a plain-English summary of what I found.

The Good News

Your portal passed the security check with **no serious or critical issues**.

Specifically:

- Your website uses a **valid security certificate** (the padlock in the browser is working correctly)
- **No known hacking vulnerabilities** were detected in the software your portal uses
- There are **no exposed admin pages** or default passwords visible from the outside
- Your portal has a **firewall** (WAF) protecting it from common attacks

This means someone browsing the internet cannot easily break into your portal using standard hacking techniques.

Minor Issues Found (Should Be Fixed)

Three small security settings are missing from your portal. Think of these like unlocked windows in an otherwise locked building — not an emergency, but worth fixing.

#	Issue	Risk if not fixed
1	Missing clickjacking protection	Someone could trick your staff into clicking things they didn't intend to
2	Missing HTTPS enforcement header	In rare cases, a connection could be intercepted on an unsecured network

3	Missing content security setting	Makes it slightly easier for attackers to inject malicious content
---	----------------------------------	--

Action: Please forward this letter to your website developer or IT provider. These three issues can be fixed in less than a day by adding a few lines to your web server configuration. They are standard and low-cost to fix.

What Was Not Tested

This check was performed **from the outside**, like a visitor trying the front door and windows. It did **not** test what happens once someone is already logged in — for example:

- Whether a staff member could accidentally see another staff member's records
- Whether different staff roles (receptionist, nurse, doctor) have the right level of access

This is important for a medical environment. I recommend a follow-up test that checks access controls from the inside, using test staff accounts. Please ask your IT provider to arrange this.

Summary

What was checked	Result
Known vulnerabilities	✔ None found
Security certificate	✔ Valid
Firewall protection	✔ In place
Security headers	⚠ 3 minor issues (fix recommended)
Staff access controls	🕒 Not yet tested (follow-up recommended)

Overall: Your portal is in reasonable shape for external threats. The three minor issues should be fixed by your developer, and an internal access control test is recommended as a next step.

*This assessment was conducted on 23 September 2026 using automated security scanning tools against the external-facing portal only. It covers network-level and web security checks. It does

not constitute a full penetration test or compliance audit. The findings reflect the state of the system at the time of testing.*

Assessed by: _____
