Zulu A7 no-PMOD Rev 2 - Bottom Assembly Drawing - Overview

MIRRORED - viewed from bottom; dimensions and coordinate grid in millimetres


25
20
15
10
5
0
60
55
50
45
40
35
30
25
20
15
10
5
0
X2 - two upper-row header strips
X2 - two lower-row header strips
U3
U10
U7
U8
R34
R35
C12
C11
C13
C99
C94
C88
C87
C106
R7
R6
R2
R24
C105
C104
C103
C102
C101
C100
R5
R99
R94
R86
R84
R85
R83
R82
R81
R80
C156
R96
R98
R97
R19
R101
C149
R108
C168
C161
C78
C84
L3
R118
L9
C165
C166
R117
C164
R115
R103
R107
C80
C148
C167
L8
C147
L1
R116
C150
C163
R114
C151
L2
C160
R102
C82
R113
R93
R92
R91
C118
C116
C117
C120
R133
R134
R25
C121
C114
C95
C123
C92
C96
C112
R90
R128
C119
C111
C91
C89
C90
C108
C122
C115
C110
C107
C109
C113
R1
R23
R22
R20
R21
C124
R17
R16
R15
R14
R13
R12
L7
L6
R11
R10
C37
C36
C8
C7
C6
C5
C4
C3
C139
L5
L4
R18
C9
R119
R120
R121
R122
R123
R124
R125
R126
C41
C40
C38
C154
C153
C152
C138
C137
C136
C135
C134
C133

Red dot = pin 1/A1. Red bar = LED cathode (pad K). Dashed red label = DNP. Verify every rotation and polarity in PCBWay's engineering review.

Zulu A7 no-PMOD Rev 2 - Bottom Assembly Drawing - West Detail

MIRRORED - viewed from bottom; dimensions and coordinate grid in millimetres


25
20
15
10
5
0
X2 - two upper-row header strips
R86
R84
C156
R81
R80
U10
R96
R98
R97
R19
R101
R35
C12
C11
C13
R34
U7
C149
R108
C84
L3
C168
C161
C78
R118
L9
C165
R117
C164
R115
C166
R103
R107
C80
C148
C167
U3
L1
R116
U8
L8
C147
C150
C163
R114
C151
L2
C160
R102
C82
R113
R124
R125
R120
C154
C153
C152
C138
C137
C136
C135
C134
C133
R18
C9
C5
C4
C3
C139
L5
L4
X2 - two lower-row header strips
30
25
20
15
10
5
0

Red dot = pin 1/A1. Red bar = LED cathode (pad K). Dashed red label = DNP. Verify every rotation and polarity in PCBWay's engineering review.

Zulu A7 no-PMOD Rev 2 - Bottom Assembly Drawing - East Detail

MIRRORED - viewed from bottom; dimensions and coordinate grid in millimetres


25
20
15
10
5
0
60
55
50
45
40
35
30
X2 - two upper-row header strips
C99
C94
C88
C87
C106
R7
R6
R2
R86
R24
C105
C104
C103
C102
C101
C100
R84
R85
R99
R94
R5
C156
R83
R82
R81
R80
R93
C118
C116
C117
C120
R133
R92
R91
R134
C121
C114
C95
C123
C92
C96
C112
R25
R90
R128
C119
C111
C91
C89
C90
C108
C122
C115
C110
C107
C109
C113
R119
R120
R121
R122
R123
R124
R125
R126
R1
R21
C124
R23
R22
R20
R17
R16
R15
R14
R13
R12
C41
C40
C38
C154
C153
C152
L7
L6
C37
C36
C8
C7
C6
C5
R11
R10
X2 - two lower-row header strips

Red dot = pin 1/A1. Red bar = LED cathode (pad K). Dashed red label = DNP. Verify every rotation and polarity in PCBWay's engineering review.