Zulu A7 Fab B Rev 2 - Bottom Assembly Drawing - Overview

MIRRORED - viewed from bottom; dimensions and coordinate grid in millimetres


25
20
15
10
5
0
65
60
55
50
45
40
35
30
25
20
15
10
5
0
X2 - two upper-row header strips
C99
C94
C88
C87
C106
C105
C104
C103
C102
C101
C100
R99
R94
R86
R84
R85
C156
U10
R83
R82
R81
R80
R96
R98
R97
R19
R35
C12
C11
C13
R34
C149
U7
C84
C168
C161
L3
L9
R118
R108
C165
R103
R107
C80
C148
C167
R93
R92
R91
R90
R33
C123
C92
C95
C96
U3
R32
R31
R30
C91
C89
C90
L8
C147
U8
L1
R116
C78
R29
R28
R27
C150
C151
R26
R25
R24
L2
C160
R102
C82
R113
R114
R1
R23
R22
R20
R21
C124
R17
R16
R15
R14
R13
R12
C41
C40
C38
R18
C9
L7
L6
R11
R10
C37
C36
C8
C7
C6
C5
C4
C3
C139
L5
L4
X2 - two lower-row header strips

Red dot = pin 1/A1. Red bar = LED cathode (pad K). Dashed red label = DNP. Verify every rotation and polarity in PCBWay's engineering review.

Zulu A7 Fab B Rev 2 - Bottom Assembly Drawing - West Detail

MIRRORED - viewed from bottom; dimensions and coordinate grid in millimetres


25
20
15
10
5
0
35
30
25
20
15
10
5
0
X2 - two upper-row header strips
R86
R84
C156
U10
R96
R98
R97
R19
R101
R83
R82
R81
R80
R35
C12
C11
C13
R34
U7
C149
C168
C161
C84
L3
L9
R118
R108
C165
C166
R117
C164
R115
R107
C80
C148
C167
R103
U3
L8
C147
L1
R116
U8
C78
C150
C163
R114
C151
L2
C160
R102
C82
R113
R18
C9
C41
C40
C38
C154
C153
C152
C138
C137
C136
C135
C134
C133
C7
C6
C5
C4
C3
C139
L5
L4
X2 - two lower-row header strips

Red dot = pin 1/A1. Red bar = LED cathode (pad K). Dashed red label = DNP. Verify every rotation and polarity in PCBWay's engineering review.

Zulu A7 Fab B Rev 2 - Bottom Assembly Drawing - East Detail

MIRRORED - viewed from bottom; dimensions and coordinate grid in millimetres


25
20
15
10
5
0
65
60
55
50
45
40
35
R7
R6
R2
C99
C94
C88
C87
C106
C105
C104
C103
C102
C101
C100
R85
R83
R82
R99
R94
C118
C116
C117
C120
R93
R92
R91
R90
R5
R33
C121
C114
C95
C123
C92
C96
C112
R32
R31
R30
C119
C111
C91
C89
C90
C108
R29
R28
R27
C122
C115
C110
C107
C109
C113
R26
R25
R24
R1
R23
R22
R20
R21
C124
R17
R16
R15
R14
R13
R12
C41
C40
L7
L6
R11
R10
C37
C36
C8
C7

Red dot = pin 1/A1. Red bar = LED cathode (pad K). Dashed red label = DNP. Verify every rotation and polarity in PCBWay's engineering review.