

MATERIAL SAFETY DATA SHEET

Product Name: SPU 9-16		File Name: msds-9-16-5
Date of preparation: 10/01/2014	Issue No: 5	Page : 1 of 3

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION			
Product Name	SPU 9-16	Use : Water curtain compound	
Manufacturer's Name	: UNASCO (M) SDN.BHD.		
Address	: No.1, Jln PJU 1A/18, Tmn Perindustrian Jaya Subang, 46050 Petaling Jaya, Selangor.	Tel No : 03-7847 3468	
Emergency Tel. No.	: 03-7847 3468		
Contact Point	: Technical Manager	Tel. No. : 03-7847 3468	
SECTION 2 : COMPOSITION/INFORMATION OF INGREDIENT			
Chemical Name	CAS No.	Proportion	Exposure Limit
Sodium hydroxide	1310-73-2	>10%	2 mg/m ³
SECTION 3 : PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	White powder		
Solubility in water	Soluble	Melting Point	N/A °C
Boiling Point	N/A °C	Flash Point	N/A °C
Auto-ignition temperature	N/A °C	Flammable Limit	Non-flammable
Specific Gravity	N/A	pH Value	11.5-13.5 (1% w/v solution)
SECTION 4 : HAZARD IDENTIFICATION			
Most important hazard : Cause severe burns. Risk of serious damage to eyes.			
SECTION 5 : FIRST AID MEASURE			
Ingestion	Do not induce vomiting. Give large quantities of water or milk if available. Never give anything by mouth to an unconscious person. Seek medical attention immediately.		
Eye contact	Immediately flush with running water for at least 15 minutes. Seek medical attention without delay.		
Skin contact	Immediately remove contaminated clothing and shoes-laundry before re-use. Wash skin thoroughly with water for at least 15 minutes. Seek medical advice if redness and irritation occurs.		
Inhalation	Remove to fresh air. Give artificial respiration if not breathing. Seek medical attention immediately		

MATERIAL SAFETY DATA SHEET

Product Name:	SPU 9-16	File Name:	msds-9-16-5
Date of preparation: 10/01/2014	Issue No: 5	Page :	2 of 3

SECTION 6 : FIRE FIGHTING MEASURE

Extinguishing Media	Select extinguishing media suitable for surrounding fire.
Fire fighting instruction	Wear self-contained breathing apparatus and protective clothing.
Special Hazard	Can react with certain metal such as aluminum, to generate flammable hydrogen gas.

SECTION 7 : ACCIDENTAL RELEASE MEASURE

Leak and / or Spill	Ventilated area of spill. Wear appropriate personal protective equipment. Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust. Residues from spills can be dilute with water, neutralized with dilute acid such as acetic, hydrochloric or sulfuric. Absorb neutralized caustic residue on clay, vermiculite or other inert substance and package in a suitable container for disposal.
---------------------	--

SECTION 8 : HANDLING AND STORAGE

Handling	Always add this product to water while stirring. Never the reverse. Avoid contact with eyes and skin. Wash thoroughly after handling.
Storage	Keep in a tightly closed container. Store in a cool, dry, ventilated storage area. Keep out of direct sunlight and away from heat, and incompatible materials.

SECTION 9 : EXPOSURE CONTROL AND PERSONAL PROTECTION

a. Exposure Limit	ACGIH : TLV : Sodium hydroxide: 2 mg/m ³ Ceiling
b. Ventilation	Use general or local exhaust ventilation to meet exposure limit requirement. Use only with adequate ventilation.
c. Personal protection	
Eye	Use chemical safety goggles and /or face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.
Skin	Use protecting clothing, gloves, boots to prevent body contact with the liquid.
Respiratory protection	Use NIOSH approved respirator in absence of proper ventilation.

SECTION 10: STABILITY AND REACTIVITY

Condition to avoid	Moisture and incompatibles.
Incompatibles	Contact with acids and organic halogen compound especially trichloroethylene, may cause violent reactions. Contact with metals such as aluminum, magnesium, tin and zinc cause formation of flammable hydrogen gas.
Decomposition products	Sodium oxide.
Hazardous Polymerization	Will not occur.

SECTION 11 : ECOLOGICAL INFORMATION

Mobility	Soluble in water.
Bioaccumulation	N/A
Biodegradability	N/A
Aquatic Toxicity	High concentration will injure aquatic life by the effect on pH.

MATERIAL SAFETY DATA SHEET

Product Name:	SPU 9-16	File Name:	msds-9-16-5
Date of preparation: 10/01/2014	Issue No: 5	Page :	3 of 3

SECTION 12 : TOXICOLOGICAL INFORMATION

Toxicity Data	Corrosive.
Carcinogenicity	N/A
Effects of overexposure	
Route of entry	Effects
Inhalation	Severe irritation.
Skin contact	Corrosive/ Contact with skin cause irritation or severe burns and scarring with greater exposures.
Eye contact	Corrosive. Cause irritation of eyes, and with greater exposures it can cause burns that may results in permanent impairment of vision, even blindness
Ingestion	Corrosive. Swallowing may cause severe burns of mouth, throat, and stomach. Severe scarring of tissue and death may result.
Chronic Effects	No information found.
Target Organs	N/A
Medical conditions generally aggravated by exposure	N/A

SECTION 13 : DISPOSAL INFORMATION

Disposal of waste to be in accordance with the Environmental Quality (Scheduled Wastes) Regulations 2005 and other guidelines issued by DOE and /or local authorities.

SECTION 14 : TRANSPORT INFORMATION

UN/NA Number	UN 3266
T.D.G classification	Class 8 – Corrosive (Liquid, basic)
Packing group	III
Special Shipping instruction	N/A

SECTION 15 : REGULATORY INFORMATION

SECTION 15: PRESENTATION INFORMATION		
a. Proposed classification :		Corrosive
b. Risk phrase :	R35	Cause severe burns.
	R41	Risk of serious damage to eyes.
c. Safety phrase :	S2	Keep out of reach of children
	S26	In case of contact with eyes, rinse immediately with large amount of water and seek medical advice.
	S37/39	Wear suitable gloves and eye/face protection.

SECTION 16: OTHERS INFORMATION

The data given here is based on our current knowledge and experience. The purpose of this Safety Data sheet is to describe the product in terms of their health and safety requirements. Since the conditions of use are outside our UNASCO's control, any recommendations or suggestions are made without guarantee and UNASCO disclaims any liability for loss or damage suffered from use of this information. Users are responsible for safe working.