

## SAFETY DATA SHEET

### SECTION 1 : CHEMICAL & COMPANY IDENTIFICATION

PRODUCT NAME : Amoil Celcon 2  
 APPLICATION : Industrial Bearing Grease  
 SUPPLIER : Amoil (Malaysia) Sdn.Bhd.  
 ADDRESS : 14, Jalan Tembaga SD 5/2, Bandar Sri  
 Damansara, Kepong, 52200 Kuala Lumpur,  
 Malaysia.  
 TEL : 603-6273 4269/6274 8358  
 FAX : 603-6273 4267  
 EMAIL : info@amoil.com.my

### SECTION 2 : HAZARDS IDENTIFICATION

**GHS classification in accordance with the Hazardous Products Regulations:**  
**Not a hazardous substance or mixture**

GHS label elements : Not a hazardous substance or mixture  
 Hazard pictograms : No Hazard Symbol required  
 Signal word : No signal word

### SECTION 3 : COMPOSITION & INGREDIENTS

| Chemical Designation       | Concentration | CAS No.    |
|----------------------------|---------------|------------|
| Mineral oil                | > 75.0%       | 64742-52-5 |
| Lithium 12-Hydroxystearate | < 10.0%       | 7620-77-1  |

### SECTION 4 : FIRST AID MEASURES

Eyes : Flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention  
 Skin : Immediately remove contaminated clothing and shoes.  
 Wash off immediately with plenty of water for at least 15 minutes.  
 Call a physician immediately.  
 Inhalation : Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration using a pocket mask type resuscitator. Call a physician immediately.  
 Ingestion : Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person.

### SECTION 5 : FIRE FIGHTING MEASURES

|                                                       |   |                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extinguishing Media                                   | : | Foam<br>Dry Powder<br>CO2                                                                                                                                                                                                                                           |
| Unsuitable extinguishing media                        | : | Water stream may splash burning liquid and spread fire.                                                                                                                                                                                                             |
| Special hazard arising from the substances or mixture | : | Hazardous combustion product may include a complex mixture of airborne solid and liquid particulates and gases (smoke), carbon monoxide, unidentified inorganic and organic compounds.                                                                              |
| Special Protective Equipment for fire fighters        | : | Proper protective equipment including chemical resistant gloves is to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. |

|                                                |
|------------------------------------------------|
| <b>SECTION 6 : ACCIDENTAL RELEASE MEASURES</b> |
|------------------------------------------------|

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.

Environmental Precautions:

Do not allow uncontrolled discharge of product into the environment.

Methods and Materials for containment and cleaning up:

Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

|                                           |
|-------------------------------------------|
| <b>SECTION 7 : HANDLING &amp; STORAGE</b> |
|-------------------------------------------|

Handling : Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and prompt removal of material from eyes skin and clothing.

Storage : Store in a sealed container in a cool, dry environment.

|                                                           |
|-----------------------------------------------------------|
| <b>SECTION 8 : EXPOSURE CONTROL / PERSONAL PROTECTION</b> |
|-----------------------------------------------------------|

Exposure limit

| Material                       | Source    | Type    | mg/m <sup>3</sup>     |
|--------------------------------|-----------|---------|-----------------------|
| Lithium hydroxide mono hydrate | AIHA WEEL | Ceiling | 1.8 mg/m <sup>3</sup> |

|             |       |                         |           |
|-------------|-------|-------------------------|-----------|
| Mineral Oil | ACGIH | TWA –vacated and<br>TWA | 5.0 mg/m3 |
|-------------|-------|-------------------------|-----------|

Personal Protective Equipment:

#### PICTOGRAMS



Engineering Measures:

Adequate ventilation systems may be needed to control concentrations of airborne contaminants above permissible threshold applicable limits.

### SECTION 9 : PHYSICAL & CHEMICAL PROPERTIES

|                     |   |                         |
|---------------------|---|-------------------------|
| Appearance          | : | Semi Solid              |
| Colour              | : | Amber                   |
| Odour               | : | Mild petroleum oil like |
| Pour Point          | : | -12°C                   |
| Flash point         | : | > 250°C (Base Oil)      |
| Density@15°C, kg/L  | : | 0.86                    |
| Viscosity@40°C, cSt | : | 220 (Base Oil)          |
| Water Solubility    | : | Insoluble               |

### SECTION 10 : STABILITY & REACTIVITY

|                                  |   |                                                                                                                                                                                                                               |
|----------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                       | : | Hazardous polymerisation does not occur. Stable under normal conditions.                                                                                                                                                      |
| Condition to avoid               | : | Extremes of temperature and direct sunlight.                                                                                                                                                                                  |
| Incompatible materials           | : | Reactive with oxidising agents, reducing agents, acids and alkalis.                                                                                                                                                           |
| Hazardous decomposition products | : | May release COx, NOx, SOx, POx, H2S, CaOx, SbOx, KOx, aldehydes, sulfides, alkyl mercaptans, diphenylamine, alkenes, ammonia, metal oxides, halogenated compounds, smoke and irritating vapours when heated to decomposition. |

### SECTION 11 : TOXICOLOGICAL INFORMATION

|                       |                                                                                                                                                                                                  |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Basis of assessment   | Information given hereby is based on the components and the toxicology of similar products and the data indicated here are representative of the primarily base oil which is present in majority |
| Acute oral toxicity   | Expected to be low toxicity ; LD 50 ( rat ) > 5000 mg/kg                                                                                                                                         |
| Acute dermal toxicity | Expected to be low toxicity ; LD 50 (rat) > 3000 mg/kg                                                                                                                                           |

|                                 |                                                                                                                                                                                                                                              |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute inhalation toxicity       | Not determined                                                                                                                                                                                                                               |
| Skin corrosion / irritation     | Expected to be slightly irritating . prolonged/repeated contact with skin without adequate cleaning may clog the pores of the skin , may result disorder such as oil acne/folliculitis                                                       |
| Serious eye damage /irritation  | Expected to be slightly irritating                                                                                                                                                                                                           |
| Respiratory /skin sensitization | Not determined                                                                                                                                                                                                                               |
| Aspiration hazard               | Not expected to be aspiration hazard                                                                                                                                                                                                         |
| Germ cell mutagenicity          | Not expected a mutagenic hazard                                                                                                                                                                                                              |
| Carcinogenicity                 | Not considered to be carcinogenic as it contains severely hydrotreated mineral oils which are reported to be noncarcinogenic in lab animal studies. The class of oils used in making this product are not classified as carcinogenic by IARC |

|                                            |
|--------------------------------------------|
| <b>SECTION 12 : ECOLOGICAL INFORMATION</b> |
|--------------------------------------------|

|                   |                   |
|-------------------|-------------------|
| Aquatic Toxicity: | No data available |
| Biodegradability: | No data available |
| Bioaccumulation:  | No data available |

|                                             |
|---------------------------------------------|
| <b>SECTION 13 : DISPOSAL CONSIDERATIONS</b> |
|---------------------------------------------|

**DISPOSAL METHODS****WASTE FROM RESIDUES:**

The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of as hazardous waste in compliance with local and national regulations. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

|                                           |
|-------------------------------------------|
| <b>SECTION 14 : TRANSPORT INFORMATION</b> |
|-------------------------------------------|

|                      |                 |
|----------------------|-----------------|
| UN Number            | : Not regulated |
| Proper Shipping Name | : Not available |

|                                            |
|--------------------------------------------|
| <b>SECTION 15 : REGULATORY INFORMATION</b> |
|--------------------------------------------|

|                       |                                                                          |
|-----------------------|--------------------------------------------------------------------------|
| OSHA Regulated Hazard | : No                                                                     |
| DOT Regulated         | : No                                                                     |
| E C Classification    | : Non-applicable                                                         |
| TSCA Status           | : In compliance with TSCA inventory requirements for commercial purposes |

|                                           |
|-------------------------------------------|
| <b>SECTION 16: OTHER INFORMATION DATA</b> |
|-------------------------------------------|

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date of printing : 20/01/2022

Date of previous issue : 26/05/2017