

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
1/10

SECTION 1: Identification of the hazardous chemical and of the supplier

- 1.1. Product identifier**
- | | |
|--|---|
| <p>Product form</p> <p>Trade name</p>

<p>CAS-No.</p> <p>Formula</p> | <p>Substance</p> <p>i) Carbon Dioxide, Compressed (Industrial)</p> <p>ii) Carbon Dioxide, Compressed (Food)</p> <p>iii) Carbon Dioxide, Compressed (Medical)</p> <p>iv) Carbon Dioxide, Compressed (Purified)</p> <p>v) Carbon Dioxide, Compressed (CP)</p> <p>vi) Carbon Dioxide, Compressed (Sureflow)</p>
<p>124-38-9</p> <p>CO₂</p> |
|--|---|
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
No additional information available
- 1.3. Supplier's details**
- | | |
|--|---|
| <p>Supplier
Linde Malaysia Sdn Bhd (100783-W)
No 13, Jalan 222
46100 Petaling Jaya Selangor Darul Ehsan - Malaysia
T Toll Free: 1800 883 888
csc.lg.my@linde.com</p> | <p>Or
Linde Gas Products Malaysia Sdn Bhd (453560-K)
P.O. Box 10633, GPO Kuala Lumpur, 50670 WPKL
No. 1, Jalan Graphite 3, Kaw. Perindustrian Bdr Mahkota Banting,
Kuala Langat, Selangor Darul Ehsan. - Malaysia
T Toll Free: 1800 883 888
csc.lg.my@linde.com</p> |
|--|---|
- 1.4. Emergency telephone number**
Emergency phone number (24h): 1800 883 888
Poison center : Unit HAZMAT Malaysia, tel: 999

SECTION 2: Hazards identification

- 2.1. Classification of the hazardous chemical**
Classification according to Industry Code of Practice on chemicals classification and hazard communication (2014)
Press. Gas (Liq.) H280
- 2.2. Label elements**
Labelling according to Industry Code of Practice on chemicals classification and hazard communication (2014)
- Hazard pictograms (GHS-MY) :
- 

GHS04
- Signal word (GHS MY) : Warning
- Hazard statements (GHS MY) : H280 - Contains gas under pressure; may explode if heated.
- Precautionary statements (GHS MY)
- Storage : P410+P403 - Protect from sunlight. Store in a well-ventilated place.
- 2.3. Other hazards not contributing to the classification**
Other hazards not contributing to the classification : Asphyxiant in high concentrations, Contact with liquid may cause cold burns/frostbite.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

- 3.1. Substances**

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
2/10

Full text of H-statements: see section 16

3.2. Mixtures
Not applicable

SECTION 4: First aid measures

- 4.1. Description of first aid measures
- First-aid measures after inhalation : Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped.
 - First-aid measures after skin contact : In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. Obtain medical assistance.
 - First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes.
 - First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.
- 4.2. Most important symptoms and effects, both acute and delayed
- Most important symptoms and effects, both acute and delayed : In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Low concentrations of CO₂ cause increased respiration and headache. Refer to section 11.
- 4.3. Indication of any immediate medical attention and special treatment needed
- Other medical advice or treatment : None.

SECTION 5: Fire-fighting measures

- 5.1. Extinguishing media
- Suitable extinguishing media : Water spray or fog.
 - Unsuitable extinguishing media : Do not use water jet to extinguish.
- 5.2. Special hazards arising from the substance or mixture
- Reactivity : No reactivity hazard other than the effects described in sub-sections below.
 - Reactivity in case of fire : No reactivity hazard other than the effects described in sub-sections below.
 - Hazardous combustion products : None.
- 5.3. Special protective equipment and precautions for fire-fighters
- Special protective equipment for fire fighters : In confined space use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.
 - Specific methods : Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems. If possible, stop flow of product. Use water spray or fog to knock down fire fumes if possible. Move containers away from the fire area if this can be done without risk.
 - EAC code : 2T

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
- General measures : Try to stop release. Evacuate area. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Ensure adequate air ventilation. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Act in accordance with local emergency plan. Stay upwind. Oxygen detectors should be used when asphyxiating gases may be released.
- 6.1.1. For non-emergency personnel
- No additional information available
- 6.1.2. For emergency responders
- No additional information available

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
3/10

6.2. Environmental precautions

Try to stop release.

6.3. Methods and material for containment and cleaning up

Methods and material for containment and cleaning up : Ventilate area.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safe handling of the gas receptacle : Refer to supplier's container handling instructions. Do not allow backfeed into the container. Protect cylinders from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. If user experiences any difficulty operating cylinder valve discontinue use and contact supplier. Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier. Keep container valve outlets clean and free from contaminants particularly oil and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another. Never use direct flame or electrical heating devices to raise the pressure of a container. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Suck back of water into the container must be prevented. Open valve slowly to avoid pressure shock.

Safe use of the product : Containers, which contain or have contained flammable or explosive substances, must not be inerted with liquid carbon dioxide. Potential production of solid CO₂ particles must be ruled out. In order to rule out potential electrostatic discharge production, the system must be adequately grounded. Do not breathe gas. Avoid release of product into atmosphere. The product must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not smoke while handling product. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Avoid suck back of water, acid and alkalis.

7.2. Conditions for safe storage, including any incompatibilities

Conditions for safe storage, including any incompatibilities : Observe all regulations and local requirements regarding storage of containers. Containers should not be stored in conditions likely to encourage corrosion. Container valve guards or caps should be in place. Containers should be stored in the vertical position and properly secured to prevent them from falling over. Stored containers should be periodically checked for general condition and leakage. Keep container below 50°C in a well ventilated place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

i) Carbon Dioxide, Compressed (Industrial)		
ii) Carbon Dioxide, Compressed (Food)		
iii) Carbon Dioxide, Compressed (Medical)		
iv) Carbon Dioxide, Compressed (Purified)		
v) Carbon Dioxide, Compressed (CP)		
vi) Carbon Dioxide, Compressed (Sureflow) (124-38-9)		
Malaysia	Local name	Karbon dioksida # Carbon dioxide
Malaysia	PEL TWA (mg/m ³)	9000 mg/m ³
Malaysia	PEL TWA (ppm)	5000 ppm
United Kingdom	WEL TWA (mg/m ³)	9150 mg/m ³
United Kingdom	WEL TWA (ppm)	5000 ppm
United Kingdom	WEL STEL (mg/m ³)	27400 mg/m ³
United Kingdom	WEL STEL (ppm)	15000 ppm
USA - ACGIH	ACGIH TWA (ppm)	5000 ppm
USA - ACGIH	ACGIH STEL (ppm)	30000 ppm

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
4/10

i) Carbon Dioxide, Compressed (Industrial) ii) Carbon Dioxide, Compressed (Food) iii) Carbon Dioxide, Compressed (Medical) iv) Carbon Dioxide, Compressed (Purified) v) Carbon Dioxide, Compressed (CP) vi) Carbon Dioxide, Compressed (Sureflow) (124-38-9)		
USA - ACGIH	Remark (ACGIH)	Asphyxia

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Ensure exposure is below occupational exposure limits (where available). Oxygen detectors should be used when asphyxiating gases may be released. Consider the use of a work permit system e.g. for maintenance activities. CO2 detectors should be used when CO2 may be released.

8.4. Personal protective equipment

Wear safety shoes while handling containers.

Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

Hand protection:

Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risk. Wear cold insulating gloves when transfilling or breaking transfer connections. Standard EN 511 - Cold insulating gloves.

Eye protection:

Wear goggles when transfilling or breaking transfer connections. Standard EN 166 - Personal eye-protection - specifications

Respiratory protection:

Gas filters may be used if all surrounding conditions e.g. type and concentration of the contaminant(s) and duration of use are known. Use gas filters with full face mask, where exposure limits may be exceeded for a short-term period, e.g. connecting or disconnecting containers. Gas filters do not protect against oxygen deficiency. Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres. Standard EN 14387 - Gas filter(s), combined filter(s) and full face mask - EN 136. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.

Thermal hazard protection : None in addition to the above sections.

Environmental exposure controls : None necessary.

SECTION 9: Physical and chemical properties

Physical state	: Gas
Appearance	: No data available
Colour	: Colourless.
Odour	: No odour warning properties.
Odour threshold	: Odour threshold is subjective and inadequate to warn of overexposure.
pH	: Not applicable for gases and gas mixtures.
Melting point, Freezing point	: Melting point: -78.5 °C At atmospheric pressure dry ice sublimates into gaseous carbon dioxide.
Boiling point	: -56.6 °C
Flash point	: Not applicable for gases and gas mixtures.
Critical temperature	: 30 °C
Auto-ignition temperature	: Non flammable.
Decomposition temperature	: Not applicable.

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
5/10

Flammability (solid, gas)	: Non flammable.
Vapour pressure	: Vapour pressure: 57.3 bar(a) Vapour pressure at 50 °C: No reliable data available.
Evaporation rate	: Relative evaporation rate (ether=1): Not applicable for gases and gas mixtures.
Explosive limits	: Non flammable.
Explosive properties	: Not applicable.
Minimum ignition energy	: No data available
Solubility	: Water: 2000 mg/l Completely soluble.
Density	: Relative density: 0.82
Relative density	: Relative vapour density at 20 °C: Not applicable. Relative gas density: 1.52
Viscosity	: Viscosity, dynamic: Not applicable. Viscosity, kinematic: 1.52 Not applicable.
Critical pressure	: 7375 kPa
Gas group	: Press. Gas (Liq.)
Log Pow	: 0.83
Molecular mass	: 44 g/mol
Oxidising properties	: Not applicable.
Additional information	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

SECTION 10: Stability and reactivity

Chemical stability	: Stable under normal conditions.
Conditions to avoid	: Avoid moisture in installation systems.
Hazardous decomposition products	: None.
Incompatible materials	: None. For additional information on compatibility refer to ISO 11114.
Possibility of hazardous reactions	: None.
Reactivity	: No reactivity hazard other than the effects described in sub-sections below.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified pH: Not applicable for gases and gas mixtures.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
6/10

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No ecological damage caused by this product.
Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Not classified

i) Carbon Dioxide, Compressed (Industrial)
ii) Carbon Dioxide, Compressed (Food)
iii) Carbon Dioxide, Compressed (Medical)
iv) Carbon Dioxide, Compressed (Purified)
v) Carbon Dioxide, Compressed (CP)
vi) Carbon Dioxide, Compressed (Sureflow) (124-38-9)

Log Kow	Not applicable for gas mixtures.
---------	----------------------------------

Log Pow	0.83
---------	------

12.2. Persistence and degradability

i) Carbon Dioxide, Compressed (Industrial)
ii) Carbon Dioxide, Compressed (Food)
iii) Carbon Dioxide, Compressed (Medical)
iv) Carbon Dioxide, Compressed (Purified)
v) Carbon Dioxide, Compressed (CP)
vi) Carbon Dioxide, Compressed (Sureflow) (124-38-9)

Persistence and degradability	No ecological damage caused by this product.
-------------------------------	--

12.3. Bioaccumulative potential

i) Carbon Dioxide, Compressed (Industrial)
ii) Carbon Dioxide, Compressed (Food)
iii) Carbon Dioxide, Compressed (Medical)
iv) Carbon Dioxide, Compressed (Purified)
v) Carbon Dioxide, Compressed (CP)
vi) Carbon Dioxide, Compressed (Sureflow) (124-38-9)

Log Pow	See section 12.1 on ecotoxicology
---------	-----------------------------------

Log Kow	See section 12.1 on ecotoxicology
---------	-----------------------------------

Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).
---------------------------	---

12.4. Mobility in soil

i) Carbon Dioxide, Compressed (Industrial)
ii) Carbon Dioxide, Compressed (Food)
iii) Carbon Dioxide, Compressed (Medical)
iv) Carbon Dioxide, Compressed (Purified)
v) Carbon Dioxide, Compressed (CP)
vi) Carbon Dioxide, Compressed (Sureflow) (124-38-9)

Mobility in soil	No additional information available
------------------	-------------------------------------

Log Pow	See section 12.1 on ecotoxicology
---------	-----------------------------------

Log Kow	See section 12.1 on ecotoxicology
---------	-----------------------------------

Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution. Partition into soil is unlikely.
----------------	--

12.5. Other adverse effects

Ozone : Not classified
Effect on global warming : When discharged in large quantities may contribute to the greenhouse effect, Contains greenhouse gas(es).
GWP 20 years : 1
GWP 100 years : 1
GWP 500 years : 1
Effect on the ozone layer : None.

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
7/10

Other adverse effects : No known effects from this product.

SECTION 13: Disposal information

13.1. Disposal methods

Waste treatment methods : May be vented to atmosphere in a well ventilated place. Discharge to atmosphere in large quantities should be avoided. Do not discharge into any place where its accumulation could be dangerous. Return unused product in original cylinder to supplier.

Additional information : External treatment and disposal of waste should comply with applicable local and/or national regulations.
Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at <http://www.eiga.org>) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.

SECTION 14: Transportation information

14.1. UN number

UN-No.(UN RTDG) : 1013
UN-No. (IMDG) : 1013
UN-No. (IATA) : 1013

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG) : CARBON DIOXIDE
Proper Shipping Name (IMDG) : CARBON DIOXIDE
Proper Shipping Name (IATA) : Carbon dioxide

14.3. Transport hazard class(es)

UN RTDG
Transport hazard class(es) (UN RTDG) : 2.2
Danger labels (UN RTDG) : 2.2



IMDG

Transport hazard class(es) (IMDG) : 2.2
Danger labels (IMDG) : 2.2



IATA

Transport hazard class(es) (IATA) : 2.2
Hazard labels (IATA) : 2.2

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
8/10



- 14.4. Packing group**
- Packing group (UN RTDG) : Not applicable
 - Packing group (IMDG) : Not applicable
 - Packing group (IATA) : Not applicable
- 14.5. Environmental hazards**
- Dangerous for the environment : No
 - Marine pollutant : No
 - Other information : No supplementary information available
- 14.6. Special precautions for user**
- Special transport precautions** : Avoid transport on vehicles where the load space is not separated from the driver's compartment, Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, Before transporting product containers: - Ensure there is adequate ventilation, - Ensure that containers are firmly secured, - Ensure cylinder valve is closed and not leaking, - Ensure valve outlet cap nut or plug (where provided) is correctly fitted, - Ensure valve protection device (where provided) is correctly fitted.
- UN RTDG**
- Special provisions (UN RTDG) : 274
 - Limited quantities (UN RTDG) : 120 ml
 - Excepted quantities (UN RTDG) : E1
 - Packing instruction (UN RTDG) : P200
 - Portable tank and bulk container special instructions (UN RTDG) : T50
- IMDG**
- Special provisions (IMDG) : 274
 - Limited quantities (IMDG) : 120 ml
 - Excepted quantities (IMDG) : E1
 - Packing instructions (IMDG) : P200
 - Tank instructions (IMDG) : T50
 - EmS-No. (Fire) : F-C - FIRE SCHEDULE Charlie - NON-FLAMMABLE GASES
 - EmS-No. (Spillage) : S-V - SPILLAGE SCHEDULE Victor - GASES (NON-FLAMMABLE, NON-TOXIC)
 - Stowage category (IMDG) : A
 - Properties and observations (IMDG) : Liquefied, non-flammable gas.Heavier than air (1.5). Cannot remain in the liquid state above 31°C.
 - MFAG-No : 120
- IATA**
- PCA Excepted quantities (IATA) : E1
 - PCA Limited quantities (IATA) : Forbidden
 - PCA limited quantity max net quantity (IATA) : Forbidden
 - PCA packing instructions (IATA) : 200
 - PCA max net quantity (IATA) : 75kg
 - CAO packing instructions (IATA) : 200

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
9/10

- CAO max net quantity (IATA) : 150kg
ERG code (IATA) : 2L
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable
- 14.8. Hazchem or Emergency Action Code
EAC code : 2T.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Safety and Health Act 1994 and relevant regulations:

Occupational Safety and Health (Classification, Labeling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.
Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

Environment Quality Act 1974 & regulations:

Environment Quality (Clean Air) Regulations 2014.
Environmental Quality (Scheduled Wastes) Regulations 2005.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Version : 1.1
Date of issue : 25/05/2018
Revision date : 09/10/2018
Supersedes : 25/05/2018

Data sources : Lisam OEL.

Abbreviations and acronyms : ATE - Acute Toxicity Estimate
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
EINECS - European Inventory of Existing Commercial Chemical Substances
CAS# - Chemical Abstract Service number
PPE - Personal Protection Equipment
LC50 - Lethal Concentration to 50 % of a test population
RMM - Risk Management Measures
PBT - Persistent, Bioaccumulative and Toxic
vPvB - Very Persistent and Very Bioaccumulative
STOT- SE : Specific Target Organ Toxicity - Single Exposure
CSA - Chemical Safety Assessment
EN - European Standard
UN - United Nations
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
IATA - International Air Transport Association
IMDG code - International Maritime Dangerous Goods
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
WGK - Water Hazard Class
STOT - RE : Specific Target Organ Toxicity - Repeated Exposure

Safety Data Sheet

Carbon Dioxide, Compressed

Date of issue: 5/25/2018
Revision date: 10/9/2018

Version: 1.1

SDS reference: MY000409
10/10

Training advice : The hazard of asphyxiation is often overlooked and must be stressed during operator training.

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.