

SAFETY DATA SHEET – R32

In case of **emergency or spill**, contact:

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Product Code: **R32**

Product Name: **RUBBING COMPOUND**

Use of the Substance/Preparation

Recommended use: As Rubbing Compound for Industrial and Automotive Paints.

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature of the preparation

Components	CAS #	% Weight
Hydrotreated Heavy Naptha	64742-82-1	10-30
White Mineral Oil	8042-47-5	1-5
Crystalline Silica	1317-95-9	30-50
Water	7732-18-5	10-30

3. HAZARDS IDENTIFICATION

Most important hazards: This product is for use by professional only and is NOT intended for home use. Harmful if swallowed.

4. FIRST AID MEASURES

- General Advice:** In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- Inhalation:** Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- Skin contact:** Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
- Eye contact:** Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
- Ingestion:** If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.

SAFETY DATA SHEET – R32

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:

Use dry chemical, CO₂, water spray (fog) or foam.

Specific hazards:

Flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Extinguishing media which must not be used for safety reasons:

Not applicable

Specific methods:

Not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation.

Environmental precautions: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage

Methods for cleaning up: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. HANDLING AND STORAGE

Handling:**Technical measures/precautions:**

No special technical protective measures required.

Safe handling advice:

Remove and wash contaminated clothing before reuse.

Storage:

Keep containers tightly closed in a cool, well-ventilated place. Keep away from direct sunlight. Do not freeze.

Incompatible products:

Do not store together with acids or oxidizers.

SAFETY DATA SHEET – R32

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Ensure adequate ventilation

.

Respiratory protection:

No personal respiratory protective equipment normally required.

Skin and body protection:

Immediately remove contaminated clothing.

Eye protection:

Avoid contact with eyes. If splashes are likely to occur, wear: Goggles

Hand protection:

Preventive skin protection: Rubber gloves

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor, Color, Grade: cream colored, kerosene odor

General Physical Form: Viscous Liquid

Autoignition temperature: Not available.

Flash Point: Closed cup: 23°C (73.4°F)

Flammable Limits: *No Data Available*

Boiling point: >37.78°C (>100°F)

Density: 1.17-1.55 g/ml

Vapor Density: Not available.

Vapor Pressure: Not available.

PH: 9.1

Melting point: Not available.

Solubility in Water: Insoluble in the following materials: cold water.

Evaporation rate: Not available.

Viscosity: Kinematic (40°C): >0.21 cm² : /s

SAFETY DATA SHEET – R32

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions.
Polymerization:	None under normal processing.
Conditions to avoid:	When exposed to high temperatures may produce hazardous decomposition products.
Materials to avoid:	None.
Hazardous decomposition products:	Not determined. None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Component Information

Additional Information:	The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
--------------------------------	---

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Information

Aquatic toxicity: No information available

Component Information

Ecotoxicity effects: This product has no known eco-toxicological effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SAFETY DATA SHEET – R32

14. TRANSPORT INFORMATION

General Transportation Statement

This product does not require classification by DOT, IATA, ICAO or IMDG.

	UN	IMDG	IATA
UN number	UN1263	UN1263	UN1263
UN proper shipping name	PAINT	PAINT	PAINT
Transport hazard class(es)	3	3	3
Packing group	III	III	III
Environmental hazards	Yes. The environmentally hazardous substance mark is not required.	Yes.	Yes. The environmentally hazardous substance mark is not required.

Other information:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

15. REGULATORY INFORMATION

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

SAFETY DATA SHEET – R32

16. OTHER INFORMATION

Prepared by: Health & Safety

Literary reference: None

Disclaimer: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

End of Safety Data Sheet