



SAFETY DATA SHEET

Product: SPI PE Slow Dry Retarder
Revision date: Nil
Page: 1 of 6

Print date: 29 April 2017

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifiers

Code: SPI-KS238
Description: PE Slow Dry Retarder

Relevant identified uses of the substance or mixture and uses advised against

Intended use: Printing ink retarder

Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Hai Kuang Packing Industries Sdn Bhd
12 Jalan 5/10B Spring Crest Industrial Park
68100 Batu Caves, Selangor

Telephone: 603-61874177

Fax : 603-61899530

Information in case of emergency

Emergency: 603-61874177 (Mon-Friday: 8.00am to 5.00pm)

Telephone: 603-61874177 (Mon-Friday: 8.00am to 5.00pm)

Contact: SW Wong

SECTION 2 HAZARDS IDENTIFICATION

Hazard description

Classification of the substance or mixture

GHS Label Elements, Including Precautionary Statements

Signal word: WARNING

Hazard pictograms:



Hazard statements:

Flam.Liq. 4 H227 Combustible liquid
Acute Tox.4 H302 Harmful if swallowed.
Acute Tox 4 H312 Harmful in contact with skin.
Acute Tox 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritant.
Eye Irrit. 2A H319 Causes serious eye irritation.
H351 Suspected of causing cancer

NOTE: Limited evidence of a carcinogenic effect. Harmful in contact with skin and if swallowed. Irritating to eyes and respiratory system. (According to EU Directives 67/548/EEC or 1999/45/EC)

Product: SPI-KS238

Precautionary statements:

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + 312	IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.
P302 + 352	IF ON SKIN: Wash with soap and water.
P304 + 340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P332 + 313	If skin irritation occurs: Get medical advice/attention.
P243	Take precautionary measures against static discharge.
P403 + 235	Store in well ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/ regional/ national/ international regulations.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTSChemical characterization

Ingredients	CAS #	% w/w
Glycol ether	Trade secret	100

The composition is proprietary information. In the event of a medical emergency, composition information will be provided to the doctor.

SECTION 4 FIRST AID MEASURES

After inhalation:	Move person to fresh air. Seek medical attention if complaints.
After skin contact:	Immediately wash with soap and water and rinse thoroughly.
After eye contact:	Rinse opened eye for several minutes under running water. If irritation persists, seek medical attention.
After swallowing:	Seek medical attention. DO NOT induce vomiting.
General:	In all cases of doubts and/or symptoms persist, seek medical attention.

SECTION 5 FIRE-FIGHTING MEASURES**Extinguishing media**

Suitable extinguishing agents:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture: Carbon monoxide and carbon dioxide.

Advice for firefighters

Protective equipment: Wear self- contained respiratory protective device if required and fully protective impervious suit.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation. If necessary, evacuate personnel.

Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with inert absorbent material.
Dispose contaminated material as waste according to SECTION 13.
Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

SECTION 7 HANDLING AND STORAGE

Handling

Precautions for safe handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.
Keep away from sources of ignition-No smoking. Take measures to prevent buildup of electrostatic charge.

Information about protection against explosions and fires

Keep ignition sources away – Do not smoke.
Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well-sealed containers.

Specific end use(s): No further relevant information available.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Additional information about design of technical facilities:

Provide adequate ventilation. Where reasonably practical, this can be achieved by use local exhaust ventilation and good general extraction.

Ingredients with limit values that requires monitoring at workplace

Glycol ether	
TLV-TWA (skin)	20 ppm

NOTE: Limit indicated for guidance only.

Additional information: The lists valid during the making were used as basis.

Product: SPI-KS238

Exposure controlsAppropriate engineering controls

Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below recommended exposure limits.

Personal protective equipment**General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use appropriate respirator when high concentrations are present. In case of brief exposure or low pollution use respiratory filter device

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves: Nitrile rubber.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection

Safety glasses or goggles.

Body protection

No special protective clothing required if normal industrial hygiene is practiced.

SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES
------------------	---

General Information	
Form:	Liquid
Color:	Clear
Odor:	Mild
pH value:	Not applicable
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	>169 °C < 172°C
Flash point:	65°C (closed cup)
Flammability (solid, gas):	Not determined
Ignition temperature:	Not determined
Decomposing temperature:	Not determined
Auto-igniting:	230°C (760mmHg)
Danger of explosion:	Not determined
Explosion limits - LEL / UEL (vol-%):	1.1 / 12.7
Vapor pressure:	Not determined
Specific gravity:	0.91 ± 0.01
Vapor density (Air=1):	>1
Evaporation rate (B.Acetate=1):	~ 0.1
Solubility in water:	Soluble (900g/L)
Solvent content (wt-%)	
Organic solvents:	100

Product: SPI-KS238

SECTION 10 STABILITY AND REACTIVITY

Reactivity: Reactive with strong oxidizing agents, chlorine, strong acids (eg. Nitric acid).

Chemical stability: Stable under normal storage conditions and safe handling.

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: Reacts with strong oxidizing agents.

Conditions to avoid: Excessive heat, flames and sparks.

Incompatible materials: Oxidizing agents.

Hazardous decomposition products: Carbon monoxide and carbon dioxide.

SECTION 11 TOXICOLOGICAL INFORMATION

Product Toxicity Data

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification

Glycol ether	Oral	LD ₅₀	470 mg/kg (rat)
	Dermal	LD ₅₀	220 mg/kg (rabbit)
	Inhalation	LC ₅₀	450 ppm, 4hrs (rat)

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitization effects known.

Germ cell mutagenicity: Not data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ system toxicity-repeated exposure: No determined.

Aspiration hazard: No data available.

Subacute to chronic toxicity: Prolonged exposure may cause dermatitis and skin cracking.

Additional toxicological information:

Human exposure greater than 200ppm can be expected to cause narcosis, damage to kidney, liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis. This may likely cause fragility of erythrocytes and hematuria.

Swallow of product results in burning sensation follow by numbness of tongue which indicates sensory nerve endings paralysis, central nervous system depression, headache, narcosis and stomach irregularities.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Mobility in soil: No data available.

Additional ecological information: Do not allow product to reach ground water, water course or sewage system.

Other adverse effect: No data available.

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose off in compliance to local regulations.

Uncleaned packagings

Recommendation: Dispose off in compliance to local regulations.

Product: SPI-KS238

SECTION 14 TRANSPORT INFORMATION

UN Number	
DOT, IMDG, IATA	Not available
UN proper shipping name	
DOT	SPI-HKS238 PE Slow Dry Retarder (Aromatic Hydrocarbon Petroleum Products)
IMDG, IATA	SPI-HKS238 PE Slow Dry Retarder (Aromatic Hydrocarbon Petroleum Products)
Transport hazard class(es)	
DOT	
	
Class:	3
Label:	3
IMDG, IATA	
	
Class:	3
Label:	3
Packaging group	
DOT, IMDG, IATA:	III
Environmental hazards:	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code:	Not applicable
Special precautions for user	Harmful liquid
Transport/Additional information:	
Marine Pollutant	No

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

All components of this product are listed in the USA – TSCA.

SECTION 16 OTHER INFORMATION

The information provided is based on our present knowledge was correct at the time of preparation document. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This document should be taken as a safety guide to ensure proper use and protect the health and safety of employees.

Recommended restriction of use

The product should not be used for any purpose other than that specified in SECTION 1.