

Two Strings:-

Code:-

```
import java.io.*;
import java.math.*;
import java.security.*;
import java.text.*;
import java.util.*;
import java.util.concurrent.*;
import java.util.function.*;
import java.util.regex.*;
import java.util.stream.*;
import static java.util.stream.Collectors.joining;
import static java.util.stream.Collectors.toList;

class Result {

    public static String twoStrings(String s1, String s2) {
        boolean[] present = new boolean[26];
        for (char c : s1.toCharArray()) {
            present[c - 'a'] = true;
        }
        for (char c : s2.toCharArray()) {
            if (present[c - 'a']) {
                return "YES";
            }
        }
        return "NO";
    }
}

public class Solution {

    public static void main(String[] args) throws IOException {
        BufferedReader bufferedReader = new BufferedReader(new InputStreamReader(System.in));
        BufferedWriter bufferedWriter = new BufferedWriter(new
        FileWriter(System.getenv("OUTPUT_PATH")));

        int q = Integer.parseInt(bufferedReader.readLine().trim())

        IntStream.range(0, q).forEach(qItr -> {
```

```

try {
    String s1 = bufferedReader.readLine();
    String s2 = bufferedReader.readLine();
    String result = Result.twoStrings(s1, s2);
    bufferedWriter.write(result);
    bufferedWriter.newLine();
} catch (IOException ex) {
    throw new RuntimeException(ex);
}
});
bufferedReader.close();
bufferedWriter.close();
}
}

```

Output:-

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

✓
Test case 0

✓
Test case 1
🔒

✓
Test case 2
🔒

✓
Test case 3
🔒

✓
Test case 4
🔒

✓
Test case 5
🔒

✓
Test case 6

Compiler Message

Success

Input (stdin)

1	2
2	hello
3	world
4	hi
5	world

[Download](#)

Expected Output

1	YES
---	-----

[Download](#)

Rotate String:-

Code:-

```
import java.io.*;

class Solution {

    public static boolean rotateString(String s, String goal) {

        if (s.length() != goal.length()) {

            return false;

        }

        String doubled = s + s;

        return doubled.contains(goal);

    }

    public static void main(String[] args) throws IOException {

        BufferedReader br =

            new BufferedReader(new InputStreamReader(System.in));

        String s = br.readLine();

        String goal = br.readLine();

        System.out.println(rotateString(s, goal));

    }

}
```

Output:-

The screenshot displays the LeetCode interface for the 'Rotate String' problem. The top section shows the problem description and a 'Submit' button. Below this, the 'Accepted' status is confirmed with 511/511 testcases passed. The user 'tameem_shaik' submitted the solution on Oct 05, 2026 at 11:59. A promotional banner for 'Unlock the Full LeetCode Experience' is visible. The 'Runtime' section shows a time of 2ms, beating 63.59% of solutions. The 'Memory' section shows a usage of 43.20 MB, beating 81.86% of solutions. A bar chart illustrates the performance distribution across different time ranges. The 'Code' section shows the Java solution, which is accepted. The 'Testcase' section shows two test cases, both passed. The 'Input' section shows the test cases: s = 'm' and goal = 'f'.

Accepted 511 / 511 testcases passed
tameem_shaik_ submitted at Oct 05, 2026 11:59

Runtime
2 ms | Beats 63.59%

Memory
43.20 MB | Beats 81.86%

Code
Java | Auto
Ln 17, Col 2

Testcase | **Test Result**
Accepted Runtime: 0 ms

Case 1 **Case 2**

Input
s =
"m"
goal =
"f"

Output