

Running Sum of 1D Array

```
class Solution {  
    public int[] runningSum(int[] nums) {  
        for(int i=1;i<nums.length;i++){  
            nums[i]=nums[i]+nums[i-1];  
        }  
        return nums;  
    }  
}
```

The screenshot displays the LeetCode submission interface for the problem "Running Sum of 1D Array". The submission is marked as "Accepted" with 54/54 testcases passed, submitted by user "tameem_shaik_" on Sep 15, 2026 at 10:15.

Runtime Statistics:

- Runtime: 0 ms | Beats 100.00%
- Memory: 44.39 MB | Beats 35.20%

Test Results:

The "Test Result" section shows three test cases, all of which are "Accepted".

Case	Input	Output	Expected
Case 1	nums = [1,2,3,4]	[1,3,6,10]	[1,3,6,10]
Case 2			
Case 3			

The code editor shows the following Java code:

```
1 class Solution {  
2     public int[] runningSum(int[] nums) {  
3         for(int i=1;i<nums.length;i++){  
4             nums[i]=nums[i]+nums[i-1];  
5         }  
6         return nums;  
7     }  
8 }
```

Richest Customer Wealth

```
class Solution {  
    public int maximumWealth(int[][] accounts) {  
        int maxWealth = 0;  
        for (int i = 0; i < accounts.length; i++) {  
            int wealth = 0;  
            for (int j = 0; j < accounts[i].length; j++) {  
                wealth += accounts[i][j];  
            }  
            maxWealth = Math.max(maxWealth, wealth);  
        }  
        return maxWealth;  
    }  
}
```

The screenshot displays the LeetCode problem page for 'Richest Customer Wealth'. The solution is written in Java and is marked as 'Accepted'. The runtime is 0 ms, and the memory usage is 44.52 MB. The test result shows the input accounts = [[1,2,3],[3,2,1]] and the output 6.

Runtime: 0 ms | Beats 100.00%

Memory: 44.52 MB | Beats 55.84%

Testcase: Accepted | Runtime: 0 ms

Case 1: Input: accounts = [[1,2,3],[3,2,1]] | Output: 6 | Expected: 6