```
In [1]:
         1 # Keras
         2 import keras
         3 from keras import regularizers
         4 from keras.preprocessing import sequence
         5 from keras.preprocessing.text import Tokenizer
         6 # from keras.preprocessing.sequence import pad sequences
         7 from keras.models import Sequential, Model, model from json
         8 from keras.layers import Dense, Embedding, LSTM
         9 from keras.layers import Input, Flatten, Dropout, Activation, BatchNormalization
        10 from keras.layers import ConvlD, MaxPoolinglD, AveragePoolinglD
        11 from keras.utils import np utils, to categorical
        12 from keras.callbacks import (EarlyStopping, LearningRateScheduler,
                                        ModelCheckpoint, TensorBoard, ReduceLROnPlateau)
        13
        14 from keras import losses, models, optimizers
        15 from keras.activations import relu, softmax
        16 from keras.layers import (Convolution2D, GlobalAveragePooling2D, BatchNormalization, Flatten, Dropout,
        17
                                     GlobalMaxPool2D, MaxPool2D, concatenate, Activation, Input, Dense)
        18
        19 # sklearn
        20 from sklearn.metrics import confusion matrix, accuracy score
        21 from sklearn.model selection import train test split
        22 from sklearn.preprocessing import LabelEncoder
        23
        24 # Other
        25 from tgdm import tgdm, tgdm pandas
        26 import scipy
        27 from scipy.stats import skew
        28 import librosa
        29 import librosa.display
        30 import json
        31 import numpy as np
        32 import matplotlib.pyplot as plt
        33 import tensorflow as tf
        34 from matplotlib.pyplot import specgram
        35 import pandas as pd
        36 import seaborn as sns
        37 import glob
        38 import os
        39 import sys
        40 import IPython.display as ipd # To play sound in the notebook
        41 import warnings
```

```
42 # ignore warnings
43 if not sys.warnoptions:
44 warnings.simplefilter("ignore")
```

## Out[2]:

	labels	source	path
0	male_surprise	RAVDESS	data/RAVDESS/Actor_01/03-01-08-02-02-01-01.wav
1	male_surprise	RAVDESS	data/RAVDESS/Actor_01/03-01-08-01-01-01-01.wav
2	male_angry	RAVDESS	data/RAVDESS/Actor_01/03-01-05-01-02-01-01.wav
3	male_fear	RAVDESS	data/RAVDESS/Actor_01/03-01-06-01-02-02-01.wav
4	male_fear	RAVDESS	data/RAVDESS/Actor_01/03-01-06-02-01-02-01.wav

```
In [3]:
          2 1. Data Augmentation method
          4 def speedNpitch(data):
          5
          6
                Speed and Pitch Tuning.
          7
          8
                # you can change low and high here
          9
                length change = np.random.uniform(low=0.8, high = 1)
                speed fac = 1.2 / length change # try changing 1.0 to 2.0 ... =D
         10
        11
                tmp = np.interp(np.arange(0,len(data),speed fac),np.arange(0,len(data)),data)
        12
                minlen = min(data.shape[0], tmp.shape[0])
                data *= 0
        13
                data[0:minlen] = tmp[0:minlen]
         14
        15
                return data
         16
        17 '''
        18 2. Extracting the MFCC feature as an image (Matrix format).
         19 '''
         20 def prepare data(df, n, aug, mfcc):
         21
                X = np.empty(shape=(df.shape[0], n, 216, 1))
         22
                input length = sampling rate * audio duration
         23
         24
                cnt = 0
         25
                for fname in tqdm(df.path):
         26
                    file path = fname
                    data, = librosa.load(file path, sr=sampling rate
         27
         28
                                            ,res type="kaiser fast"
         29
                                            ,duration=2.5
         30
                                            ,offset=0.5
         31
         32
         33
                    # Random offset / Padding
         34
                    if len(data) > input length:
         35
                        max offset = len(data) - input length
         36
                        offset = np.random.randint(max offset)
                        data = data[offset:(input length+offset)]
         37
         38
                    else:
         39
                        if input length > len(data):
                            max offset = input length - len(data)
         40
         41
                            offset = np.random.randint(max offset)
```

```
42
               else:
43
                   offset = 0
               data = np.pad(data, (offset, int(input length) - len(data) - offset), "constant")
44
45
46
           # Augmentation?
47
           if aug == 1:
48
               data = speedNpitch(data)
49
           # which feature?
50
51
           if mfcc == 1:
52
               # MFCC extraction
               MFCC = librosa.feature.mfcc(data, sr=sampling rate, n mfcc=n mfcc)
53
54
               MFCC = np.expand dims(MFCC, axis=-1)
55
               X[cnt] = MFCC
56
57
           else:
58
               # Log-melspectogram
59
               melspec = librosa.feature.melspectrogram(data, n mels = n melspec)
60
               logspec = librosa.amplitude to db(melspec)
61
               logspec = np.expand dims(logspec, axis=-1)
62
               X[cnt,] = logspec
63
64
           cnt += 1
65
66
       return X
67
68
69 '''
70 3. Confusion matrix plot
71 | ' ' '
72 def print confusion matrix(confusion matrix, class names, figsize = (10,7), fontsize=14):
       '''Prints a confusion matrix, as returned by sklearn.metrics.confusion matrix, as a heatmap.
73
74
75
       Arguments
76
77
       confusion matrix: numpy.ndarray
78
           The numpy.ndarray object returned from a call to sklearn.metrics.confusion matrix.
79
           Similarly constructed ndarrays can also be used.
80
       class names: list
81
           An ordered list of class names, in the order they index the given confusion matrix.
82
       figsize: tuple
83
           A 2-long tuple, the first value determining the horizontal size of the ouputted figure,
```

```
84
            the second determining the vertical size. Defaults to (10,7).
 85
        fontsize: int
 86
            Font size for axes labels. Defaults to 14.
 87
 88
        Returns
 89
 90
        matplotlib.figure.Figure
 91
            The resulting confusion matrix figure
        1.1.1
 92
 93
        df cm = pd.DataFrame(
            confusion matrix, index=class names, columns=class names,
 94
 95
 96
        fig = plt.figure(figsize=figsize)
 97
        trv:
 98
            heatmap = sns.heatmap(df cm, annot=True, fmt="d")
 99
        except ValueError:
100
            raise ValueError("Confusion matrix values must be integers.")
101
        heatmap.yaxis.set ticklabels(heatmap.yaxis.get ticklabels(), rotation=0, ha='right', fontsize=fontsize)
102
103
        heatmap.xaxis.set ticklabels(heatmap.xaxis.get ticklabels(), rotation=45, ha='right', fontsize=fontsize)
104
        plt.ylabel('True label')
105
        plt.xlabel('Predicted label')
106
107
108
109 '''
110 # 4. Create the 2D CNN model
1111 '''
112 def get 2d conv model(n):
        ''' Create a standard deep 2D convolutional neural network'''
113
114
        nclass = 14
        inp = Input(shape=(n,216,1)) #2D matrix of 30 MFCC bands by 216 audio length.
115
116
        x = Convolution2D(32, (4,10), padding="same")(inp)
117
        x = BatchNormalization()(x)
        x = Activation("relu")(x)
118
119
        x = MaxPool2D()(x)
120
        x = Dropout(rate=0.2)(x)
121
        x = Convolution2D(32, (4,10), padding="same")(x)
122
123
        x = BatchNormalization()(x)
        x = Activation("relu")(x)
124
125
        x = MaxPool2D()(x)
```

```
126
        x = Dropout(rate=0.2)(x)
127
128
        x = Convolution2D(32, (4,10), padding="same")(x)
129
        x = BatchNormalization()(x)
130
        x = Activation("relu")(x)
131
        x = MaxPool2D()(x)
132
        x = Dropout(rate=0.2)(x)
133
134
        x = Convolution2D(32, (4,10), padding="same")(x)
135
        x = BatchNormalization()(x)
        x = Activation("relu")(x)
136
137
        x = MaxPool2D()(x)
138
        x = Dropout(rate=0.2)(x)
139
140
        x = Flatten()(x)
141
        x = Dense(64)(x)
142
        x = Dropout(rate=0.2)(x)
143
        x = BatchNormalization()(x)
144
        x = Activation("relu")(x)
145
        x = Dropout(rate=0.2)(x)
146
147
        out = Dense(nclass, activation=softmax)(x)
148
        model = models.Model(inputs=inp, outputs=out)
149
150
        opt = optimizers.Adam(0.001)
151 #
          opt = keras.optimizers.RMSprop(lr=0.00001, decay=1e-6)
        model.compile(optimizer=opt, loss=losses.categorical crossentropy, metrics=['acc'])
152
153
        model.summary()
154
        return model
155
156 '''
157 # 5. Other functions
158 '''
159 class get results:
160
161
        We're going to create a class (blueprint template) for generating the results based on the various model
162
        So instead of repeating the functions each time, we assign the results into on object with its associate
163
        depending on each combination:
164
            1) MFCC with no augmentation
165
            2) MFCC with augmentation
166
            3) Logmelspec with no augmentation
167
            4) Logmelspec with augmentation
```

```
1.1.1
168
169
170
        def init (self, model history, model ,X test, y test, labels):
171
            self.model history = model history
172
            self.model = model
173
            self.X test = X test
174
            self.y test = y test
175
            self.labels = labels
176
177
        def create plot(self, model history):
            '''Check the logloss of both train and validation, make sure they are close and have plateau'''
178
            plt.plot(model history.history['loss'])
179
180
            plt.plot(model history.history['val loss'])
181
            plt.title('model loss')
182
            plt.ylabel('loss')
183
            plt.xlabel('epoch')
184
            plt.legend(['train', 'test'], loc='upper left')
185
            plt.show()
186
187
        def create results(self, model):
            '''predict on test set and get accuracy results'''
188
189
            opt = optimizers.Adam(0.001)
190
            model.compile(loss='categorical crossentropy', optimizer=opt, metrics=['accuracy'])
            score = model.evaluate(X test, y test, verbose=0)
191
192
            print("%s: %.2f%%" % (model.metrics names[1], score[1]*100))
193
194
        def confusion results(self, X test, y test, labels, model):
195
            '''plot confusion matrix results'''
196
            preds = model.predict(X test,
197
                                     batch size=16,
198
                                     verbose=2)
199
            preds=preds.argmax(axis=1)
200
            preds = preds.astype(int).flatten()
201
            preds = (lb.inverse transform((preds)))
202
203
            actual = y test.argmax(axis=1)
204
            actual = actual.astype(int).flatten()
205
            actual = (lb.inverse transform((actual)))
206
207
            classes = labels
208
            classes.sort()
209
```

```
210
            c = confusion matrix(actual, preds)
            print confusion matrix(c, class names = classes)
211
212
213
        def accuracy results gender(self, X test, y test, labels, model):
214
             '''Print out the accuracy score and confusion matrix heat map of the Gender classification results'
215
216
            preds = model.predict(X test,
217
                              batch size=16,
218
                              verbose=2)
219
            preds=preds.argmax(axis=1)
220
            preds = preds.astype(int).flatten()
221
            preds = (lb.inverse transform((preds)))
222
223
            actual = y test.argmax(axis=1)
224
            actual = actual.astype(int).flatten()
225
            actual = (lb.inverse transform((actual)))
226
227
            # print(accuracy score(actual, preds))
228
229
            actual = pd.DataFrame(actual).replace({'female angry':'female'
230
                        , 'female disgust':'female
231
                          'female fear': 'female'
232
                          'female happy': 'female'
233
                          'female sad': 'female'
234
                          'female surprise': 'female'
235
                          'female neutral':'female'
236
                           'male angry': 'male'
237
                          'male fear': 'male'
238
                           'male happy':'male'
239
                           'male sad': 'male'
240
                          'male surprise': 'male'
                          'male neutral': 'male'
241
242
                          'male disgust': 'male'
243
244
            preds = pd.DataFrame(preds).replace({'female angry':'female'
245
                    , 'female disgust': 'female'
246
                    , 'female fear': 'female'
247
                      'female happy':'female'
                      'female sad': 'female'
248
249
                      'female surprise': 'female'
250
                      'female neutral':'female'
251
                    , 'male angry': 'male'
```

```
252
                     'male fear': 'male'
                     'male_happy':'male'
253
254
                     'male_sad':'male'
                     'male surprise':'male'
255
256
                     'male neutral':'male'
257
                     'male disgust': 'male'
258
                  })
259
260
            classes = actual.loc[:,0].unique()
261
            classes.sort()
262
263
            c = confusion matrix(actual, preds)
264
            print(accuracy_score(actual, preds))
265
            print confusion matrix(c, class names = classes)
```

```
1 sampling rate=44100
In [4]:
         2 audio duration=2.5
         3 \text{ n mfcc} = 30
         4 mfcc = prepare data(ref, n = n mfcc, aug = 0, mfcc = 1)
            # Split between train and test
         7 X train, X test, y train, y test = train test split(mfcc
         8
                                                                 , ref.labels
         9
                                                                 , test size=0.25
                                                                 , shuffle=True
        10
        11
                                                                 , random state=42
        12
        13
        14
        15 # one hot encode the target
        16 lb = LabelEncoder()
        17 y train = np utils.to categorical(lb.fit transform(y train))
        18 y test = np utils.to categorical(lb.fit transform(y test))
        19
        20 # Normalization as per the standard NN process
        21 mean = np.mean(X train, axis=0)
        22 std = np.std(X train, axis=0)
        23
        24 X train = (X train - mean)/std
        25 X test = (X test - mean)/std
        2.6
        27 # Build CNN model
        28 model = get 2d conv model(n=n mfcc)
            model history = model.fit(X train, y train, validation data=(X test, y test),
                                batch size=16, verbose = 2, epochs=100)
        30
```

```
100% | 1440/1440 [00:26<00:00, 54.68it/s]
2022-10-13 19:30:26.123472: I tensorflow/core/common_runtime/pluggable_device/pluggable_device_factory.cc:30
6] Could not identify NUMA node of platform GPU ID 0, defaulting to 0. Your kernel may not have been built wi th NUMA support.
2022-10-13 19:30:26.123601: I tensorflow/core/common_runtime/pluggable_device/pluggable_device_factory.cc:27
2] Created TensorFlow device (/job:localhost/replica:0/task:0/device:GPU:0 with 0 MB memory) -> physical Plug gableDevice (device: 0, name: METAL, pci bus id: <undefined>)
```

localhost:8888/notebooks/tensorflow-test/env/reconign\_emotion\_in\_speech/Create\_model\_cnn1d.ipynb

Metal device set to: Apple M2

Model: "model"

Layer (type)	Output Shape	Param #
input_1 (InputLayer)	[(None, 30, 216, 1)]	0
conv2d (Conv2D)	(None, 30, 216, 32)	1312
<pre>batch_normalization (BatchN ormalization)</pre>	(None, 30, 216, 32)	128
activation (Activation)	(None, 30, 216, 32)	0
<pre>max_pooling2d (MaxPooling2D )</pre>	(None, 15, 108, 32)	0
dropout (Dropout)	(None, 15, 108, 32)	0
conv2d_1 (Conv2D)	(None, 15, 108, 32)	40992
<pre>batch_normalization_1 (Batc hNormalization)</pre>	(None, 15, 108, 32)	128
activation_1 (Activation)	(None, 15, 108, 32)	0
<pre>max_pooling2d_1 (MaxPooling 2D)</pre>	(None, 7, 54, 32)	0
dropout_1 (Dropout)	(None, 7, 54, 32)	0
conv2d_2 (Conv2D)	(None, 7, 54, 32)	40992
<pre>batch_normalization_2 (Batc hNormalization)</pre>	(None, 7, 54, 32)	128
activation_2 (Activation)	(None, 7, 54, 32)	0
<pre>max_pooling2d_2 (MaxPooling 2D)</pre>	(None, 3, 27, 32)	0
dropout_2 (Dropout)	(None, 3, 27, 32)	0
conv2d_3 (Conv2D)	(None, 3, 27, 32)	40992

<pre>batch_normalization_3 (Batc hNormalization)</pre>	(None, 3, 27, 32)	128
activation_3 (Activation)	(None, 3, 27, 32)	0
<pre>max_pooling2d_3 (MaxPooling 2D)</pre>	(None, 1, 13, 32)	0
<pre>dropout_3 (Dropout)</pre>	(None, 1, 13, 32)	0
flatten (Flatten)	(None, 416)	0
dense (Dense)	(None, 64)	26688
dropout_4 (Dropout)	(None, 64)	0
<pre>batch_normalization_4 (Batc hNormalization)</pre>	(None, 64)	256
activation_4 (Activation)	(None, 64)	0
<pre>dropout_5 (Dropout)</pre>	(None, 64)	0
dense_1 (Dense)	(None, 14)	910

\_\_\_\_\_

Total params: 152,654
Trainable params: 152,270
Non-trainable params: 384

Epoch 1/100

2022-10-13 19:30:26.277527: W tensorflow/core/platform/profile\_utils/cpu\_utils.cc:128] Failed to get CPU freq uency: 0 Hz
2022-10-13 19:30:26.551226: I tensorflow/core/grappler/optimizers/custom\_graph\_optimizer\_registry.cc:114] Plu gin optimizer for device\_type GPU is enabled.
2022-10-13 19:30:28.288336: I tensorflow/core/grappler/optimizers/custom\_graph\_optimizer\_registry.cc:114] Plu gin optimizer for device\_type GPU is enabled.

68/68 - 2s - loss: 2.5072 - acc: 0.1926 - val\_loss: 2.2417 - val\_acc: 0.2444 - 2s/epoch - 33ms/step Epoch 2/100

```
68/68 - 1s - loss: 2.0708 - acc: 0.3028 - val loss: 2.3349 - val acc: 0.1944 - 1s/epoch - 22ms/step
Epoch 3/100
68/68 - 2s - loss: 1.8745 - acc: 0.3796 - val loss: 2.2518 - val acc: 0.2500 - 2s/epoch - 23ms/step
Epoch 4/100
68/68 - 2s - loss: 1.6661 - acc: 0.4574 - val loss: 2.1442 - val acc: 0.2667 - 2s/epoch - 23ms/step
Epoch 5/100
68/68 - 2s - loss: 1.4480 - acc: 0.5028 - val loss: 1.9423 - val acc: 0.3028 - 2s/epoch - 23ms/step
Epoch 6/100
68/68 - 1s - loss: 1.3047 - acc: 0.5778 - val loss: 1.6917 - val acc: 0.3861 - 1s/epoch - 22ms/step
Epoch 7/100
68/68 - 1s - loss: 1.1398 - acc: 0.6000 - val loss: 1.3666 - val acc: 0.5306 - 1s/epoch - 22ms/step
Epoch 8/100
68/68 - 2s - loss: 1.0297 - acc: 0.6657 - val loss: 1.3136 - val acc: 0.5750 - 2s/epoch - 22ms/step
Epoch 9/100
68/68 - 2s - loss: 0.9026 - acc: 0.7148 - val loss: 1.6197 - val acc: 0.4278 - 2s/epoch - 22ms/step
Epoch 10/100
68/68 - 1s - loss: 0.7905 - acc: 0.7639 - val loss: 1.1370 - val acc: 0.6000 - 1s/epoch - 22ms/step
Epoch 11/100
68/68 - 1s - loss: 0.7134 - acc: 0.7694 - val loss: 1.1387 - val acc: 0.6722 - 1s/epoch - 22ms/step
Epoch 12/100
68/68 - 2s - loss: 0.5758 - acc: 0.8454 - val loss: 0.9804 - val acc: 0.6944 - 2s/epoch - 22ms/step
Epoch 13/100
68/68 - 1s - loss: 0.5051 - acc: 0.8565 - val loss: 0.9690 - val acc: 0.6833 - 1s/epoch - 22ms/step
Epoch 14/100
68/68 - 1s - loss: 0.4511 - acc: 0.8676 - val loss: 1.2019 - val acc: 0.5889 - 1s/epoch - 22ms/step
Epoch 15/100
68/68 - 2s - loss: 0.4146 - acc: 0.8833 - val loss: 0.9562 - val acc: 0.6917 - 2s/epoch - 22ms/step
Epoch 16/100
68/68 - 1s - loss: 0.3490 - acc: 0.9046 - val loss: 1.0278 - val acc: 0.6306 - 1s/epoch - 21ms/step
Epoch 17/100
68/68 - 2s - loss: 0.3096 - acc: 0.9194 - val loss: 1.0740 - val acc: 0.6278 - 2s/epoch - 22ms/step
Epoch 18/100
68/68 - 1s - loss: 0.2606 - acc: 0.9361 - val loss: 1.3086 - val acc: 0.5611 - 1s/epoch - 21ms/step
Epoch 19/100
68/68 - 1s - loss: 0.2523 - acc: 0.9361 - val loss: 0.7702 - val acc: 0.7472 - 1s/epoch - 22ms/step
Epoch 20/100
68/68 - 1s - loss: 0.1952 - acc: 0.9602 - val loss: 1.0527 - val acc: 0.6361 - 1s/epoch - 22ms/step
Epoch 21/100
68/68 - 2s - loss: 0.1852 - acc: 0.9546 - val loss: 0.8875 - val acc: 0.7000 - 2s/epoch - 23ms/step
Epoch 22/100
68/68 - 1s - loss: 0.1708 - acc: 0.9565 - val loss: 1.1178 - val acc: 0.6139 - 1s/epoch - 21ms/step
Epoch 23/100
```


```
68/68 - 1s - loss: 0.1507 - acc: 0.9667 - val loss: 0.8757 - val acc: 0.7028 - 1s/epoch - 21ms/step
Epoch 24/100
68/68 - 1s - loss: 0.1676 - acc: 0.9620 - val loss: 0.7952 - val acc: 0.7306 - 1s/epoch - 21ms/step
Epoch 25/100
68/68 - 2s - loss: 0.1404 - acc: 0.9648 - val loss: 0.7945 - val acc: 0.7444 - 2s/epoch - 23ms/step
Epoch 26/100
68/68 - 1s - loss: 0.1183 - acc: 0.9694 - val loss: 0.9601 - val acc: 0.6944 - 1s/epoch - 22ms/step
Epoch 27/100
68/68 - 2s - loss: 0.1240 - acc: 0.9667 - val loss: 0.7364 - val acc: 0.7639 - 2s/epoch - 22ms/step
Epoch 28/100
68/68 - 1s - loss: 0.1242 - acc: 0.9639 - val loss: 0.8974 - val acc: 0.7194 - 1s/epoch - 22ms/step
Epoch 29/100
68/68 - 1s - loss: 0.0974 - acc: 0.9769 - val loss: 0.7294 - val acc: 0.7750 - 1s/epoch - 22ms/step
Epoch 30/100
68/68 - 1s - loss: 0.1078 - acc: 0.9750 - val loss: 0.7403 - val acc: 0.7500 - 1s/epoch - 21ms/step
Epoch 31/100
68/68 - 1s - loss: 0.1093 - acc: 0.9620 - val loss: 1.0780 - val acc: 0.6667 - 1s/epoch - 21ms/step
Epoch 32/100
68/68 - 2s - loss: 0.0987 - acc: 0.9741 - val loss: 0.7172 - val acc: 0.7778 - 2s/epoch - 22ms/step
Epoch 33/100
68/68 - 2s - loss: 0.0715 - acc: 0.9861 - val loss: 0.7144 - val acc: 0.7667 - 2s/epoch - 22ms/step
Epoch 34/100
68/68 - 1s - loss: 0.0593 - acc: 0.9917 - val loss: 0.7720 - val acc: 0.7444 - 1s/epoch - 22ms/step
Epoch 35/100
68/68 - 1s - loss: 0.0601 - acc: 0.9898 - val loss: 0.7993 - val acc: 0.7694 - 1s/epoch - 21ms/step
Epoch 36/100
68/68 - 2s - loss: 0.0677 - acc: 0.9870 - val loss: 0.6590 - val acc: 0.7944 - 2s/epoch - 22ms/step
Epoch 37/100
68/68 - 1s - loss: 0.0554 - acc: 0.9880 - val loss: 0.8755 - val acc: 0.7306 - 1s/epoch - 21ms/step
Epoch 38/100
68/68 - 1s - loss: 0.0605 - acc: 0.9852 - val loss: 1.0587 - val acc: 0.6417 - 1s/epoch - 21ms/step
Epoch 39/100
68/68 - 1s - loss: 0.0755 - acc: 0.9824 - val loss: 1.0873 - val acc: 0.6944 - 1s/epoch - 21ms/step
Epoch 40/100
68/68 - 1s - loss: 0.0691 - acc: 0.9796 - val loss: 0.8328 - val acc: 0.7333 - 1s/epoch - 22ms/step
Epoch 41/100
68/68 - 1s - loss: 0.0634 - acc: 0.9861 - val loss: 0.8861 - val acc: 0.7472 - 1s/epoch - 21ms/step
Epoch 42/100
68/68 - 1s - loss: 0.0389 - acc: 0.9917 - val loss: 0.7759 - val acc: 0.7583 - 1s/epoch - 22ms/step
Epoch 43/100
68/68 - 1s - loss: 0.0434 - acc: 0.9917 - val loss: 0.7110 - val acc: 0.7750 - 1s/epoch - 22ms/step
Epoch 44/100
```

```
68/68 - 2s - loss: 0.0536 - acc: 0.9889 - val loss: 0.7400 - val acc: 0.7528 - 2s/epoch - 22ms/step
Epoch 45/100
68/68 - 1s - loss: 0.0553 - acc: 0.9824 - val loss: 0.8173 - val acc: 0.7417 - 1s/epoch - 22ms/step
Epoch 46/100
68/68 - 1s - loss: 0.0448 - acc: 0.9870 - val loss: 0.9459 - val acc: 0.7194 - 1s/epoch - 22ms/step
Epoch 47/100
68/68 - 1s - loss: 0.0572 - acc: 0.9833 - val loss: 1.0153 - val acc: 0.7000 - 1s/epoch - 21ms/step
Epoch 48/100
68/68 - 1s - loss: 0.0610 - acc: 0.9843 - val loss: 1.0236 - val acc: 0.6722 - 1s/epoch - 21ms/step
Epoch 49/100
68/68 - 1s - loss: 0.0543 - acc: 0.9833 - val loss: 0.8936 - val acc: 0.7361 - 1s/epoch - 21ms/step
Epoch 50/100
68/68 - 1s - loss: 0.0422 - acc: 0.9907 - val loss: 0.9387 - val acc: 0.6944 - 1s/epoch - 21ms/step
Epoch 51/100
68/68 - 2s - loss: 0.0368 - acc: 0.9861 - val loss: 0.9453 - val acc: 0.6917 - 2s/epoch - 22ms/step
Epoch 52/100
68/68 - 1s - loss: 0.0340 - acc: 0.9935 - val loss: 0.8568 - val acc: 0.7278 - 1s/epoch - 21ms/step
Epoch 53/100
68/68 - 1s - loss: 0.0232 - acc: 0.9963 - val loss: 0.9899 - val acc: 0.7083 - 1s/epoch - 22ms/step
Epoch 54/100
68/68 - 1s - loss: 0.0396 - acc: 0.9889 - val loss: 0.9607 - val acc: 0.7167 - 1s/epoch - 22ms/step
Epoch 55/100
68/68 - 1s - loss: 0.0306 - acc: 0.9926 - val loss: 1.8100 - val acc: 0.5056 - 1s/epoch - 21ms/step
Epoch 56/100
68/68 - 1s - loss: 0.0612 - acc: 0.9833 - val loss: 0.7161 - val acc: 0.7722 - 1s/epoch - 22ms/step
Epoch 57/100
68/68 - 1s - loss: 0.0623 - acc: 0.9778 - val loss: 0.8793 - val acc: 0.7556 - 1s/epoch - 21ms/step
Epoch 58/100
68/68 - 1s - loss: 0.0850 - acc: 0.9750 - val loss: 0.8729 - val acc: 0.7278 - 1s/epoch - 22ms/step
Epoch 59/100
68/68 - 1s - loss: 0.0967 - acc: 0.9713 - val loss: 0.8967 - val acc: 0.7278 - 1s/epoch - 22ms/step
Epoch 60/100
68/68 - 1s - loss: 0.0766 - acc: 0.9750 - val loss: 0.8879 - val acc: 0.7167 - 1s/epoch - 21ms/step
Epoch 61/100
68/68 - 1s - loss: 0.0498 - acc: 0.9833 - val loss: 1.2214 - val acc: 0.6694 - 1s/epoch - 22ms/step
Epoch 62/100
68/68 - 1s - loss: 0.0347 - acc: 0.9917 - val loss: 1.0992 - val acc: 0.7056 - 1s/epoch - 22ms/step
Epoch 63/100
68/68 - 1s - loss: 0.0309 - acc: 0.9889 - val loss: 0.8169 - val acc: 0.7472 - 1s/epoch - 21ms/step
Epoch 64/100
68/68 - 1s - loss: 0.0437 - acc: 0.9889 - val loss: 1.0984 - val acc: 0.6944 - 1s/epoch - 21ms/step
Epoch 65/100
```

```
68/68 - 1s - loss: 0.0527 - acc: 0.9843 - val loss: 0.9594 - val acc: 0.7333 - 1s/epoch - 21ms/step
Epoch 66/100
68/68 - 1s - loss: 0.0551 - acc: 0.9824 - val loss: 0.9198 - val acc: 0.7472 - 1s/epoch - 21ms/step
Epoch 67/100
68/68 - 1s - loss: 0.0322 - acc: 0.9917 - val loss: 0.7638 - val acc: 0.7917 - 1s/epoch - 22ms/step
Epoch 68/100
68/68 - 1s - loss: 0.0277 - acc: 0.9935 - val loss: 0.8785 - val acc: 0.7528 - 1s/epoch - 21ms/step
Epoch 69/100
68/68 - 1s - loss: 0.0266 - acc: 0.9954 - val loss: 0.8964 - val acc: 0.7444 - 1s/epoch - 21ms/step
Epoch 70/100
68/68 - 1s - loss: 0.0317 - acc: 0.9889 - val loss: 0.9159 - val acc: 0.7111 - 1s/epoch - 21ms/step
Epoch 71/100
68/68 - 1s - loss: 0.0333 - acc: 0.9917 - val loss: 1.0305 - val acc: 0.7222 - 1s/epoch - 21ms/step
Epoch 72/100
68/68 - 1s - loss: 0.0187 - acc: 0.9954 - val loss: 0.9615 - val acc: 0.7639 - 1s/epoch - 22ms/step
Epoch 73/100
68/68 - 1s - loss: 0.0263 - acc: 0.9926 - val loss: 0.9656 - val acc: 0.7583 - 1s/epoch - 21ms/step
Epoch 74/100
68/68 - 1s - loss: 0.0294 - acc: 0.9889 - val loss: 0.7870 - val acc: 0.7861 - 1s/epoch - 21ms/step
Epoch 75/100
68/68 - 1s - loss: 0.0335 - acc: 0.9935 - val loss: 0.8416 - val acc: 0.7556 - 1s/epoch - 21ms/step
Epoch 76/100
68/68 - 1s - loss: 0.0544 - acc: 0.9852 - val loss: 1.5292 - val acc: 0.6111 - 1s/epoch - 20ms/step
Epoch 77/100
68/68 - 2s - loss: 0.0443 - acc: 0.9843 - val loss: 0.9347 - val acc: 0.7500 - 2s/epoch - 23ms/step
Epoch 78/100
68/68 - 1s - loss: 0.0534 - acc: 0.9796 - val loss: 0.9509 - val acc: 0.7444 - 1s/epoch - 22ms/step
Epoch 79/100
68/68 - 1s - loss: 0.0344 - acc: 0.9944 - val loss: 1.1069 - val acc: 0.7139 - 1s/epoch - 21ms/step
Epoch 80/100
68/68 - 1s - loss: 0.0432 - acc: 0.9870 - val loss: 1.1387 - val acc: 0.6944 - 1s/epoch - 22ms/step
Epoch 81/100
68/68 - 1s - loss: 0.0297 - acc: 0.9898 - val loss: 1.4812 - val acc: 0.6250 - 1s/epoch - 21ms/step
Epoch 82/100
68/68 - 1s - loss: 0.0314 - acc: 0.9907 - val loss: 0.9140 - val acc: 0.7194 - 1s/epoch - 22ms/step
Epoch 83/100
68/68 - 1s - loss: 0.0478 - acc: 0.9806 - val loss: 1.5876 - val acc: 0.6222 - 1s/epoch - 21ms/step
Epoch 84/100
68/68 - 1s - loss: 0.0509 - acc: 0.9861 - val loss: 0.8480 - val acc: 0.7361 - 1s/epoch - 22ms/step
Epoch 85/100
68/68 - 1s - loss: 0.0515 - acc: 0.9824 - val loss: 0.7970 - val acc: 0.7889 - 1s/epoch - 22ms/step
Epoch 86/100
```

```
68/68 - 1s - loss: 0.0583 - acc: 0.9861 - val loss: 0.9445 - val acc: 0.7222 - 1s/epoch - 22ms/step
Epoch 87/100
68/68 - 2s - loss: 0.0325 - acc: 0.9917 - val loss: 0.9538 - val acc: 0.7389 - 2s/epoch - 22ms/step
Epoch 88/100
68/68 - 1s - loss: 0.0189 - acc: 0.9926 - val loss: 0.8646 - val acc: 0.7806 - 1s/epoch - 22ms/step
Epoch 89/100
68/68 - 1s - loss: 0.0232 - acc: 0.9944 - val loss: 0.8572 - val acc: 0.7778 - 1s/epoch - 21ms/step
Epoch 90/100
68/68 - 2s - loss: 0.0222 - acc: 0.9944 - val loss: 1.1407 - val acc: 0.7472 - 2s/epoch - 22ms/step
Epoch 91/100
68/68 - 1s - loss: 0.0335 - acc: 0.9944 - val loss: 1.1275 - val acc: 0.6917 - 1s/epoch - 22ms/step
Epoch 92/100
68/68 - 1s - loss: 0.0341 - acc: 0.9889 - val loss: 0.8828 - val acc: 0.7472 - 1s/epoch - 22ms/step
Epoch 93/100
68/68 - 2s - loss: 0.0264 - acc: 0.9944 - val loss: 0.8551 - val acc: 0.7833 - 2s/epoch - 22ms/step
Epoch 94/100
68/68 - 1s - loss: 0.0217 - acc: 0.9917 - val loss: 0.8103 - val acc: 0.7750 - 1s/epoch - 22ms/step
Epoch 95/100
68/68 - 1s - loss: 0.0139 - acc: 0.9972 - val loss: 0.8719 - val acc: 0.7556 - 1s/epoch - 21ms/step
Epoch 96/100
68/68 - 2s - loss: 0.0122 - acc: 0.9972 - val loss: 1.0158 - val acc: 0.7417 - 2s/epoch - 23ms/step
Epoch 97/100
68/68 - 1s - loss: 0.0132 - acc: 0.9963 - val loss: 0.7131 - val acc: 0.8000 - 1s/epoch - 21ms/step
Epoch 98/100
68/68 - 1s - loss: 0.0175 - acc: 0.9963 - val loss: 0.8342 - val acc: 0.7861 - 1s/epoch - 22ms/step
Epoch 99/100
68/68 - 1s - loss: 0.0354 - acc: 0.9898 - val loss: 1.0080 - val acc: 0.7528 - 1s/epoch - 21ms/step
Epoch 100/100
68/68 - 1s - loss: 0.0290 - acc: 0.9898 - val loss: 0.8529 - val acc: 0.7917 - 1s/epoch - 21ms/step
```

```
In [5]: 1 results = get_results(model_history,model,X_test,y_test, ref.labels.unique())
2 results.create_plot(model_history)
3 results.create_results(model)
4 results.confusion_results(X_test, y_test, ref.labels.unique(), model)
```



40

epoch

60

80

100


0

20

2022-10-13 19:32:54.796594: I tensorflow/core/grappler/optimizers/custom\_graph\_optimizer\_registry.cc:114] Plu gin optimizer for device\_type GPU is enabled.

accuracy: 79.17% 23/23 - 0s - 182ms/epoch - 8ms/step

2022-10-13 19:32:55.019525: I tensorflow/core/grappler/optimizers/custom\_graph\_optimizer\_registry.cc:114] Plu gin optimizer for device\_type GPU is enabled.



Predicted label

In [ ]: 1