

Ex.No: 8.A

**Set Up a Honeypot and Monitor Network Connections Using
Python**

AIM:

ALGORITHM:

CODE:

```
import socket

from datetime import datetime HOST =
"0.0.0.0"

PORT = 9999

server = socket.socket(socket.AF_INET, socket.SOCK_STREAM) server.bind((HOST,
PORT))

server.listen(5)
```

```
print(f'HoneyPot started on port {PORT}')
client, address = server.accept()
print("\n[+] Connection Detected")
print("IP Address :", address[0])
print("Port :", address[1])
print("Time :", datetime.now())

client.send(b'Welcome to Server\n')

client.close()
```

OUTPUT:

```
C:\Users\acer\Desktop\cl>python honeypot.py
HoneyPot started on port 9999

[+] Connection Detected
IP Address : 127.0.0.1
Port : 63897
Time : 2026-08-27 19:23:01.067389
```

```
C:\Users\acer\Desktop\cl>python client.py
Welcome to Server

C:\Users\acer\Desktop\cl>python client.py
Welcome to Server
```

RESULT:

Ex.No: 8.B

**Implementation of a Python-Based Honeypot with TCP
Client–Server Communication**

AIM:

ALGORITHM:

CODE:

HOST CODE:

```
import socket
from datetime import datetime
HOST = "0.0.0.0"
PORT = 8888
server = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
server.bind((HOST, PORT))
server.listen(5)
print("=====")
print("SIMPLE PYTHON HONEYPOT")
```

```
print(f'Honeypot started on port {PORT}')
print("Waiting for connections...")
while True:
    client, address = server.accept() print("\n[+]
    Connection Detected") print("IP Address :",
    address[0]) print("Port :", address[1])
    print("Time :", datetime.now())
    client.send(b"Welcome to Test Server\nEnter a message: ") data =
    client.recv(1024)
    message = data.decode().strip()
    print("Message :", message)
    client.send(b"Message received\n")
    client.close()
    print("[+] Connection Closed")
    print("                ")
```

CLIENT CODE:

```
import socket HOST =
"127.0.0.1"
PORT = 8888
client = socket.socket(socket.AF_INET, socket.SOCK_STREAM) client.connect((HOST,
PORT))
message = client.recv(1024)
print(message.decode())
user_message = input("Type Message: ")
client.send(user_message.encode()) response
= client.recv(1024) print(response.decode())
client.close()
```

OUTPUT:

```
C:\Users\acer\Desktop\cl>python honeypot.py
=====
SIMPLE PYTHON HONEYPOT
=====
Honeypot started on port 8888
Waiting for connections...

[+] Connection Detected
IP Address : 127.0.0.1
Port : 61351
Time : 2026-08-27 19:38:38.569369
Message : hi
[+] Connection Closed
=====
```

```
C:\Users\acer\Desktop\cl>python client.py
Welcome to Test Server
Enter a message:
Type Message: hi
Message received
```

RESULT :