

Ex.No: 3.A	Secure Patient Data Communication Using Caesar Cipher
Date:	

AIM:

ALGORITHM:

CODE:

```
def encrypt(text, shift):  
    result = ""
```

```
    for ch in text.upper():
```

```
        if ch.isalpha():
```

```
            result += chr((ord(ch) - 65 + shift) % 26 + 65)
```

```
        else:
```

```
            result += ch
```

```
    return result

def decrypt(text, shift):
    result = ""

    for ch in text:
        if ch.isalpha():
            result += chr((ord(ch) - 65 - shift) % 26 + 65)
        else:
            result += ch

    return result

plain = input("Enter Plaintext : ")
shift = int(input("Enter Key : "))

cipher = encrypt(plain, shift)

print("Ciphertext :", cipher)

original = decrypt(cipher, shift)

print("Decrypted :", original)
```

OUTPUT:

```
Enter Plaintext : HELLO
Enter Key : 3
Ciphertext : KHOOR
Decrypted : HELLO
```

RESULT:

Ex.No: 3.B	Implementation of Playfair Cipher for Digraph-Based Encryption and Decryption
Date:	

AIM:

ALGORITHM:

CODE:

```
from string import ascii_uppercase

def generate_key_matrix(key):
    key = key.upper().replace("J", "I")
    matrix = []
    used = set()

    for ch in key + ascii_uppercase:
        if ch == "J":
            continue
```

```

        if ch not in used:
            used.add(ch)
            matrix.append(ch)

    return [matrix[i:i + 5] for i in range(0, 25, 5)]

def find_position(matrix, ch):
    if ch == "J":
        ch = "I"

    for i, row in enumerate(matrix):
        if ch in row:
            return i, row.index(ch)

def prepare_text(text):
    text = text.upper().replace("J", "I")
    text = "".join(ch for ch in text if ch.isalpha())

    result = ""
    i = 0

    while i < len(text):
        a = text[i]

        if i + 1 < len(text):
            b = text[i + 1]

            if a == b:
                result += a + "X"
                i += 1
            else:
                result += a + b
                i += 2
        else:
            result += a + "X"
            i += 1

    return result

def encrypt(text, matrix):
    text = prepare_text(text)
    cipher = ""

    for i in range(0, len(text), 2):
        a = text[i]
        b = text[i + 1]

```

```

r1, c1 = find_position(matrix, a)
r2, c2 = find_position(matrix, b)

if r1 == r2:
    cipher += matrix[r1][(c1 + 1) % 5]
    cipher += matrix[r2][(c2 + 1) % 5]

elif c1 == c2:
    cipher += matrix[(r1 + 1) % 5][c1]
    cipher += matrix[(r2 + 1) % 5][c2]

else:
    cipher += matrix[r1][c2]
    cipher += matrix[r2][c1]

return cipher

def decrypt(cipher, matrix):
    plain = ""

    for i in range(0, len(cipher), 2):

        a = cipher[i]
        b = cipher[i + 1]

        r1, c1 = find_position(matrix, a)
        r2, c2 = find_position(matrix, b)

        if r1 == r2:
            plain += matrix[r1][(c1 - 1) % 5]
            plain += matrix[r2][(c2 - 1) % 5]

        elif c1 == c2:
            plain += matrix[(r1 - 1) % 5][c1]
            plain += matrix[(r2 - 1) % 5][c2]

        else:
            plain += matrix[r1][c2]
            plain += matrix[r2][c1]

    cleaned = ""
    i = 0

    while i <
len(plain):

```

```
    if (i + 2 < len(plain)
        and plain[i] == plain[i + 2]
        and plain[i + 1] == "X"):

        cleaned += plain[i]
        i += 2

    else:
        cleaned += plain[i]
        i += 1

if cleaned.endswith("X"):
    cleaned = cleaned[:-1]

return cleaned

key = input("Enter Keyword : ")
plain = input("Enter Plaintext : ")

matrix = generate_key_matrix(key)

print("\nKey Matrix")

for row in matrix:
    print(" ".join(row))

cipher = encrypt(plain, matrix)

print("\nCiphertext :", cipher)

original = decrypt(cipher, matrix)

print("Decrypted Text :", original)
```

OUTPUT:

```
Enter Keyword : PLAY
Enter Plaintext : HELLO
```

```
Key Matrix
```

```
P L A Y B
```

```
C D E F G
```

```
H I K M N
```

```
O Q R S T
```

```
U V W X Z
```

```
Ciphertext : KCVVPQ
```

```
Decrypted Text : HELLO
```

RESULT:

Ex.No: 3.C	Secure Financial Transaction Using Hill Cipher
Date:	

AIM:

ALGORITHM:

CODE:

```
import numpy as np

key = np.array([[3, 3],
                [2, 5]])

inverse = np.array([[15, 17],
                    [20, 9]])

def process(text):
    text = text.upper().replace(" ", "")
    if len(text) % 2 != 0:
        text += "X"
    return text

def convert(text):
    return [ord(ch) - 65 for ch in text]

def encrypt(text):
    text = process(text)
    nums = convert(text)
    cipher = ""
    for i in range(0, len(nums), 2):
        pair = np.array([[nums[i],
                           [nums[i + 1]]])
        result = np.dot(key, pair) % 26
        cipher += chr(result[0][0] + 65)
        cipher += chr(result[1][0] + 65)

    return cipher

def decrypt(cipher):
```

```

nums = convert(cipher)

plain = ""

for i in range(0, len(nums), 2):

    pair = np.array([[nums[i]],
                     [nums[i + 1]]])

    result = np.dot(inverse, pair) % 26

    plain += chr(result[0][0] + 65)

    plain += chr(result[1][0] + 65)

return plain

plain = input("Enter Plaintext : ")

cipher = encrypt(plain)

print("Ciphertext :", cipher)

print("Decrypted :", decrypt(cipher))

```

OUTPUT:

```

Enter Plaintext : HELP
Ciphertext : HIAT
Decrypted : HELP

```

RESULT:

Ex.No: 3.D	Software Project Communication Using Vigenère Cipher
Date:	

AIM:

ALGORITHM:

CODE:

```
def generate_key(text, key):
    text = text.upper()
    key = key.upper()

    while len(key) < len(text):
        key += key

    return key[:len(text)]

def encrypt(text, key):
    cipher = ""

    for i in range(len(text)):
        value = (ord(text[i]) - 65 + ord(key[i]) - 65) % 26
        cipher += chr(value + 65)

    return cipher

def decrypt(cipher, key):
    plain = ""

    for i in range(len(cipher)):
        value = (ord(cipher[i]) - 65 - (ord(key[i]) - 65)) % 26
        plain += chr(value + 65)

    return plain

plain = input("Enter Plaintext : ").upper().replace(" ", "")
keyword = input("Enter Keyword : ")

key = generate_key(plain, keyword)

cipher = encrypt(plain, key)

print("Generated Key :", key)

print("Ciphertext :", cipher)

original = decrypt(cipher, key)

print("Decrypted :", original)
```

OUTPUT:

```
=====
RSA Prime Validation using Fermat's Test
=====
Enter the value of a: 2
Enter the candidate prime number (p): 17

Result of Fermat Test
(2^16) mod 17 = 1

The number satisfies Fermat's Little Theorem.
It is a probable prime.
Candidate is suitable for further RSA key generation.
```

RESULT: