EXP NO:3 DATE: 16/2/24

#### RAIL FENCE CIPHER

Aim: To implement an encryption algorithm using Rail Fence Cipher technique.

### Algorithm:

- Step 1: Declare msg and key, initializing msg with the original message, and set key to the desired rail fence key.
- Step 2: Create railMatrix with dimensions [key][msgLen], initializing elements with newline characters.
- Step 3: Iterate through msg, placing characters in railMatrix based on the Rail Fence Cipher pattern, updating row and col.
- Step 4:Print the encrypted message by traversing railMatrix, excluding newline characters.
- Step 5:Return 0 for successful execution and program termination.

## **Program:**

```
#include<stdio.h>
#include<string.h>

void encryptMsg(char msg[], int key){
  int msgLen = strlen(msg), i, j, k = -1, row = 0, col = 0;
  char railMatrix[key][msgLen];

for(i = 0; i < key; ++i)
  for(j = 0; j < msgLen; ++j)
  railMatrix[i][j] = '\n';

for(i = 0; i < msgLen; ++i){
  railMatrix[row][col++] = msg[i];
}</pre>
```

```
if(row == 0 || row == key-1)
       k = k * (-1);
     row = row + k;
  }
  printf("\nEncrypted Message: ");
  for(i = 0; i < \text{key}; ++i)
     for(j = 0; j < msgLen; ++j)
       if(railMatrix[i][j] != '\n')
          printf("%c", railMatrix[i][j]);
int main(){
  char msg[] = "This is Thrisha";
  int key = 3;
  printf("Original Message: %s", msg);
  encryptMsg(msg, key);
  return 0;
}
```

# **Output:**

```
Original Message: This is tamil
Encrypted Message: T tlhsi aiism
...Program finished with exit code 0
Press ENTER to exit console.
```

### **Result:**

Thus the C program to implement an encryption algorithm using Rail Fence Cipher technique was executed successfully.